

GOSSETT G-F SWINE PREMIX No. 93

A Premix for Growing-Finishing Swine with Added Salt and RABON[®] LARVICIDE
To prevent the development of House Flies in the manure of treated swine.

ACTIVE INGREDIENT	BY WEIGHT
2-chloro-1-(2,4,5-trichlorophenyl) vinyl dimethyl phosphate - - - - -	0.18%
INERT INGREDIENTS - - - - -	99.82% *
TOTAL	100.00%

* Refers only to ingredients which are not larvicidal
Each pound contains 0.82 grams of RABON

GUARANTEED ANALYSIS	
Calcium (Ca), Maximum - - - - -	25.50%
Calcium (Ca), Minimum - - - - -	22.75%
Phosphorus (P), Minimum - - - - -	7.25%
Salt (NaCl), Maximum - - - - -	10.50%
Salt (NaCl), Minimum - - - - -	8.50%
Iodine (I), minimum - - - - -	0.0032%
Manganese (Mn), Minimum - - - - -	0.15%
Iron (Fe), Minimum - - - - -	0.18%
Copper (Cu), Minimum - - - - -	0.018%
Zinc (Zn), Minimum - - - - -	0.27%
Selenium (Se), Minimum - - - - -	0.00036%
Vitamin A, Minimum USP Units per lb. - - - - -	68,000
Vitamin D-3, Minimum USP Units per lb. - - - - -	13,500
Vitamin E, Minimum USP Units per lb. - - - - -	145

INGREDIENTS

Monocalcium phosphate, dicalcium phosphate, calcium carbonate, salt, yeast culture, corn distillers dried grains with solubles, vitamin A acetate, D-activated animal sterol (source of vitamin D-3), vitamin E supplement, riboflavin supplement, calcium pantothenate, niacin, vitamin B-12 supplement, menadione dimethylprimidol bisulfite (source of vitamin K), choline chloride, ethylenediamine dihydriodide (EDDI), Manganous oxide, iron sulfate, copper oxide, zinc oxide, iron oxide, mineral oil, and sodium selenite.

KEEP OUT OF REACH OF CHILDREN
CAUTION
See reverse of tag for additional precautionary statements.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
CAUTION

Keep out of reach of children. Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water for 15 minutes. If irritation persists, see a physician.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams, and ponds. Do not contaminate water by cleaning equipment or disposal of wastes.

Net Wt. 55 lbs.

EPA Reg. No. 40034

EPA Estab. No. 40034-OH-01

RABON is the registered trademark of Shell Oil Company. U.S. Patent No. 3,102,842

Manufactured By
GOSSETT NUTRITION, INC.
P.O. BOX 512
MARION, OHIO 43302

GOSSETT G-F SWINE PRE-MIX No. 38

DIRECTIONS FOR USE
GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FEEDING DIRECTIONS

Gossett G-F SWINE PRE-MIX No. 38 is designed specifically for balancing modern-day confinement corn-soybean rations for growing-finishing swine. It contains salt. Do not add more salt to the ration.

MIXING DIRECTIONS

Ingredients	16%	14%	13%
	Grower 50-100 lb.	Finisher #1 100-150 lb.	Finisher #2 150 lb.-3kt.
Ground Yellow Corn - - - - -	1,545	1,645	1,695
44% Soybean Meal - - - - -	400	300	250
Gossett G-F Swine Pre-Mix No. 38 - - - - -	55	55	55
TOTALS - - - - -	2,000	2,000	2,000

Offer the above ration free-choice. This is equivalent to 22.7 mg. of RABON per lb of feed.

G-F Swine Pre-Mix No. 38 may be fed up to slaughter.

G-F Swine Pre-Mix No. 38 prevents the development of house flies in the manure of treated hogs but is not effective against existing adult flies. When starting a feeding program during the fly season, it may be necessary to use other control measures to reduce the population of existing adult flies.

Supplemental fly control measures may be needed in and around hog lots and buildings to control adult house flies and stable flies which can breed not only in hog manure but in other decaying vegetable matter or silage on the premises.

In order to achieve optimum fly control, G-F Swine Pre-Mix No. 38 should be used in conjunction with other good management and sanitation practices.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Disposal: Pesticide that cannot be used according to label instructions must be disposed of according to applicable Federal, State, or Local procedures.

Container Disposal: Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by State or Local authorities.

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT	
NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</i>		
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		
<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> $\begin{array}{r} 160/81962 \\ 18/1 \end{array}$ </div> <div style="text-align: center;"> DRP 1/3/83 </div> </div>		
NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.		
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.		
A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.		
Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.		
/ / / / / / / /		
<input checked="" type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		DATE

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

GOSSETT G-F SWINE PRE-MIX No. 39

DIRECTIONS FOR USE
GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FEEDING DIRECTIONS

Gossett G-F SWINE PRE-MIX No. 39 is designed specifically for balancing modern-day confinement corn-soybean rations for growing-finishing swine. It should be fed when corn is low in phosphorus. Add fifty-five (55) lb. per ton of complete ration. Feed from 50 lb. to market.

MIXING DIRECTIONS

Ingredients	16%	14%	13%
	Grower 50-100 lb.	Finisher #1 100-150 lb.	Finisher #2 150 lb.- Mkt.
Ground Yellow Corn - - - - -	1,545	1,645	1,695
44% Soybean Meal - - - - -	400	300	250
Gossett G-F SWINE PRE-MIX No. 39 - - -	55	55	55
TOTAL - - - - -	2,000	2,000	2,000

CAUTION: This pre-mix contains salt. Do not add more salt to the ration.

Offer the above ration free-choice. This is equivalent to 22.7 mg. of RABON per lb. of feed.

G-F Swine Pre-Mix No. 39 may be fed up to slaughter.

G-F Swine Pre-Mix No. 39 prevents the development of house flies in the manure of treated hogs but is not effective against existing adult flies. When starting a feeding program during the fly season, it may be necessary to use other control measures to reduce the population of existing adult flies.

Supplemental fly control measures may be needed in and around hog lots and buildings to control adult house flies and stable flies which can breed not only in hog manure but in other decaying vegetable matter or silage on the premises.

In order to achieve optimum fly control, G-F Swine Pre-Mix No. 39 should be used in conjunction with other good management and sanitation practices.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Disposal: Pesticide that cannot be used according to label instructions must be disposed of according to applicable Federal, State, or Local procedures.

Container Disposal: Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by State or Local authorities.