

10/21/12  
1A 15  
1300

#### DIRECTIONS FOR USE (Continued)

mix uniformly in feeds when standard mixing procedures are followed. Thus usual problems that are common to all feed preparation and which cause stratification, such as excessive free-fall or excessive handling, are to be avoided. It is recommended that appropriate preblending techniques be employed to assure adequate distribution of Squealer OL-20-10 Cattle Mineral throughout the feed mix. The mineral should be preblended with ground grain, protein supplements, miscel mixes, etc., before being added to roughages, such as chopped hay or silage. Mixing time should be adequate to assure uniform dispersion. Optimum performance can be assured only if Squealer OL-20-10 Cattle Mineral is dispersed uniformly with feedstuff at the recommended level. Common feed mixing equipment (i.e. vertical mixers, horizontal blenders, mixer/feeder truck) may be used to prepare formulated feeds. Feeds prepared with Squealer OL-20-10 Cattle Mineral should not be pelleted, used with feeds containing predominately pellets, or mixed in liquid feed supplements.

#### FEEDING DIRECTIONS

Feed only to cattle. Squealer OL-20-10 Cattle Mineral may be top dressed at the rate of 1 pound per 10 head of cattle.

In a concentrate feed-roughage fed separately - Squealer OL-20-10 Cattle Mineral can be used to prepare concentrate feeds that will provide 792 mg. of Rabon® per animal per day.

Mix Squealer OL-20-10 Cattle Mineral with grain to provide 1 1/2 pound of mineral per head per day. This mixture will provide 792 mg. of Rabon®.

In a complete ration-no other roughage fed - Squealer OL-20-10 Cattle Mineral can be used to prepare rations that contain 20.4 mg. of Rabon® per pound of complete ration.

To prepare a larvicidal ration, mix 6.7 pounds of Squealer OL-20-10 Cattle Mineral per ton of complete mixed ration containing both grain and roughage.

Just feed this larvicidal complete ration to feeder cattle weighing from 400 to 1200 pounds or to dairy cattle at a rate to sustain milk production but not less than 2 1/2 percent of the ration per 100 pounds body weight.

#### PRECAUTIONARY STATEMENT

##### HAZARDS TO HUMANS

##### CAUTION

Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water for 15 minutes. If irritation persists, see a physician.

##### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of waters.

##### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

##### PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

##### CONTAINER DISPOSAL

Completely empty bag into mixing equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.