



**SQUEALER**  
**OL-20:10 HOG MINERAL**  
 (contains Rabon Oral Larvicide)

To prevent the development of HOUSE FLIES in the manure of treated swine.

ACTIVE INGREDIENT	BY WEIGHT
*2-Chloro-1-(2, 4, 5-trichlorophenyl) vinyl dimethyl phosphate. . . . .	2.00%

\* Rabon <sup>®</sup> insecticide contains 9.08 grams of RABON <sup>®</sup> per pound  
 \* Rabon <sup>®</sup> is the registered trademark of Shell Oil Company  
 U.S. Pat. 3,102,842.

**GUARANTEED ANALYSIS**

Calcium (Ca), not less than . . . . .	18.50%
Calcium (Ca), not more than . . . . .	21.50%
Phosphorus (P), not less than . . . . .	10.00%
Salt (NaCl), not less than. . . . .	7.00%
Salt (NaCl), not more than. . . . .	8.40%
Iodine (I), not less than . . . . .	0.005%

**INGREDIENTS**

Dicalcium Phosphate, Cane Molasses, Beet Pulp, Calcium Carbonate, Mineral Oil, Manganous Oxide, Iron Sulfate, Copper Oxide, Zinc Oxide, Potassium Iodide, Salt, Iron Oxide.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back for additional use and precautionary statements.

**FEEDING DIRECTIONS**

All swine should be treated. Feed only to swine.

PIGS (weaners to market weight). Mix 5.0 pounds of Squealer OL-20:10 Hog Mineral per ton of meal type feed and offer free choice. This is equivalent to 22.7 mg. of Rabon <sup>®</sup> per lb. of feed.

SOWS, BOARS and BREEDING GILTS. Mix 10.0 pounds of Squealer OL-20:10 per ton of meal type feed and offer 4 to 6 pounds of feed per animal per day. This is equivalent to 45.4 mg. of Rabon <sup>®</sup> per pound of feed.

MANUFACTURED AND DISTRIBUTED BY  
 SQUEALER FEED COMPANY

Harlan, Iowa 51537 - Tipton, Iowa 52772  
 and Des Moines, Iowa 50322

50 Pounds Net Weight

EPA Reg. No. 40103

BEST DOCUMENT AVAILABLE

40103-6

4051

DIRECTIONS FOR USE  
General Classification

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Start feeding Squealer OL-20:10 Hog Mineral larvicidal feeds early in the spring before flies begin to appear and continue feeding throughout the summer and into the fall until cold weather restricts fly activity.

When fed, Squealer OL-20:10 Hog Mineral passes through the digestive system into the animal's manure where it kills fly larvae on contact shortly after fly eggs hatch.

Squealer OL-20:10 Hog Mineral prevents the development of house flies in the manure of treated swine, but is not effective against existing adult flies.

In some cases, supplemental fly control measures may be needed in and around confinement buildings and lots to control adult house flies which can breed not only in manure but in other decaying vegetable matter or swine feed on the premises.

In order to achieve optimum fly control Squealer OL-20:10 Hog Mineral should be used in conjunction with other good management and sanitation practices.

Feeds prepared with Squealer OL-20:10 Hog Mineral should not be pelleted, used with feeds containing predominately pellets, or mixed in liquid feed supplements.

PRECAUTIONARY STATEMENT

HAZARDS TO HUMANS

Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water for 15 minutes. If irritation persists, see a physician.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Disposal

Pesticide that cannot be used according to label instructions must be disposed of according to applicable Federal, State or Local procedures.

Container Disposal

Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into mixing equipment. Then dispose of bag in a sanitary landfill or by incineration if allowed by State and Local authorities.

BEST DOCUMENT AVAILABLE

<p>U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDE REGISTRATION WASHINGTON, D.C. 20460</p> <p><b>NOTICE OF PESTICIDE</b></p> <p><i>Under the Federal Insecticide, Fungicide, and Rodenticide Act</i></p>	<p>EPA REGISTRATION NO. _____</p> <p>DATE RECEIVED: JUN 1984 (5/31/84)</p> <p>NAME OF REGISTRANT _____</p>
<p>NAME AND ADDRESS OF REGISTRANT (SEE 211)</p> <p style="text-align: right;">DAP 161/12/848 18/1</p>	
<p><b>NOTE:</b> Changes in labeling, formula, formula, or substance that are accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this problem always refer to the above U.S. EPA registration number.</p>	
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the label accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is made subject to the fact that the Administrator may, at any time, suspend or cancel the registration of a pesticide in accordance with the Act. The Administrator may, at any time, suspend or cancel the registration of a pesticide under this Act if it is found to be in violation of the registration requirements of the Act, or if the need for it has been covered by other means.</p>	
<p><input type="checkbox"/> AT 211 (U.S. EPA Form 857-1-6)</p> <p>SIGNATURE OF REGISTRANT _____</p> <p>DATE _____</p>	

40103-6

-2-

- c. Please refer to the enclosed type size guide for assistance in selecting the correct print size for the front panel signal word, child hazard warning, and the heading "Storage and Disposal."
- d. Relocate the Feeding Directions section to appear after the general direction for Use since it is just a subsection of the Directions for Use.
- e. Change the heading "Ingredients" to "First Ingredients" over the vitamin and mineral listing.
- f. Revise the Pesticide Disposal text to read:

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

- g. Revise the Container Disposal text to read:

Completely empty bag into mixing equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

3. The following information should be submitted prior to release for shipment to complete the product's registration file.

- a. You must state in writing specific minerals and their relative amounts. This important information was not included with the submitted formula statement.
- b. The discussion of formation of ingredients and of composition need some detail. For example, describe the reaction vessel-- what is it made of? When is the material sampled for quality control? How is the vessel cleaned between batches? What is the blending procedure?
- c. What were the conditions of measurement of the pH?

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

BEST DOCUMENT AVAILABLE

401036

-3-

A stamped copy of the label is enclosed for your records.

George T. LaRocca

Product Manager (15)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767)

Enclosures

DCR-04459::LaRocca:Raven:557-2226:tar:RD-27:5/25/84:Del.6/12/84