

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDE PROGRAMS REGISTRATION DIVISION, 401 507 WASHINGTON, D.C. 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE
	TERM OF ISSUANCE	JUN (5/31/84)
NOTICE OF PESTICIDE: <input type="checkbox"/> New Pesticide <input type="checkbox"/> New Formulation <input type="checkbox"/> New Use <input type="checkbox"/> New Label <input type="checkbox"/> Other	NAME OF PESTICIDE PRODUCT	
NAME AND ADDRESS OF REGISTRANT: <i>See label</i>		
<div style="border: 1px solid black; padding: 5px; display: inline-block;"> DRP 161/121849 18/1 </div>		
NOTE: Changes in label formula, different formulation, or that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.		
On the basis of data submitted by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.		
A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.		
Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.		
<input type="checkbox"/> <small>Administrative Use Only</small>		DATE
SIGNATURE OF ADMINISTRATOR		

40103-7

-2-

- d. Please refer to the enclosed type size guide for assistance in selecting the correct print size for the front panel signal word, child hazard warning, and the heading "Storage and Disposal."
- e. Relocate the Feeding Directions section to appear after the general Directions for Use section since feeding directions are just a subsection of the Directions for Use.
- f. Repeat the signal word CAUTION (no type size requirement) at the beginning of the Hazards to Humans section.
- g. Revise the Pesticide Disposal text to read:

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

- h. Revise the Container Disposal text to read:

Completely empty bag into mixing equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

3. The following information should be submitted prior to release for shipment to complete the product's registration file.

- a. The weight and percentage by weight of each non-larvicide feed ingredient component must be submitted.
- b. The discussion of formation of ingredients and of composition need some detail. For example, describe the reaction vessel-- what is it made of? When is the material sampled for quality control? How is the vessel cleaned between batches? What is the blending procedure?
- c. What were the conditions of measurement of the pH?
- d. The "Storage Products" used should be more specifically identified.

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA Sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

401637

-3-

A stamped copy of the label is enclosed for your records.

George T. LaRocca

Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosures

DCR-04459::LaRocca:Raven:557-2226:tar:RD-27:5/25/84:Del.6/12/84



SQUEALER
OL-Stock Cow Mineral
 (contains Rabon Oral Larvicide)

To prevent the development of HORN FLIES, FACE FLIES, HOUSE FLIES and STABLE FLIES in the manure of treated cattle.

ACTIVE INGREDIENT **BY WEIGHT**
 *2-Chloro-1-(2,4,5-trichlorophenyl) vinyl
 dimethyl phosphate 1.05%

* Rabon [®] insecticide contains 4.76 grams of RABON [®] per pound.
 * Rabon [®] is the registered trademark of Shell Oil Company
 U.S. Pat. 3,102,842.

GUARANTEED ANALYSIS	ACCEPTED with COMMENTS	
Calcium (Ca), not less than	In EPA Letter Dated:	9.00%
Calcium (Ca), not more than		10.80%
Phosphorus (P), not less than	JUN 1 1974	5.00%
Salt (NaCl), not less than		35.00%
Salt (NaCl), not more than		40.00%
Iodine (I), not less than		0.05%
Magnesium (Mg), not less than	registered under EPA Reg. No.	2.70%
Vitamin A (min.) USP Units per pound	<u>40103-7</u>	25000
Vitamin D3 (min.) USP Units per pound		30000

INGREDIENTS
 Calcium Carbonate, Dicalcium Phosphate, Salt, Manganese Sulfate, Ferrous Sulfate, Copper Oxide, Zinc Oxide, Cobalt Carbonate, Cane Molasses, Beet Pulp, Ethylenediamine Dihydriodide, Magnesium Oxide, Vitamin A Supplement, Vitamin D Supplement.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back for additional use and precautionary statements.

FEEDING DIRECTIONS

Feed only to cattle. Offer Squealer OL Stock Cow Mineral free choice as the only source of minerals and salt. Do not offer additional salt.

Depending on the nature of the ration or pasture, consumption should approximate one pound per 6 cows daily which will provide 792 mgs per head for cattle weighing between 400 to 1200 pounds.

MANUFACTURED AND DISTRIBUTED BY
 SQUEALER FEED COMPANY
 Harlan, Iowa 51537 - Tipton, Iowa 52772
 and Des Moines, Iowa 50322

50 Pounds Net Weight or Pulk

EPA Reg. No. 40103

DIRECTIONS FOR USE
General Classification

4200207

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Rations containing Squealer OL-Stock Cow Mineral may be fed up to slaughter and to lactating dairy cows without withholding the milk from market during or after treatment.

Start feeding Squealer OL-Stock Cow Mineral early in the spring before flies begin to appear and continue feeding throughout the summer and into the fall until cold weather restricts fly activity.

When fed, Squealer OL-Stock Cow Mineral passes through the digestive system into the animal's manure where it kills fly larvae on contact shortly after fly eggs hatch.

Squealer OL-Stock Cow Mineral prevents the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle, but it is not effective against existing adult flies. In some cases, supplemental fly control measures may be needed in and around cattle lots and barns to control adult house flies and stable flies which can breed not only in manure but in other decaying vegetable matter or silage on the premises.

In order to achieve optimum fly control Squealer OL-Stock Cow Mineral should be used in conjunction with other good management and sanitation practices.

Feeds prepared with Squealer OL-Stock Cow Mineral should not be pelleted, used with feeds containing predominately pellets, or mixed in liquid feed supplements.

PRECAUTIONARY STATEMENT

HAZARDS TO HUMANS

Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water for 15 minutes. If irritation persists, see a physician.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of waters.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Disposal

Pesticide that cannot be used according to label instructions must be disposed of according to applicable Federal, State or Local procedures.

Container Disposal

Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into mixing equipment. Then dispose of bag in a sanitary landfill or by incineration if allowed by State and local authorities.