EPA REGISTRATION ENVIRONMENTAL PROTESTION AGENCY OFFICE OF PESTICIDES PROGRAMS US ENVIRONMENTAL PROTE 40275-25 TERM OF ISSUANCE REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460 NAME OF PESTICIDE PRODUCT NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION (Under the Federal Insecticide, Fungicide, Chemadyne and Rodenticide Act, as amended) NAME AND ADDRESS OF REGISTRANT (Include ZIP code) Chemtex International, Ltd. P.O. Box 336 Prairieville, LA 70769 NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrent, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you: 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data. 2. Make the labeling changes listed below before you release the product for shipment. Add the phrase "EPA Registration No. 40275-25." Note the correct declaration of the active ingredient is "Alpha-(p-nonyphenyl)omega-hydroxy(oxyethylene)-iodine complex." Submit tive (5) copies of your tinal printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. F. Castillo Product Manager (32) Disintectants Branch Registration Division (TS-767C) Enclosure

EPA Form 8570-6 (Rev. 5-76)

ATTACHMENT IS APPLICABLE
SIGNATURE OF APPROVING OFFICIAL

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

เพรียน สมสังเทา ให้เกี่ยนเพียง สโปรโตริเทียนได้ให้เหลือ ให้เพียงให้เหลือนี้ได้และไม่มีเหลือน และเลย เลย

DATE

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

### APPLICATION INFORMATION

For use on hard, non-porous, inanimate surfaces (glass, stainless steel, galvanized metal, porcelain, linoleum, tile, enameled and finished wood surfaces). Use on walls, floors, appliances, furnishings, and utensils.

Prepare fresh solutions daily. Do not reuse solutions. Discard solutions that are visibly soiled. Apply use solutions by flooding, immersion, swabbing, mopping or brushing to thoroughly wet all surfaces.

FOR DISINFECTION: In Hospitals, Nursing Homes, Food Plants, Commercial Freezers, Restrooms, Restaurants, and Veterinary Clinics, Farm Premises and Positry Houses. Use 1 oz. of this Disinfectant in 2 gallons of water for one-step cleaning and disinfecting light and moderately soiled surfaces. Heavily soiled surfaces should be cleaned and rinsed before disinfecting. For effective action, surfaces must remain wet for at least 10 minutes.

Food contact surfaces and all surfaces in edible food processing areas of Federally inspected meat and poultry plants must be rinsed with potable water before reuse when using the product at this concentration. Always carefully protect or remove food and packaging materials from the area before disinfecting.

For Farms and Poultry use, remove all animals, poultry and feed from premises. Remove all litter and manure from surfaces occupied or traversed by livestock. Empty all troughs, racks, and other feeding and watering equipment. Then, clean and disinfect as above. Ventilate buildings, coops, and other closed spaces. Do not house animals or poultry until treatment has been absorbed, set or dried.

DISINFECTING TOILET BOALS AND URINALS: Remove gross soils from surfaces with bowl brush. Add I oz. of this Disinfectant to the bowl water. Use brush or swab to thoroughly clean bowl surfaces, especially, under the rim. Flush commode or urinal several times and rinse bowl brush well.

SANITIZING OF NON-FOOD, CONTACT SURFACES such as walls, flows, cesk and country tops, telephone receivers, door knobs, chairs, toiler seats, bathroom sinks, tubs, and shower stalls, in offices, hotels, industrial and commercial buildings, and non-critical areas of hospitals and nursing homes: clean and sanitize in one operation by spraying or wiping a solution of 1 oz. of this Disinfectant in 3 patients of water onto the surfaces to be sanitized. Allow sulution contact for 5 minutes before hipping clean or rusing. It surfaces are heavily soiled, preclean before sanitizing.

#### CHEMADYNE

Bactericide - \*Virucide

Food Plants-Livestock Buildings-Hospitals-Veterinary Clinics NO RINSE FOOD PLANT SANITIZER POULTRY DRINKING WATER SANITIZER

\*Kills Herpes Simplex Type II when used as directed for disinfection.

#### **ACTIVE INGREDIENTS:** aipha-(P-nonyl phenyl)-omega-hydroxypoly 18.05% (oxyethylene)-iodine complex: ..... (Providing 1.75% titratable iodine; INERT INGREDIENTS: .....

# KEEP OUT OF REACH OF CHILDREN DANGER

Practical Treatment: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Call a physician.

Probable mucosal damage may NOTE TO PHYSICIAN: contraindicate the use of gastric lavage. Measures against circulatory, shock, respiratory depression, and convulsion may be needed.

FOR MEDICAL, INDUSTRIAL, COMMERCIAL, AND AGRICULTURAL USE ONLY.

A Product of

**NET CONTENTS:** 

Chemtex International, Ltd. P.O. Box 336 <u>i Gallon</u> Prairie HIEPTIA 70769 with COMMENTS in EPA LetterEPAGRES. No. 40275-EPA Est. No. 40275-LA-1 **OCT 9** 

Inder til 🔆 🔆 Fungie de .... As amondo ( 12), in the tenth 40275-25

1985

SAKATZANICH ( EQUIPMENT AN Hushing, scraping oz, of this Disi another suitable of Disinfectant i lodine). Sanitizi 1-2 minutes. C required.

HAND SANITI PROCESSING P handlers, rinse i 1 oz. per 5 gall titratable iodine

RETORT IN **OPERATIONS:** Disintectant in to control odor and as needed reading of 12-2

SANITIZATION I ounce of dis water. Regul control slime

SHOE BATH S disease organi and hog barn disinfectant ! Scrape off sho for 30 second:

FOR CLEAN farrowing per with a lukew gallon of wa drain dry and

JEODORAN' it sanitizes a cations (garb solution of l

STORAGE container.

DISPOSAL container an

> Harmful or damage and or on cloth gloves who water after clothing be