

Auto Fog II

ENTECH

FOG-5

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its label.

IN FOGGING EQUIPMENT AND HAND SPRAYERS To Kill Accessible Stages of Insects* Infesting Dried Fruit Products In Storage or Being Processed: Close room or warehouse and shut off all ventilating systems. Dispense this product as a fine mist in the air above trays or shelves of dried fruit. Use a spraying device similar to the Microsol machine, or use fixed ceiling sprayers that produce a very fine spray. Do not apply to fruit directly. If overhead sprayers are used, be sure that the spray is discharged from a position of at least 6 feet over the top trays of fruit. Use a dosage of 1 gallon of this spray per 50,000 cubic feet of room space. Repeat applications at this dosage in any given month. More than ten applications may also be made if this spray is diluted with more petroleum distillate, so that the pyrethrins and synergists in the final spray are reduced proportionately. Do not remain in treated areas. Ventilate the area after treatment is completed. Maximum dilution is 1 part Fog 5 plus 5.6 parts oil.*

* Indian Meal Moth, Dried Fruit Beetle, Confused Flour Beetle, Saw-Toothed Grain Beetle and Roaches

To Kill The Adult and Accessible Forms of Insects Pests* of Stored Food (Stored in Multiwall Paper Bags or in Cloth Bags) in Warehouses, Storage Rooms and Similar Locations: Close room or warehouse and shut off all ventilating systems. Use a spraying device similar to the Microsol machine, or use fixed ceiling sprayers that produce a very fine spray. Use a dosage of one fluid ounce of this spray per 1000 cubic feet of room space. Do not remain in treated areas. Ventilate the area after treatment is completed. Repeat applications as necessary for insect control.

* Rice Weevil, Yellow Meal Worm, Cadelle, Confused Flour Beetle, Saw-Toothed Grain Beetle, Angournois Grain Moth, Mediterranean Flour Moth and Indian Meal Moth

To Kill Flies, Mosquitoes and Gnats: Close room and discharge spray mist as described above. Use a dosage of 1/4 to 1 fluid ounce per 1000 cubic feet of room space. Leave room closed for at least ten minutes. Sweep up and destroy fallen insects. Repeat as necessary for control. Do not remain in treated areas. Ventilate the area after treatment is completed.

PHYSICAL HAZARD

Keep container closed. Do not use, pour, spill or store near heat or open flame.

ACTIVE INGREDIENTS:

Pyrethrins50%
* Piperonyl butoxide, tech	1.00%
1N-octyl bicycloheptene dicarbox- imide	1.67%

INERT INGREDIENTS	96.83%
	100.00%

* Equivalent to 80% (butylcarbityl) (6-propylpiperonyl) ether and 20% related compounds
MGK 264, Insecticide Synergist

EPA Reg. No. 40391-3 EPA Est. No. 40391-LA-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional cautions

Manufactured by

ENTECH SYSTEMS CORPORATION

607 Maria St. • Kenner, LA. 70062
(504) 469-6541

NET CONTENTS: GALLONS
1 5 30 55

Notice: This product contains petroleum distillates and may be hazardous to health if inhaled

BUYER ASSUMES ALL RISKS OF USE, STORAGE OR HANDLING OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH THE DIRECTIONS GIVEN HEREWITHIN

IN PRESSURIZED TANK SPRAYERS FOR WETTING CONTACT SPRAYS

As a Surface Spray to Kill the Accessible Stages of Granary Insects: Rice Weevils, Confused Flour Beetles, Rust Red Flour Beetles, Saw-Toothed Grain Beetles, Cadelles, Meal Moth Larvae and Adults, Cigarette Beetles, Drug Store Beetles and Granary Weevils: Apply as a coarse wet spray to all areas infested by these insects. Use a dosage of 1 gallon per 1000 Square feet. Pay particular attention to cracks and crevices in floor, walls and ceilings. Spray thoroughly around and into floor drains, conveyors and other areas where granary insects may be found. (For Flying Moths and Beetles, treat as for Flies, Mosquitoes and Gnats. See above.) Do not apply this spray to surfaces that may come in contact with food; excessive residues in food may result.

To Kill Roaches, Silverfish and Waterbugs in Sheltered Situations: Apply this spray with a sprayer that produces coarse, wetting droplets into all cracks and crevices in woodwork, floors, underneath sinks, areas behind pipes, and in all places where these insects shelter. Contact as many insects as possible. Repeat as necessary for control. Do not allow spray to contact any stored food.

CAUTION KEEP OUT OF REACH OF CHILDREN.

Harmful if swallowed. Do not apply directly to food. Cover or remove all food and food processing equipment during application. Do not apply space sprays while food processing is underway. Food processing operations do not have to be stopped while applying above spray with care and in accordance with the directions and cautions above. After spraying in meat packing plants, bakeries and other food processing plants, wash with potable water all equipment, benches, shelving etc., where exposed food will be handled. In case washing is impractical, do not allow food to come in contact with treated surfaces for at least 48 hours. Remove pets and cover fish bowls before spraying. This product is toxic to fish. Keep out of lakes, streams or ponds.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal

Container Disposal: Triple rinse or equivalent then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other State and local procedure.

Pesticide Disposal: Pesticide spray or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local procedure

BEST AVAILABLE COPY