

40391-3

05/12/2004

1/4

MAY 12 2004

Kim Davis
ENTECH SYSTEMS CORPORATION
c/o RegWest Company, LLC
30856 Rocky Road
Greeley, CO 80631-9375

Subject: Revised label and CSF For:
ENTECH FOG-5
EPA Registration No. 40391-3
Application dated March 5, 2004

Dear Ms. Davis:


The proposed amendment to the registration of the product under the Federal Insecticide, Fungicide And Rodenticide Act, as amended revising the label in accordance with various PR Notices is acceptable subject to the comment listed below. A stamped copy of the revised label is enclosed for your records.

In the section headed, "On Peanuts, Nuts, Beans (including Cocoa), Seeds and Copra (in bulk storage, bags or other packaging)", delete "bulk storage" from that heading.

The Confidential Statement Of Formula(CSF) dated March 5, 2004 is acceptable and has been made a part of the file for this product.

If you have any questions please contact Joseph Tavano at (703) 305-6411.

Sincerely,


Richard Gebken
Acting Product Manager 10
Insecticide Branch
Registration Division (7505C)



ENTECH FOG-5

Active Ingredients:

Pyrethrins	0.50%
*Piperonyl butoxide, technical	1.00%
**N-octyl bicycloheptene dicarboximide	1.67%
Other Ingredients***	96.83%
Total	100.00%

*Equivalent to 0.80% (butylcarbityl)(6-propylpiperonyl) ether and 0.20% related compounds.

**MGK[®] 264, Insecticide Synergist.

***Contains petroleum distillate.

MGK[®] - Registered trademark of McLaughlin Gormley King Co.

EPA Reg. No. 40391-3

EPA Est. No. 40391-LA-1

Keep Out of Reach of Children

CAUTION

See side [back] panel for additional precautionary statements.

Manufactured by
Entech Systems Corporation
 607 Maria Street Kenner, LA 70062
 (504) 469-6541
 www.entech.cc

Net Contents: Gallons
 1 5 20 55

ACCEPTED
with COMMENTS
In EPA Letter Dated:
 MAY 12 2004

Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 as amended, for the pesticide
 registered under EPA Reg. No.
40391-3

{Side/Back Panel(s)}

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Avoid breathing vapor or spray mist. Avoid contact with skin, eyes or clothing. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II. Wear protective clothing. Thoroughly wash with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid contamination of food or feedstuffs.

Remove pets and birds and cover fish aquariums before spraying.

First Aid

If Swallowed	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person.
If Inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
If on Skin or Clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Immediately rinse skin with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in Eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.

Note to Physician: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. [You may also contact 1-800-{appropriate number} for emergency medical treatment information.]

{Note: The first aid statements' grid format will be used if market label space allows; otherwise a paragraph format will be used.}

Environmental Hazards

This product is toxic to fish and other wildlife. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your state water board or regional office of the EPA.

Physical or Chemical Hazards

Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Apply this product only as specified on this label.

General: This product is designed for use undiluted in mechanical sprayers that give particles of aerosol size. It may be diluted with kerosenes (that meet Food Additive Regulations as defined by CFR Title 21, 172.884) and applied in fogging equipment that give larger than aerosol particle size.

Do not apply directly to food. Do not apply space spray while food processing is underway. Cover or remove all food processing surfaces. Thoroughly wash all food process surfaces before reuse. After spraying in bakeries, meat packing plants, food processing plants, etc., all benches, shelving, equipment, etc. where food will be handled must be washed with an effective cleaning compound followed by a potable water rinse prior to use.

In Fogging Equipment and Hand Sprayers to kill accessible stages of insects* infesting dried fruit products in storage or being processed: Close room or warehouse and shut off all ventilating systems. Dispense this product as a fine mist in the air above trays or shelves of dried fruit. Use a spraying device similar to the Microsol machine, or use fixed ceiling sprayers that produce a very fine spray. Do not apply directly to fruit. If overhead sprayers are used, be sure that the spray is discharged from a position of at least 6 feet over the top trays of fruit. Use a dosage of 1 gallon of this spray per 50,000 cubic feet of room space. Repeat applications at this dosage in any given month. More than ten applications may also be made if this spray is diluted with more petroleum distillate, so that the pyrethrins and synergists on the final spray are reduced proportionately. Do not remain in treated areas. Ventilate the area after treatment is completed. Maximum dilution is 1 part Fog-5 plus 5.6 parts oil.

*Indian Meal Moth, Dried Fruit Beetle, Confused Flour Beetle, Sawtoothed Grain Beetle and Roaches.

To Kill the Adult and Accessible Forms of Insect Pests* of Stored Food (stored in multiwall paper bags or in cloth bags) in warehouses, storage rooms and similar locations: Close room or warehouse and shut off all ventilating systems. Use a spraying device similar to the Microsol machine, or use fixed ceiling sprayers that produce a very fine spray. Use a dosage of one fluid ounce of this spray per 1000 cubic feet of room space. Do not remain in treated areas. Ventilate the area after treatment is completed. Repeat applications as necessary for insect control.

*Rice Weevil, Yellow Meal Worm, Cadelle, Confused Flour Beetle, Sawtoothed Grain Beetle, Angoumois Grain Moth, Mediterranean Flour Moth and Indian Meal Moth.

On Peanuts, Nuts, Beans (including Cocoa), Seeds and Copra (in bulk storage, bags or other packaging): For the control of accessible stages of Almond Moths, Angoumois Grain Moths, Ants, Cadelles, Cereals Beetles, Cheese Mites, Cheese Skippers, Chocolate Moths, Cigarette Beetles, Cockroaches, Confused Flour Beetles, Crickets, Dark Mealworms, Drugstore Beetles, Earwigs, Firebrats, Flies, Fruit Flies, Fungus Gnats, Grain Mites, Granary Weevils, Hide Beetles, Indian Meal Moths, Mediterranean Flour Moths, Mosquitoes, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Silverfish, Small Flying Moths, Spiders, Spider Beetles, Yellow Mealworms, Dried Fruit Beetles, Warehouse Beetles, Rusty Grain Beetles, Lesser Grain Beetles, Coffee Bean Weevils, Khapra Beetles and other listed insects. Apply to the surfaces of stored or bagged products. Also thoroughly spray walls, floors and other surfaces, storage and handling areas, being especially careful to treat cracks, crevices and similar hiding places. Then apply as a space spray at the rate of 1/2 to 1 ounce per 1000 cubic feet of space by directing the spray toward the ceiling and upper corners of the area and behind any obstructions.

To Kill Flies, Mosquitoes and Gnats: Close room and discharge spray mist as described above. Use a dosage of ½ to 1 fluid ounce per 1000 cubic feet of room space. Leave room closed for at least ten minutes. Sweep up and destroy fallen insects. Repeat as necessary for control. Do not remain in treated areas. Ventilate the area after treatment is completed.

In Pressurized Tank Sprayers for Wetting Contact Sprays

As a Surface Spray to Kill the Accessible Stages of Granary Insects: Rice Weevils, Confused Flour Beetles, Rust Red Flour Beetles, Sawtoothed Grain Beetles, Cadelles, Meal Moth Larvae and Adults, Cigarette Beetles, Drug Store Beetles and Granary Weevils: Apply as a coarse wet spray to all areas infested by these insects. Use a dosage of 1 gallon per 10000 square feet. Pay particular attention to cracks and crevices in floors, walls and ceilings. Spray thoroughly around and into floor drains, conveyors and other areas where granary insects may be found. **(For Flying Moths and Beetles, treat as for Flies, Mosquitoes and Gnats. See above.) Do not apply this spray to surfaces that may come in contact with food; excessive residues in food may result.**

To Kill Roaches, Silverfish and Waterbugs in Sheltered Situations: Apply this spray with a sprayer that produces coarse, wetting droplets into all cracks and crevices in woodwork, floors, underneath sinks, areas behind pipes and in all places where these insects shelter. Contact as many insects as possible. Repeat as necessary for control. Do not allow spray to contact any stored food.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool, dry place. Keep container closed. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **Container Disposal:** Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with the directions given herewith.

- [] Denotes optional/alternate language.
- { } Denotes language that does not appear on market label.

.....
.....
.....
.....
.....
.....