

PH No 40391-4 181

**PRECAUTIONARY STATEMENT**  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION**

Harmful if swallowed. If swallowed, do not induce vomiting. Do not breathe spray mist. Wear mask or respirator of a type recommended by the U.S. Bureau of Mines to give adequate protection against this material. Wash hands, arms and face with soap and water after handling and before eating or smoking. Wash all contaminated clothing with soap and water before reuse. Do not remain in treated areas. Ventilate the area thoroughly before re-entry. In hospitals, patients should be removed from rooms prior to treatment. Rooms should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation. Remove pets, birds and cover fish aquariums before spraying.

**ENVIRONMENTAL HAZARD**

This product is toxic to fish. **DO NOT APPLY DIRECTLY TO WATER.** Do not apply when weather conditions favor drift from areas treated. Do not contaminate any body of water by cleaning equipment or disposal of wastes.

**PHYSICAL HAZARD**

Keep container closed. Do not pour, use, spill or store near open flame.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its label.

**INDOOR SPRAY**

**FOR CONTROL OF FLIES, MOSQUITOES, AND GNATS** in homes, hospitals, food establishments, farm buildings and warehouses. Close all windows and stop all ventilators. Pilot lights should be extinguished. In hospitals, patients should be removed from room prior to treatment. Rooms should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation. Remove pets, birds and cover fish aquariums before spraying. Allow only fine mist or "dry" fog to contact fabric or surfaces that might be affected by the oil base. Direct fine mist or fog upward toward the center of the room and around the sides until the area is filled with fog or mist particles. Keep area closed for 10 to 15 minutes. Do not remain in treated areas. Ventilate the area thoroughly before re-entry. Clean up and destroy, if taken, insects. Resmethrin Insect Spray is acceptable by the USDA as a pesticide for use in all areas of official establishments operating under the Federal meat, poultry, shell egg grading and egg products inspection programs.

**ENTECH**

**BEST AVAILABLE COPY**

**RESMETHRIN INSECT SPRAY**

Contains Resmethrin (SPB-1352®)

A contact and space spray for control of flying and crawling insects in dairies, meat packing plants, food plants and storage warehouses, hospitals, hotels, restaurants, schools, homes and similar establishments with mist spraying or fogging equipment.

**ACTIVE INGREDIENTS**

\*Resmethrin (5-Benzy-3-fury) methyl 2-dimethyl-3-(2-methylpropenyl) cyclopropane-carboxylate 0.3%

**INERT INGREDIENTS** 99.7%  
100.0%

\*Cis/Trans isomers ratio max 30% (±) cis and min 70.0% (±) trans

\*U.S. Patent No. 3,465,007

**NOTICE:** This product contains petroleum distillates and may be hazardous to health if inhaled.

**KEEP OUT REACH OF CHILDREN**

**CAUTION**

See side panel for additional cautions

EPA Reg. No. 40391-4

EPA Est. No. 40391-LA-1

Manufactured by

**ENTECH SYSTEMS CORPORATION**

607 Maria St. • Kenner, LA 70062

(504) 409-6541


NET CONTENTS     GALLONS

1 5 30 55

**CONTACT AND SPRAY - TO KILL COCKROACHES, CONFUSED FLOUR & SAWTOOTHED GRAIN BEETLE, CENTIPEDES, EARWIGS, GRAIN MITES, SOWBUGS, SPIDERS IN SHELTERED SITUATIONS.** Adjust spray device to deliver a coarse wet spray. Apply as a contact spray to hit as many insects as possible underneath rafters and around pallets, and in most areas around sinks and pipes. Apply to storage areas, baseboards, and the inside surfaces of lockers and trucks at a rate of 1 gallon to 1,000 sq. ft. Apply into cracks and crevices, in points between equipment and floors, equipment legs and bases, conduits, motor housings and junction or switch boxes. Prior to application, de-energize equipment. After application, allow time for oil to evaporate before starting motors or placing switches in "on" position. Contact as many insects as possible. Apply as a space spray at the rate of 1 fl. oz. per 1,000 cu. ft. of room space. Repeat dosage as necessary for control. Leave the room closed for 1 hour. Do not remain in treated area. Ventilate the area thoroughly before re-entry. Do not apply directly to food in commercial food handling facilities; cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After space spraying in meat packing plants, bakeries, and other food processing plants, wash with potable water all equipment, benches, shelving, etc., where exposed food will be handled. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pets and birds, and cover fish aquariums before spraying.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. Container Disposal: Triple rinse or equivalent then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other State and local procedure. Pesticide Disposal: Pesticide, spray or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local procedure.



**BEST AVAILABLE COPY**