

PRECAUTIONARY STATEMENT
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Do not breathe spray mist. Wear mask or respirator of a type recommended by the U.S. Bureau of Mines to give adequate protection against this material. Wash hands, arms and face with soap and water after handling and before eating or smoking. Wash all contaminated clothing with soap and water before reuse. Do not remain in treated areas. Ventilate the area thoroughly before re-entry. In hospitals, patients should be removed from rooms prior to treatment. Rooms should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation. Remove pets, birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARD

This product is toxic to fish. "DO NOT APPLY DIRECTLY TO WATER. Do not apply when weather conditions favor drift from areas treated. Do not contaminate any body of water by cleaning equipment or disposal of wastes.

PHYSICAL HAZARD

Keep container closed. Do not pour, use, spill or store near or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Container Disposal: Triple rinse or equivalent then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other State and local procedure. Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

ACCEPTED

40391-5

BEST AVAILABLE COPY

ENTECH

PM 17 116 40391-5

AUTO FOG-5

FOR PROFESSIONAL FOOD PLANT,
HOUSEHOLD AND INDUSTRIAL USE BY
TRAINED PERSONNEL ONLY

Contains Resmethrin (SPB-1382®)

An insecticide for control of flying and crawling insects in dairies, meat packing plants, food plants and storage warehouses, hospitals, hotels, restaurants, schools, homes and similar establishments with automatic or manual fogging equipment or sprayers. Authorized by USDA for use in federally inspected meat and poultry plants.

ACTIVE INGREDIENTS

*Resmethrin, (5-(phenylmethyl)-3-furanyl) methyl
2, 2-dimethyl-3-(methyl-1-propenyl) cyclo-
propanecarboxylate 0.5%

INERT INGREDIENTS 99.5%
100.0%

*Cis/Trans isomers ratio: max. 30% (+) cis and min 70.0%
(-) trans

-U.S. Patent No. 3, 465, 007

NOTICE: This product contains petroleum distillates and may be hazardous to health if inhaled.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED, Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

IF INHALED, Remove victim to fresh air.

IF ON SKIN, Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES, Flush eyes with plenty of water. Call a physician immediately, if irritation persists.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MFG BY: ENTECH SYSTEMS CORPORATION, 607 Maria St.,
TOWN, STATE Kennec, LA 70062 (504) 469-6541
EPA ESTABLISHMENT NO. 40391-LA-1
EPA REGISTRATION NO. 40391-5

Handwritten signature

INDOOR SPRAY

FOR CONTROL OF FLIES, MOSQUITOES, AND GNATS in homes, hospitals, food establishments, farm buildings and v-rehouses. Close all windows and stop all ventilators. Pilot lights should be extinguished. In hospitals, patients should be removed from room prior to treatment. Rooms should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation. Remove pets, birds and cover fish aquariums before spraying. Allow only fine mist or "dry" fog to contact fabric or surfaces that might be affected by the oil base. Direct fine mist or fog upward toward the center of the room and around the sides until the area is filled with fog or mist particles. Keep area closed for 10 to 15 minutes. Do not remain in treated areas. Ventilate the area thoroughly before re-entry. Clean up and destroy fallen insects. Resmethrin Insect Spray is acceptable by the USDA as a pesticide for use in all areas of official establishments operating under the Federal meat, poultry, shell egg grading and egg products inspection programs.

FOR CONTROL OF COCKROACHES;

CONFUSED FLOUR & SAWTOOTHED GRAIN BEETLES, CENTIPEDES, EARWIGS, GRAIN MITES, SOWBUGS, AND SPIDERS IN SHELTERED SITUATIONS. Adjust spraying device to deliver a coarse wet spray. Apply as a contact spray to hit as many insects as possible underneath refrigerators and around pallets, and in most areas around sinks and pipes. Apply to storage areas, baseboards, and the inside surfaces of boxcars and trucks at a rate of 1 gallon to 1,000 sq. ft. Apply into cracks and crevices, in points between equipment and floors, equipment legs and bases, conduits, motor housings, and junction or switch boxes. Prior to application, de-energize electrical equipment. After application, allow time for oil to evaporate before starting motors or placing switches in "on" position. Contact as many insects as possible. Apply as a space spray at the rate of 1 fl. oz. per 1,000 cu. ft. of room space. Repeat dosage as necessary for control. Leave the room closed for 1 hour. Do not remain in treated area. Ventilate the area thoroughly before re-entry. Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After space spraying in meat packing plants, bakeries, and other food processing plants, wash with effective cleaning compound and rinse with potable water all equipment, benches, shelving, etc., where exposed food will be handled. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pets and birds, and cover fish aquariums before spraying.

BUYER ASSUMES ALL RISKS OF USE, STORAGE OR HANDLING OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH THE DIRECTIONS GIVEN HEREWITH.