

ENTECH AUTO FOG-5

PRECAUTIONARY STATEMENT

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harm if swallowed or inhaled. Avoid breathing spray mist. Wear mask or respirator of a type recommended by the U.S. Bureau of Mines to give adequate protection against this material. Avoid contact with skin, eyes or clothing. Remove contaminated clothing and wash clothing before reuse. Wash skin thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARD

"Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters."

PHYSICAL OR CHEMICAL HAZARDS

Keep container closed. Do not pour, use, spill or store near or open flame.

DIRECTION FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not remain in treated areas. Ventilate the area thoroughly before re-entry. In hospitals, patients should be removed from rooms prior to treatment. Rooms should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation. Remove pets, birds and cover fish aquariums before spraying.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Container Disposal: Triple rinse of container then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Contains Resmethrin (SPB-1382®)

An insecticide for control of flying and crawling insects in dairies, meat packing plants, food plants and storage warehouses, hospitals, hotels, restaurants, schools, homes and similar establishments with automatic or manual fogging equipment or sprayers. Authorized by USDA for use in federally inspected meat and poultry plants.

ACTIVE INGREDIENT

RESMETHRIN 0.5%

INERT INGREDIENTS 99.5%
100.0%

Contains petroleum distillates, Xylene or xylene range aromatic solvent.

*Cis/Trans isomers ratio: max. 30% (±) cis and min. 70.0% (±) trans.

- U.S. Patent No. 3,465,007

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a doctor or get medical attention. Do not induce vomiting. Do not give anything by mouth to an unconscious person. Avoid alcohol.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

SEE SUB-PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

FORMULATED BY ENTECH SYSTEMS CORPORATION, 607 Maria St.

TOWN, STATE: Kenner, LA 70062 (504) 469-6541

EPA ESTABLISHMENT NO.: 40391-LA-1

EPA REGISTRATION NO.: 40391-5

NET CONTENTS: GALLONS
1 5 30 55

INDOOR SPRAY

FOR CONTROL OF FLIES, MOSQUITOES, AND GNATS in homes, hospitals, food establishments, farm buildings and warehouses. Close all windows and stop all ventilators. Pilot lights should be extinguished. Allow only fine mist or "dry" fog to contact fabric or surfaces that might be affected by the oil base. Direct fine mist or fog upward toward the center of the room and around the sides until the area is filled with fog or mist particles. Keep area closed for 10 to 15 minutes. Do not remain in treated areas. Ventilate the area thoroughly before re-entry. Clean up and destroy fallen insects. AUTO FOG 5 is acceptable by the USDA as a pesticide for use in all areas of official establishments operating under the Federal meat, poultry, shell egg grading and egg products inspection programs.

CONTACT AND SPRAY - TO KILL COCKROACHES, CONFUSED FLOUR & SAWTOOTHED GRAIN BEETLES, CENTIPEDES, EARWIGS, GRAIN MITES, SOWBUGS, AND SPIDERS IN SHELTERED SITUATION. Adjust spraying device to deliver a coarse wet spray. Apply as a contact spray to hit as many insects as possible underneath refrigerators and around pallets, and in most areas around sinks and pipes. Apply to storage areas, baseboards, and the inside surfaces of boxcars and trucks at a rate of 1 gallon to 1,000 sq. ft. Apply into cracks and crevices, in points between equipment and floors, equipment legs and bases, conduits, motor housings, and junction or switch boxes. Prior to application, de-energize equipment. After application, allow time for oil to evaporate before starting motors or placing switches in "on" position. Contact as many insects as possible. Apply as a space spray at the rate of 1 fl. oz. per 1,000 cu. ft. of room space. Repeat dosage as necessary for control. Leave the room closed for 1 hour. Do not remain in treated area. Ventilate the area thoroughly before re-entry. Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After space spraying in meat packing plants, bakeries, and other food processing plants, wash all equipment, benches, shelves, etc. where food will be handled thoroughly with an effective cleaning compound followed by a rinse with potable water before reuse. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

40391-5

7-29-1996

1/2

ACCEPTED
JUL 29 1996

Under the Federal Insecticide,
Fungicide, and Herbicide Act
as amended, for the pesticide
registered under
EPA Reg. No. 40391-5

22/10