

PM 17 40391-10 17 d2

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

352689/300  
17

OCT 4 1990


Judy De Sadler  
ENTECH SYSTEMS Corporation  
607 Maria Street  
Kenner, LA 70062

Dear Ms. De Sadler:

Subject: Entech Fog-10  
EPA Registration No. 40391-10  
Your amendment dated September 10, 1990 which  
changed petroleum distillates from active ingredi-  
ent status to inert ingredient status.

The labeling referred to above submitted in connection  
with registration under the Federal Insecticide, Fungicide and  
Rodenticide Act, as amended, is acceptable. You can replace  
"NOTICE: This product contains petroleum distillates and may be  
hazardous to health if inhaled." and replace with "NOTICE: This  
product contains petroleum distillates." A stamped copy of  
the label is enclosed for your records.

Sincerely,



Phil Hutton  
Product Manager (17)  
Insecticide/Rodenticide Branch  
Registration Division (H7505C)

CONCURRENCES

SYMBOL							
SURNAME	Eagles						
DATE	10-9						

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

**STORAGE:** If container is damaged: Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand, or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use, pour, or spill near heat or open flame.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**INDOOR USE AS A SPACE SPRAY UNDILUTED:** The use of this product in food processing or food handling establishments should be confined to time periods when the plants or facilities are not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Close windows and doors and shut off ventilating systems. Use a fogger or vaporizer adjusted to deliver an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns). Apply at a rate of 1/2 ounce per 1,000 cubic feet of space. Direct the spray toward the ceiling and upper corners of the area behind obstructions. Keep the area closed for at least 15 minutes. Vacate the treated area and ventilate before reoccupying. Repeat treatment as necessary. Sweep up and destroy fallen insects.

This method of application will control exposed, accessible stages of FLIES (including FRUIT FLIES), MOSQUITOES, SMALL FLYING MOTHS, GNATS, WASPS, HORNETS, CLOVER MITES, CHEESE MITES, CHEESE SKIPPERS, BOXELDER BUGS, EARWIGS, ANTS and the following common stored product pests: GRANARY WEEVILS, RICE WEEVILS, CONFUSED FLOUR BEETLES, SAW-TOOTHED GRAIN BEETLES, SPIDER BEETLES, CIGARETTE BEETLES, DRUGSTORE BEETLES, ANGIOUMOIS GRAIN MOTHS, MEDITERRANEAN FLOUR MOTHS, INDIAN MEAL MOTHS, TOBACCO MOTHS, YELLOW MEAL WORMS, DARK MEAL WORMS, GRAIN MITES, CADELLES and RED FLOUR BEETLES.

**DRIED FRUIT PRODUCTS:** In storage or being processed, for control of CONFUSED FLOUR BEETLES, DRIED FRUIT BEETLES, INDIAN MEAL MOTHS, AND SAW-TOOTHED GRAIN BEETLES. Remove and destroy infested products. As noted above, disperse this product as a fine mist in the air above the trays and shelves. Do not apply to fruit directly. Use one-half ounce per 1,000 cubic feet of space. Repeat application at this dosage in any given month. Leave the room closed for one hour. Do not remain in treated areas and ventilate the area before re-entry. Sweep up and destroy fallen insects.

**STORED FOOD:** (Stored in multi-wall bags or cloth bags) in warehouses, storage rooms, flour mills, grain elevators, granaries for control of ANGIOUMOIS GRAIN MOTHS, CADELLES, CONFUSED FLOUR BEETLES, INDIAN MEAL MOTHS, MEDITERRANEAN FLOUR MOTHS, RICE WEEVILS, SAW-TOOTHED GRAIN BEETLES, YELLOW MEAL WORMS, CHEESE MITES, CHEESE SKIPPERS, CIGARETTE BEETLES, GRAIN MITES, GRANARY WEEVILS, DARK MEAL WORMS, RED FLOUR BEETLES. Remove and destroy infested products. As noted above, disperse this product first by directing spray into corners, under pallets, and around stacks of packaged foods hitting as many insects as possible and then treat as a space spray. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this purpose. Use a dosage of one-half fluid ounce per 1,000 cubic feet of space. Do not remain in treated areas and ventilate area before re-entry. This application will kill accessible, exposed stages of those stored product pests listed above. Sweep up and destroy fallen insects.

**INDOOR USE AS A SPACE SPRAY, DILUTED:** For use in conventional mechanical fogging equipment to kill FLIES, FRUIT FLIES, MOSQUITOES, SMALL FLYING MOTHS, AND GNATS. Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating system equipment. Dilute 1 part concentrate plus 9 parts of (refined kerosene) and mix well. Apply at the rate of 1 to 2 fluid ounces per 1,000 cubic feet filling the room with mist. Keep area closed for at least 15 minutes. Vacate treated area and ventilate before reoccupying. Repeat treatment when reinfestation occurs.

# ENTECH FOG-10

For Use by Trained Personnel Only

#### ACTIVE INGREDIENTS:

Pyrethrins

Piperonyl Butoxide Technical\*

N-Octyl bicycloheptene dicarboximide

#### INERT INGREDIENTS

\*Consists of 1.60% (Butylcarbonyl) (6-pyropiperonyl) Ether and 0.40% related compounds.

Effective in the control of the below-listed insects if the applicator follows the directions on this label.

ANGIOUMOIS GRAIN MOTHS, ANTS, BOXELDER BUGS, CADELLES, CHEESE MITES, CHEESE SKIPPERS, CIGARETTE BEETLES, CONFUSED FLOUR BEETLES, DARK MEAL WORMS, DEER FLIES, DRIED FRUIT BEETLES, DRUGSTORE BEETLES, FLIES (DIPTERA), FUNGUS GNATS, GNATS, GRAIN MITES, GRANARY WEEVILS, HORN FLIES, HORNETS, INDIAN MEAL MOTHS, LICE, MEDITERRANEAN FLOUR MOTHS, MOSQUITOES, MUSHROOM FLIES, RED FLOUR BEETLES, ROACHES, SAW-TOOTHED GRAIN BEETLES, SMALL FLYING MOTHS, SPICER BEETLES, STABLE FLIES, TOBACCO MEAL WORMS

**NOTICE:** This product contains petroleum distillates and may be hazardous to health if inhaled.

NET CONTENTS

LOT #

E.P.A. REG. NO. 40391-10

E.P.A.

KEEP OUT OF REACH OF CHILDREN

## CAUTION

#### STATEMENT OF PRACTICAL TREATMENT

If **swallowed** — Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. aspiration pneumonia. If **inhaled** — Remove victim to fresh air. If on **skin** — Remove contaminated clothing. Wash areas with soap and water. If in **eyes** — Flush eyes with plenty of water. Call a physician immediately, if irritation persists.

#### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid breathing vapor. Avoid contact with skin, eyes, or clothing. Wear mask recommended by NIOSH (National Institute for Occupational Safety or Health) to give adequate protection. Wear protective clothing. Wash exposed skin with soap and water after handling and before eating. Wash clothing with soap and water, separately from other clothing, before re-use.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After space spraying in meat packing plants, wash all equipment, benches, shelving, etc., where exposed food will be handled. All food processing utensils should be covered during treatment or thoroughly washed before use. Remove pets and birds, and cover fish aquariums before spraying.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water when disposing of containers. Apply this product only as specified on this label.

#### PHYSICAL HAZARDS

Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

Manufactured by

ENTECH SYSTEMS CORPORATION

607 Maria Street, Kenner, LA 70062

469-6541