

8 FEB 1995

Mr. Jay A. Briggs
 ENTECH SYSTEMS CORPORATION
 607 Maria Street
 Kenner, Louisiana 70062

Dear Mr. Briggs,

Subject: Pesticide Amendment Application: USDA Authorization
 ENTECH FOG-10
 EPA Registration Number 40391-10
 Submission Dated 9 September 1994

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Three (3) copies of the finished labeling must be submitted prior to releasing the product for shipment. A stamped copy of the product label is enclosed for your records.

1. It has been noted that the rate of product application has been revised to 1 ounce per 1000 cubic feet from the lower rate of 1/2 ounce per 1000 cubic feet in several areas of the product label. Provide a rationale for this significant label change.
2. Provide a copy of the USDA Authorization letter to the Agency for the record.

Sincerely,

RS
 Ms. Rebecca S. Cool
 Acting Product Manager 10
 Insecticide-Rodenticide Branch
 Registration Division

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

BEST AVAILABLE

ENTECH FOG-10

For Use by Trained Personnel Only

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

ACCEPTED
IN...
8 FEB 1995

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open burning is prohibited.

STORAGE: If container is damaged, stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand, or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use, pour, or spill near heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

ACTIVE INGREDIENTS:

- Pyrethrins
- Piperonyl Butoxide Technical*
- N-Octyl bicycloheptene dicarboximide

INERT INGREDIENTS:

*Consists of: 60% Butylcarbitol, 6-procylopiiperonyl Ether and 40% related compounds.

Effective in the control of the below-listed insects if the applicator follows the directions on this label.

ANGOUMOIS GRAIN MOTHS, ANTS, BOXELDER BUGS, CADELLES, CHEESE MITES, CHEESE SKIPPERS, MITES, CONFUSED FLOUR BEETLES, DARK MEAL WORMS, DEER FLIES, DRIED FRUIT BEETLES, DRUGSTORE FLIES (DROSOPHILA), FUNGUS GNATS, GNATS, GRAIN MITES, GRANARY WEEVILS, HORN FLIES, HORNET, INDIAN MEAL MOTHS, LICE, MEDITERRANEAN FLOUR MOTHS, MOSQUITOES, MUSHROOM FLIES, RED FLYING LOCUSTS, ROACHES, SAW-TOOTHED GRAIN BEETLES, SMALL FLYING MOTHS, SPIDER BEETLES, STABLE FLIES, TOBACCO MEAL WORMS.

NOTICE: This product contains petroleum distillates. LOT # _____
E.P.A. REG NO. 40391-10

INDOOR USE AS A SPACE SPRAY UNDILUTED: The use of this product in food processing or food handling establishments should be limited to time periods when the plants or facilities are out of operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment. In addition, cleaned before use. Close windows and doors and shut off ventilating systems. Use a fogger or sprayer with a fine mist nozzle to spray the product over the surfaces of the room and walls. Do not spray toward the ceiling and upper corners of the area being treated. Keep the area closed for at least 15 minutes. Ventilate the treated area and ventilate before reoccupancy. Repeat treatments as necessary. Sweep up and destroy taken insects.

The main application with FOG-10 includes a host of indoor pests: ANTS, BOXELDER BUGS, CADELLES, CONFUSED FLOUR BEETLES, DARK MEAL WORMS, DEER FLIES, DRIED FRUIT BEETLES, DRUGSTORE FLIES, GROUND SQUIRRELS, HORN FLIES, HORNET, INDIAN MEAL MOTHS, LICE, MEDITERRANEAN FLOUR MOTHS, MOSQUITOES, MUSHROOM FLIES, RED FLYING LOCUSTS, ROACHES, SAW-TOOTHED GRAIN BEETLES, SPIDER BEETLES, STABLE FLIES, TOBACCO MEAL WORMS, and the following common stored food pests: GRANARY WEEVIL, FLOUR WEEVIL, CONFUSED FLOUR BEETLE, SAW-TOOTHED GRAIN BEETLE, SPIDER BEETLE, GARDNER BEETLE, DRUGSTORE BEETLE, ANGOUMOIS GRAIN MOTHS, MEDITERRANEAN FLOUR MOTHS, INDIAN MEAL MOTHS, TOBACCO MOTHS, YELLOW MEAL WORMS, DARK MEAL WORMS, GRAIN MITES, CADELLES and RED FLOUR BEETLES.

DRIED FRUIT PRODUCTS: In storage, dried fruit is susceptible to infestation by flour beetles, dried fruit beetles, Indian meal moths, and saw-toothed grain beetles. Remove and destroy the infested fruit. An insecticide is necessary to protect the remaining fruit. Apply FOG-10 to the walls and ceiling of the storage area. Use a fogger or sprayer with a fine mist nozzle to spray the product over the surfaces of the room and walls. Do not spray toward the ceiling and upper corners of the area being treated. Keep the area closed for at least 15 minutes. Ventilate the treated area and ventilate before reoccupancy. Repeat treatments as necessary. Sweep up and destroy taken insects.

STORED FOOD: Stored food may be infested by insects. In warehouses, barns, and farm buildings, grain and other food crops are susceptible to infestation by insects. The main application with FOG-10 includes a host of indoor pests: ANTS, BOXELDER BUGS, CADELLES, CONFUSED FLOUR BEETLES, DARK MEAL WORMS, DEER FLIES, DRIED FRUIT BEETLES, DRUGSTORE FLIES, GROUND SQUIRRELS, HORN FLIES, HORNET, INDIAN MEAL MOTHS, LICE, MEDITERRANEAN FLOUR MOTHS, MOSQUITOES, MUSHROOM FLIES, RED FLYING LOCUSTS, ROACHES, SAW-TOOTHED GRAIN BEETLES, SPIDER BEETLES, STABLE FLIES, TOBACCO MEAL WORMS, and the following common stored food pests: GRANARY WEEVIL, FLOUR WEEVIL, CONFUSED FLOUR BEETLE, SAW-TOOTHED GRAIN BEETLE, SPIDER BEETLE, GARDNER BEETLE, DRUGSTORE BEETLE, ANGOUMOIS GRAIN MOTHS, MEDITERRANEAN FLOUR MOTHS, INDIAN MEAL MOTHS, TOBACCO MOTHS, YELLOW MEAL WORMS, DARK MEAL WORMS, GRAIN MITES, CADELLES and RED FLOUR BEETLES.

INDOOR USE AS A SPACE SPRAY DILUTED: For use in conventional barns and buildings, equipment should be cleaned of dirt, grease, and other debris. Small flying moths and gnats can be removed by spraying with diluted FOG-10 on all surfaces. Close up the building and shut off the ventilation system. Use a fogger or sprayer with a fine mist nozzle to spray the product over the surfaces of the room and walls. Do not spray toward the ceiling and upper corners of the area being treated. Keep the area closed for at least 15 minutes. Ventilate the treated area and ventilate before reoccupancy. Repeat treatments as necessary. Sweep up and destroy taken insects.

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed - Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. If inhaled - Remove victim to fresh air. If on skin - Remove clothing and wash with soap and water. If in eyes - Flush eyes with plenty of water. Call a physician immediately.

PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed. Avoid breathing vapor. Avoid contact with skin, eyes, or clothing. Wear recommended by NIOSH (National Institute for Occupational Safety and Health) to give adequate protection. Wash exposed skin with soap and water after handling and before working with food. Wash hands and face before eating. Do not apply directly to food in commercial food handling facilities. Cover or remove any food and during application. Do not apply while food processing is under way.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, fish, or shellfish. Do not apply directly to birds or animals. Do not apply to bees.

PHYSICAL HAZARDS

Do not use near heat or open flame. Exposure to temperatures above 125°F may cause polymerization.

Formulated by

ENTECH SYSTEMS CORPORATION
507 Maria St. • Kenner, LA 70002
FOG-10-6541

NET CONTENTS