PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid contact with skin or clothing. Causes eye irratation. Do not get in eyes. Wash after handling. Avoid breathing vapor. Do not spray on humans or pets. Do not spray where food or drink is exposed or being consumed.

ENVIRONMENTAL HAZARDS

Keep out of lakes, streams or ponds. Do not contaminate water or cleaning of equipment or disposal of wastes. When used on ships do not wash or flush freshly sprayed surfaces into adjacent waters.

FIRST AID If awallowed, induce vomiting by sticking finger in back of throat or by administration of syrup of ipecac; get medical attention. If in eyes, flush with water 15 minutes and see a physician. For skin, wash with plenty of soap and water. If irratation develops, get medical attention.

Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. In the home cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed bystorage and disposal Open dumping is prohibited. PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved innefill, or buried in a safe place. A container size of 20 gala of mare may be resealed and offered for reconditioning. GENERAL: Consuit federal state or local disposal authorities for approved alternate procedures.

SPECIAL FORMULA #79-288 **MULTI-CIDE** TRANSPARENT **EMULSION**** SPRAY

A SYNTHETIC PYRETHROID DUAL ACTION INSECT KILLER **KILLS AS CONTACT AND RESIDUAL** SPRAY KILLS ROACHES UP TO 4 WEEKS

ACTIVE INGREDIENTS:

*+*resmethrin ([5-(phenylmethy)-3-furany) methyl 2,2dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate)......0.350%

Related compounds......0.048% INERT INGREDIENTS.......99.602%

*Cis/trans isomers ratio: mail. 30% (±) cis and min. 70%(±) trans. +US Patent Nos. 3.465,007 and 3,542,928. "U.S. Patent No. 3683.078

15/8P-1382 * brand of resmethrin insecticide Penik k Corp. 1050 Wall Street West, Lyndhurst. NJ 07071

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY **STATEMENTS**

CAN BE USED IN NON-FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS



Spec-Chem Inc. Specialty Chamical Formulators P.O. Box 12185, Memphis, TN 39112

EPA REG NO. 40429-1 EPA EST. NO. 40429-TN-01 NET CONTENTS

DIRECTIONS FOR USE

APPLICATION: INSTRUCTIONS FOR CONTACT AND RESIDUAL

FOR INDOOR USE: In non-food areas of food handling establishments, commercial, industrial office, residential, public, institutional and storage buildings, homes, hotels, ship cabins and hospitals. In hospitals patients should be removed prior to treatment. Also for use in buses. automobiles, and non-food areas of trucks, boxcars and ship cargo holds. Do not use on electrical equipment or on surfaces that can be harmed or stained by water. Also for use indoors in dog kennels and horse stables. In horse atables, not for application if horses will be used for food. CONTACT SPRAY - KILLS AND REDUCES INFESTATIONS, COCKROACHES, CRICKETS, SILVERFISH, ANTS: Apply as a contact spray. Fill spray tank with 0.35% Transparent Emulsion Spray formulation. Keep spray nozzle about 8 to 12 inches from surface to be treated. Adjust pressure and nozzle to deliver a coarse wet spray. When possible, spray directly on pests to reduce infestations. Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators and other appliances, baseboards, and storage areas. Apply spray until area is moist, but not to the point of run-off. Spray directly on insects where possible. Repeat as necessary.

ANTS: To kill ants: Spray trails, nests and points of entry within buildings and homes. Spray on ants where possible.

Repeat as necessary.

FLEAS: Aids in the control of fleas on pet bedding and in horse statis. Hold spray nozzle about 18 inches from areas to be treated. Direct spray on resting areas and floor around those areas. Apply spray until area is moist. Treat pet bedding the same way. Also sprayentire inside surface of dog houses. Repeat as necessary. Do not allow pets to contact treated areas until spray has dried. Remove or cover animal feed before spraying. Also, treat dogs, cats and horses with a registered flea control product before they re-enter the treated area.

RESIDUAL SPRAY: Aids in the control of COCKROACHES, CRICKETS, SILVERFISH, ANTS. KIIII up to 4 weeks. Spray baseboards, cracks, and crevices around door and window frames, and other hiding places such as closets, in back and under appliances, sinks and cupboards in kitchens and bethrooms. In basements, spray filding places in cracks and crevices, lower walls and dark places. Apply as a coarse wet spray in a 4 to 6 inch band until area is thoroughly wet but not to point of runoff Repeat as necessary

WARRANTY STATEMENT

. Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials

1.4