

DIRECTIONS FOR USE
FOR USE IN WAREHOUSES, RESTAURANTS, AND
INDUSTRIAL INSTITUTIONS, AND SMALL
OUTDOOR AREAS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This formulation is to be used undiluted in only such portable thermal applicator equipment that can deliver spray particle size within aerosol size range.

THERMAL APPLICATIONS INDOORS: For the control of flies, mosquitos and gnats in warehouses, restaurants and industrial institutions. Remove or cover exposed food handling surfaces. Remove animals and plant life. Shut off ventilating systems, air ducts, air-conditioning equipment, and close off room or area to be treated. Do not apply while food processing plant is occupied or in operation.

Extinguish all flames and pilot lights. Apply as a dry fog at the rate of 1 1/3 fluid ounces per 1,000 cubic feet of space. Direct nozzle of thermal applicator toward the upper corners of the room and along the ceiling. Close off room for at least one half hour. Do not remain in treated area. Ventilate the area after treatment. Sweep up and destroy fallen insects. Repeat treatment as necessary.

THERMAL APPLICATIONS OUTDOORS: For reduction in annoyance from flies, mosquitos, and gnats in yards, patios, around swimming pools, picnic areas, camp sites, drive-ins, and horse stables, and other small areas applications.

Hold thermal applicator at least five feet from any object especially plants and shrubbery. Avoid wetting any plant foliage. Apply undiluted at the rate of 3% gallons per acre. Fog only when there is no breeze, or the wind velocity is less than 3 miles per hour. The ideal time is generally at dusk when the wind dies down and the air temperature and ground temperature are approximately the same. Under these conditions the fog will linger in the treated area for a longer time. Apply fog while moving away from treated area. Avoid inhalation of the fog. Do not enter the treated area until the fog has dissipated. Repeat application as necessary.

E-CONO-SECT SPECIAL FORMULA #79-289

Oil Base Insecticide 0.20%: A synthetic pyrethroid for control of flies, mosquitos and gnats in warehouses, restaurants and industrial institutions, and for small outdoor areas.

ACTIVE INGREDIENTS:

*+*resmethrin (5-(phenylmethyl)-3-furanyl)methyl 2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate).....	0.200% w/w
Related compounds.....	0.027%
Aromatic petroleum hydrocarbons.....	0.265%
Petroleum distillate.....	99.500%
INERT INGREDIENTS.....	0.008%
	100.00%

*Cis/trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans.
+U.S. Patent Nos. 3,485,007 and 3,542,928.
*SBP-1382® brand of resmethrin insecticide.
Penick Corp., 1060 Wall Street West, Lyndhurst, NJ 07071

CAUTION:
KEEP OUT OF REACH OF CHILDREN
SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS



Manufactured By:

Spec-Chem Inc.
Specialty Chemical Formulators
P.O. Box 12185, Memphis, TN 38112

EPA Reg. No. 40429-2
EPA Est. No. 40429-TN-01
NET CONTENTS

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing mist. Cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces. Remove pets and cover fish aquariums before spraying.

Food should be removed or carefully covered before treatment. All food processing surfaces should be covered before treatment or thoroughly cleaned before using.

WHEN USING THIS PRODUCT IN THESE AREAS
APPLY ONLY WHEN FACILITY IS NOT IN OPERATION.

FIRST AID: In case of contact, immediately flush skin and eyes with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS: Toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Do not apply when weather conditions favor drift from areas treated. Do not spray on turf or plants.

PHYSICAL OR CHEMICAL HAZARDS: Extinguish open flame before space spraying. This formulation is combustible. **DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.** Store at room temperatures above 32° F.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage and disposal. Open dumping is prohibited.
PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinse that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.
CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill, or bury in a safe place. A container size of 30 gals. or more may be resealed and offered for reconditioning.
GENERAL: Consult federal, state or local disposal authorities for approved alternate procedures.