

**PRECAUTIONARY
STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

WARNING:


Harmful if swallowed. Irritated absorbed through the skin. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. May cause eye damage or severe skin irritation.

**ENVIRONMENTAL
HAZARDS**

This pesticide is toxic to fish. Keep out of lakes, streams, and ponds. Treated effluent should not be discharged into lakes, streams, ponds, or public waters unless in accordance with NPDES permit. For guidance consult the regional office of EPA.

**PHYSICAL AND CHEMICAL
HAZARDS**

STRONG OXIDIZING AGENT
Strong Oxidizing Agent. Use only clean dry utensils and mix with water only. Mixing with other chemicals or gross filth (urine, feces, etc.) will start a chemical reaction resulting in release of toxic gases, heat, and possibly fire. In case of decomposition, isolate container in open air if possible, and flood with large volumes of water.



**O-C STRIDE
WASH SANITIZER
AND
EGG CLEANER**

ACTIVE INGREDIENT
Sodium dichloro-s-triazinetriene dihydrate
INERT INGREDIENTS
Available Chlorine

KEEP OUT OF REACH OF CHILDREN

WARNING

FIRST AID
If swallowed, do not induce vomiting. If in eyes, flush with water. If on skin, wash with soap and water. If on clothes, remove and wash separately. If on other wash with water for 15 minutes and consult physician.

For more information, contact the nearest poison control center. For more information, contact the nearest poison control center.

EPA Reg. No. 1-157-1
BATCH NO.

Net Content: 1 lb

ACCEPTED
40457-4
11 MAR 1980
44

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

FOR DISHES, SANITIZER AND EGG CLEANER
For dishes, glassware, food processing equipment and utensils, dissolve 1 oz. of O-C Stride Wash Sanitizer and Egg Cleaner in 10 gal. of warm (125°F) water. This provides 100 or 200 ppm of available chlorine, respectively. For immersion treatment, dip dishes and egg in the 200 ppm solution for 2 minutes, hold for 2 to 3 minutes, remove, rinse with potable water and dry. With conveyor type machines, immerse with the appropriate water and follow with a hot air dryer.

FOR DISHES, GLASSWARE, FOOD PROCESSING EQUIPMENT AND UTENSILS
Dissolve 1 oz. of O-C Stride Wash Sanitizer and Egg Cleaner in 10 gal. of warm (125°F) water. This provides 100 or 200 ppm of available chlorine, respectively. Clean and rinse items prior to sanitizing. In the items to be sanitized in solution and hold for 2 to 3 minutes. Remove, rinse with potable water and dry. The same solution may be used in the feed tank of immersion or spray type machines providing 2 to 3 minutes contact time for sanitizing dishes, glassware, food processing equipment and utensils. Rinse with potable water and dry. The items are then ready for use.

The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand and tests show the level of chlorine has not been maintained, additional O-C Stride Wash Sanitizer and Egg Cleaner should be added to maintain a minimum concentration of 100 ppm available chlorine.

STORAGE & DISPOSAL

Store in a cool, dry area away from direct sunlight or heat. In case of spill, flood area with large quantities of water. Remove any contact thoroughly with water and flood by pouring large quantities of water on the spill. Approved and tested for use in food processing areas. Do not use for anything other than food processing.

Manufactured By
**OMNI-CHEM
COMPANY, INC.**
1889 MT. DIABLO STREET
CONCORD, CALIFORNIA 94522
FOR REORDER CALL (415) 825-0300



45

**PRECAUTIONARY
STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

WARNING:

Harmful if swallowed. Irritates on absorption through the skin. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. May cause eye damage or severe irritation.


**ENVIRONMENTAL
HAZARDS**

The pesticide is toxic to fish. Keep out of lakes, streams, and ponds. Treated effluents should not be discharged into lakes, streams, ponds, or public water intake in accordance with NPDES permit. For guidance consult the regional office of EPA.

**PHYSICAL AND CHEMICAL
HAZARDS:**

STRONG OXIDIZING AGENT:

Strong Oxidizing Agent. Use only clean dry vessels and mix with water only. Mixing with other chemicals or gross salt (urine, feces, etc.) will start a chemical reaction resulting in release of toxic gases, heat, and possibly fire. In case of decomposition, isolate container as soon as it is possible, and flood with large volumes of water.



**O-C STRIDE
WASH SANITIZER
AND
EGG CLEANER**

ACTIVE INGREDIENT
Sodium Dichloro-s-triazine-tri-sulfonate 100%
INERT INGREDIENTS 100%
(Available Chlorine) (100%)

**KEEP OUT OF REACH OF CHILDREN
WARNING**

FIRST AID:
If swallowed: Do not induce vomiting. Followed by olive oil. Call a physician. In case of contact with skin or clothing, remove clothing and wash skin with soap and water. Do not remove clothes until washed. In case of eye contact, wash with water for at least 15 minutes and consult a physician.

For other precautionary statements see left side panel.
For use directions and storage and disposal requirements see right side panel.

EPA Reg. No. 60457-4
BATCH 40

Net Contents

DIRECTIONS FOR USE:
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

O-C STRIDE WASH SANITIZER AND EGG CLEANER is recommended for use in either immersion or spray method to sanitize and clean eggs prior to sale as commercial or exhibition eggs. It is also recommended for use in sanitizing dishes, glassware, food processing equipment including dairy and brewery equipment.

1. For EGG WASH:
Dissolve 1 or 2 oz. of O-C STRIDE WASH SANITIZER AND EGG CLEANER in 10 gal. of warm (120°F) water. This provides 100 or 200 ppm of available chlorine respectively. For immersion treatment dip a basket of eggs in the 200 ppm available chlorine solution, hold for 2 to 3 minutes, remove, rinse with potable water and dry. With a conveyor type machine, spray with the 100 ppm available chlorine solution and follow with a potable water rinse.

2. For DISHES, GLASSWARE, FOOD PROCESSING EQUIPMENT AND TRANSFER: Dissolve 1 or 2 oz. of O-C STRIDE WASH SANITIZER AND EGG CLEANER in 10 gal. of warm (120°F) water. This provides 100 or 200 ppm of available chlorine respectively. Dishes and glassware prior to sanitizing. These dip the items to be sanitized in solution and hold for 2 to 3 minutes. Remove, rinse with potable water and dry. The same solution may be used in the food tank in immersion or spray type machines providing 2 to 3 minutes contact time for sanitizing dishes, glassware, food processing equipment and transfer. Rinse with potable water and dry. The items are then ready for use.

The sanitizing solution should be used promptly after straining. If the solution is allowed to stand or is re-used and tests show the level of chlorine has not been maintained, additional O-C STRIDE WASH SANITIZER AND EGG CLEANER should be added to maintain a minimum concentration of 100 ppm available chlorine.

STORAGE & DISPOSAL:

Store in cool, dry area away from direct sunlight or heat. In case of spill flood area with large quantities of water. Have empty container thoroughly washed and disposed by placing in trash collection or burying it in approved landfill area. Do not recontaminate food or feed by storage, disposal, or cleaning of equipment.

Manufactured by
**OMNI-CHEM
COMPANY, INC.**
1685 MT. DIABLO STREET
CONCORD, CALIFORNIA 94522
FOR REORDER CALL: (415) 825-0300

ACCEPTED
40457-4
11 MAR 1980

40 42