

**PRECAUTIONARY
STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

WARNING:

Harmful if swallowed. Causes severe skin irritation. Avoid contact with eyes, nose, or clothing. May cause eye damage or severe skin irritation.

**ENVIRONMENTAL
HAZARDS**


This pesticide is toxic to fish. Keep out of lakes, streams, and ponds. Treated effluent should not be discharged into lakes, streams, ponds, or public waters unless in accordance with NEDES permit. For guidance consult the regional office of EPA.

**PHYSICAL AND CHEMICAL
HAZARDS**

STRONG OXIDIZING AGENT

Strong Oxidizing Agent. Use on oxidizing surfaces and mix with water only. Mixing with other chemicals or gross filth (feces, etc.) will start a chemical reaction resulting in release of toxic gases, heat, and possibly fire. In case of decomposition, isolate container in open air if possible, and flood with large volumes of water.

BEST DOCUMENT AVAILABLE



O-C SENTINEL

**WASH AND SURFACE
SANITIZER**

ACTIVE INGREDIENT
Sodium dichloro-s-triazinetriene dihydrate
INERT INGREDIENTS
Available Chlorine

60%
20%

KEEP OUT OF REACH OF CHILDREN

WARNING

FIRST AID

If swallowed, do not induce vomiting. If on skin, wash with water. If in eyes, wash with water for at least 15 minutes and consult a physician.


If inhaled, move to fresh air. If breathing is difficult, give oxygen. If necessary, give artificial respiration.

EPA Reg. No.
BATCH NO.

40457-5

Net Contents

lb



DIRECTIONS FOR USE
It is a violation of federal law to use this product in a manner inconsistent with its labeling.

O-C SENTINEL WASH AND SURFACE SANITIZER is recommended for use on food processing surfaces, dishes, glasses, food processing equipment, and brewery equipment or metallic utensils that require strong sanitizing treatment with little or no cleaning action. This product is also effective on table tops, vats, tanks, floors and walls.

Use 1/2 lb. of O-C SENTINEL WASH AND SURFACE SANITIZER per 100 gallons of water to give a solution of 200ppm available chlorine. After cleaning and rinsing gross filth and heavy soil deposits from the surface, apply the sanitizing solution to the surface to be sanitized and let stand 10 minutes. Rinse well with potable water and dry. The surface is then ready for use.

The sanitizing solution may be used in the feed tanks of immersion or spray type machines allowing 2 to 5 minutes contact time for sanitizing dishes, glasses, food processing equipment and utensils. Clean and rinse items prior to sanitizing. After sanitizing, rinse well with potable water and dry. The items are then ready for use.

The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional O-C SENTINEL WASH AND SURFACE SANITIZER should be added to maintain a use solution concentration of 200ppm available chlorine.

STORAGE AND DISPOSAL

Store in cool, dry area away from direct sunlight or heat. In case of spill, wash area with large quantities of water. Rinse empty container thoroughly with water and discard by placing in trash collection or burying it in approved landfill area. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

Manufactured By

**OMNI-CHEM
COMPANY, INC.**
1889 MT. DIABLO STREET
CONCORD, CALIFORNIA 94522

FOR REORDER CALL (415) 825-0300

BEST DOCUMENT AVAILABLE



44

**PRECAUTIONARY
STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

WARNING:

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. May cause eye damage or severe skin irritation.

**ENVIRONMENTAL
HAZARDS**


This pesticide is toxic to fish. Keep out of lakes, streams, and ponds. Treated effluent should not be discharged into lakes, streams, ponds, or public waters unless in accordance with NPDES permit. For guidance consult the regional office of EPA.

**PHYSICAL AND CHEMICAL
HAZARDS.**

STRONG OXIDIZING AGENT

Strong Oxidizing Agent. Use only clean dry utensils and mix with water only. Mixing with other chemicals or gross filth (urine, feces, etc.) will start a chemical reaction resulting in release of toxic gases, heat, and possibly fire. In case of decomposition, isolate container in open air if possible, and flood with large volumes of water.

2



**O-C SANOL
SANITIZER**

ACTIVE INGREDIENT

Sodium dichloro-s-triazinetriene dihydrate

25%

INERT INGREDIENTS

75%

Available Chlorine

11

KEEP OUT OF REACH OF CHILDREN

WARNING

FIRST AID

If swallowed: feed, drink, or cooled cereal, followed by vomit. If in eyes: physician. In case of contact with skin or clothing, remove clothing and wash skin with soap and water. Do not reuse clothes until washed. In case of eye contact, wash with water for at least 15 minutes and seek medical attention.

For other precautionary statements see this label.

For use, directions, and storage and disposal requirements see separate panel.

EPA Reg. No.

447-7

BATCH NO.

Net Contents

lbs.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

O-C SANOL SANITIZER is recommended for use on hard non-porous surfaces, on dishes, glasses, or food processing equipment. It is also recommended for dairy and brewery equipment and utensils. Prepare sanitizing solution by dissolving 1 lb. of O-C SANOL SANITIZER per gallon of water. This gives a solution containing 100ppm available chlorine. Clean and rinse item or surface prior to sanitizing. Then place dishes, glassware, equipment or utensils in solution or spread over surface to be sanitized. Let stand 2 to 5 minutes and then wipe away excess. No rinse with potable water is necessary.

Sanitizing solution may be used in the food line in immersion or spray type equipment providing 2 to 5 minutes of contact time for sanitizing dishes, glassware, food processing equipment and utensils. Clean and rinse items prior to sanitizing. After sanitizing, rinse well with potable water and dry. The items are then ready for use.

The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional O-C SANOL SANITIZER should be added to maintain a minimum concentration of 100ppm available chlorine.

STORAGE AND DISPOSAL

Store in a cool, dry area away from direct sunlight or heat. In case of spill, absorb with large quantities of water. Flush empty container thoroughly with water and discard by placing in trash collection or burying it in an approved landfill area. Do not reuse empty food or feed by storage. Disposal of empty container.

Manufactured By

**OMNI-CHEM
COMPANY, INC.**

1889 MT. DIABLO STREET
CONCORD, CALIFORNIA 94522

FOR REORDER CALL (415) 825-0300

BEST DOCUMENT AVAILABLE

ACCEPTED
40457-6
11 MAR 1980
45

BEST DOCUMENT AVAILABLE



308 46