

## DIRECTIONS FOR USE

THIS LEAFLET CONTAINS COMPLETE DIRECTIONS FOR USE. PLEASE READ CAREFULLY AND DO NOT DISCARD UNTIL ALL PRODUCT IS USED.



1½ lbs. Dust Insecticide

# D

### INGREDIENT STATEMENT

ACTIVE INGREDIENT	1%
2,2-dimethyl-1,3-benzodioxol-4-yl methylcarbamate†	
INERT INGREDIENTS	99%
Total	100%
†Protected by U.S. Patent No. 3,736,338	

EPA Reg. No. 10546-3

## KEEP OUT OF REACH OF CHILDREN CAUTION

- If swallowed Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.
- If inhaled Keep patient strictly at rest and transfer to hospital immediately to get medical attention.
- If on skin Wash with soap and warm water.
- If in eyes Rinse thoroughly with clean water.
- See side panel for additional precautionary statements and first aid.



Fisons Incorporated, Agricultural Chemicals Division  
2 Preston Court, Bedford, MA 01730

FICAM FISIONS are registered trademarks of FISIONS LIMITED

**IMPORTANT** Read the entire Directions for Use and Warranty Notice before using this product.

FICAM D is a ready for use insecticide dust which has given effective knockdown and residual control of the pests listed.

FICAM D is for residual pest control in and on buildings and structures and their immediate surroundings and on modes of transport. Permitted areas of use include, but are not limited to: stores, warehouses, industrial buildings, houses, apartment buildings, schools, nursing homes, hospitals, restaurants, hotels, food manufacturing, processing and servicing establishments, and on vessels, rail cars, aircraft, buses, trucks, and trailers.

FICAM D is intended for application with hand or power duster, or with a paint brush, or by other suitable means, to hiding and runway areas and those places where pests are found. To apply insecticide directly into cracks and crevices, use a bulbous duster or other suitable equipment. Apply lightly and uniformly to infested areas. Pay particular attention to cracks, and crevices, service ducts, false floors and ceilings, wall voids, around electrical and telephone fittings and equipment, around water and sewer pipes, under and behind cabinets, refrigerators and sinks, around window and door frames, along baseboards, and in attics and crawl spaces. The amount to be applied will vary with the site but should usually be in the range of 1/3 to 2/3 ounces of FICAM D per square yard. Control of pests is frequently best achieved by using FICAM D in conjunction with spray treatments of FICAM W. Repeat treatments as necessary to maintain adequate control.

**Cockroaches (including both non-resistant and organophosphate and organochlorine resistant strains), Ants, Crickets, Silverfish and Firebrats:** Apply thoroughly to all areas where these pests crawl and hide, especially in cracks and crevices and hidden surfaces, around sinks and storage areas, behind baseboards, around doors, and windows, behind and under refrigerators, cabinets, sinks and stoves and in attics and crawl spaces. For ants, apply to ant trails, around doors and windows and other places where ants enter premises.

**Carpenter Ants:** Apply around doors and windows and other places where ants enter premises and where they crawl and hide. Also form dust into infested wood through existing openings or newly drilled small holes. When possible locate and treat nests and surrounding areas.

**Brown Dog Ticks and Fleas in Buildings:** Apply dust to infested areas, such as pet beds and resting quarters, nearby cracks and crevices, under the edges of rugs and floor coverings, between and under cushions of upholstered furniture and other areas where these pests may be present. Old bedding of pets should be removed and replaced with clean fresh bedding after treatment. Do not treat animals or their bedding with this product.

**Spiders:** Apply along and behind baseboards, to window and door frames, corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

**Wasps and Bees:** It is generally advisable to treat wasp and bee nests in the evening when insects are less active and have returned to the nest. Wear protective clothing if deemed necessary to avoid stings. Using hand or power duster or other suitable means, with extension tubes if necessary, thoroughly dust nest and entrance and surrounding areas where insects alight. Nests in wall voids can be located by listening with your ear against the wall. Drill a hole in the area, blow dust in, and reseal. For ground wasps, dust entrance and surrounding areas. For bees, results check nests carefully one or two days after treatment to ensure complete kill, then remove and destroy nest to prevent emergence of newly-hatched insects. If removal is not feasible, retreat the nest, if necessary. Do not use this product to treat overhead nests.

**Sowbugs, Pillbugs, Ground Beetles, Earwigs, Millipedes, Centipedes and Scorpions:** Apply at night to baseboards, windows, door frames and other locations where these pests may enter premises. Treat also cracks, crevices, attics and other locations where there are hiding places.

**FOOD HANDLING ESTABLISHMENTS:** FICAM D is not to be used in food handling establishments in which food is handled or prepared.

**Food Areas —** Apply FICAM D to areas where food is stored, prepared or served, but not to food itself. FICAM D is not to be used in areas where food is prepared or served. Do not use FICAM D in areas where food is stored, prepared or served. Do not use FICAM D in areas where food is stored, prepared or served. Do not use FICAM D in areas where food is stored, prepared or served.

To apply FICAM D to food areas, use a bulbous duster or other suitable equipment to apply dust to cracks and crevices, under and behind cabinets, refrigerators and sinks, around window and door frames, along baseboards, and in attics and crawl spaces. The amount to be applied will vary with the site but should usually be in the range of 1/3 to 2/3 ounces of FICAM D per square yard.


Apply in small areas with a bulbous duster or other suitable equipment directly into cracks and crevices, under and behind cabinets, refrigerators and sinks, around window and door frames, along baseboards, and in attics and crawl spaces. The amount to be applied will vary with the site but should usually be in the range of 1/3 to 2/3 ounces of FICAM D per square yard.

Make sure that FICAM D is not introduced into areas where food is prepared or served.

**Non Food Areas —** FICAM D is not to be used in areas where food is stored, prepared or served.

**OUTDOOR USE —** FICAM D is not to be used outdoors. Do not use FICAM D in areas where food is stored, prepared or served.

To be prepared for use, FICAM D should be stored in a cool, dry place, away from moisture and direct sunlight. FICAM D should be stored in a cool, dry place, away from moisture and direct sunlight.



BEST DOCUMENT AVAILABLE

62