



INDOOR/OUTDOOR DUST

D

Kills these household pests:
Cockroaches, Ants, Fleas, Brown Dog Ticks, Spiders,
Wasps, Crickets, Silverfish and More.

INGREDIENT STATEMENT	
ACTIVE INGREDIENT	
Bendiocarb: 2,2-dimethyl-1,3-benzodioxol-4-ol-methylcarbamate†	1%
INERT INGREDIENTS	99%
TOTAL	100%
†Protected by U.S. Patent No. 3,736,338	

EPA Reg. No. 40546-12

ACCEPTED
40546-12
DEC 2 - 1989
Under the Federal Insecticide, Fungicide and Rodenticide Act, amended, the following pesticide is registered under EPA Reg. No. 40546-12.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See side panel for additional precautionary information and first aid



Fisons Incorporated, Specialty Products Group
2 Preston Court, Bedford, MA 01730

FICAM, FISIONS,  are registered trademarks of FISIONS LIMITED

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Do not breathe dust. Do not allow to contact skin, eyes or clothing.

Wash hands and exposed skin before eating, drinking or smoking and after handling. Wash all contaminated clothing thoroughly before reuse.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

If inhaled: Keep patient strictly at rest and transfer to hospital immediately to get medical attention.

If on skin: Wash with soap and warm water.

If in eyes: Rinse thoroughly with clean water.

NOTE TO PHYSICIAN: Contains anticholinesterase carbamate insecticide. In cases of overexposure, atropine sulfate — 2 mg (equivalent to 1/30 grain adult dose) should be given, preferably by injection, and repeated as necessary until fully atropinized.

Environmental Hazards

This product is highly toxic to bees exposed to direct treatment or to residues on plants.

Keep out of lawn and garden fish pools, lakes, streams and ponds. Do not contaminate water by cleaning equipment or disposal of wastes.

PRECAUTIONS

Do not use on or contaminate fruit, vegetables or other food or feed crops.

Do not apply to humans, animals, clothing or bedding.

Do not contaminate feed or food products or food preparation surfaces, dishes, kitchen utensils and food containers.

IMPORTANT: Read the entire Directions for Use and Warranty Statement before using this product.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FICAM D Indoor/Outdoor Dust is for residual pest control in and on buildings and structures and their immediate surroundings. Permitted areas of use include, but are not limited to: houses, garages, trailers, campers, storage sheds, apartment buildings, stores, warehouses, industrial buildings, schools, nursing homes, hospitals, restaurants and hotels.

INDOOR USE — FICAM D Indoor/Outdoor Dust is intended for application with a shaker or puffer container to hiding and run-way areas and those places where pests are found. The amount to be applied will vary with the site, but should usually be in the range of 1/3 to 2/3 ounces of FICAM D per square yard.

Cockroaches, Ants, Crickets, Silverfish and Firebrats: Thoroughly dust all areas where these pests crawl and hide, especially cracks and crevices around sinks, stoves, refrigerators and cabinets; behind baseboards; around doors and windows and in attics, basements and crawl spaces. For

ants, apply to ant trail; they may enter premises.

Carpenter Ants: Dust places where these locate and dust nests.

Brown Dog Ticks and such as pet beds and crevices, under the edge and under cushions of where these pests may removed after treatment fresh bedding. Addition an EPA approved product TREAT ANIMALS OR 1

Spiders: Dust along frames, corners, pipes, crawl spaces and other

Wasps: It is best to be less active and have reting clothing — take For best results, careful after treatment to necessary. If possible hatching of new insect and surrounding wasp activity is still in nests overhead.

Sowbugs, Pillbugs, Ground Sipedes and Scorpions other places where the storage areas, and cr musty areas where the

OUTDOOR USE — Use residual treatment for tipedes, cockroaches, ground beetles, millip sowbugs, spiders and around windows and garages, under stairwa where pests hide.

To help prevent invasion above pests, treat a b wide around and adja treat the building four are active and may uniformly to the band and wasp nests in the shrubs may be treated

STORAGE

Keep pesticide in original food products. Do not dispose of empty containers.

CONDITIONS OF SALE

The Directions for Use be followed carefully. No express or implied WARRANTY concerning the product is indicated on the label, authorized to do so. F and the Buyer uses, that the Buyer assume this material when such label instructions. Fisons be held responsible for other damage, or other storage or use of this tions.

FISIONS INC. 1980

FICAM

INDOOR DUST

D

For: Brown Dog Ticks, Spiders, and More.

STATEMENT
13- Carbamate 100%
Patent No. 3,736,338

CH OF CHILDREN
TION

cautionary information and first

ity Products Group
A 01730

Registered trademarks of Fisons Limited

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Do not breathe dust. Do not allow to contact skin, eyes or clothing.

Wash hands and exposed skin before eating, drinking or smoking and after handling. Wash all contaminated clothing thoroughly before reuse.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

If inhaled: Keep patient strictly at rest and transfer to hospital immediately to get medical attention.

If on skin: Wash with soap and warm water.

If in eyes: Rinse thoroughly with clean water.

NOTE TO PHYSICIAN: Contains anticholinesterase carbamate insecticide. In cases of overexposure, atropine sulfate — 2 mg (equivalent to 1/30 grain adult dose) should be given, preferably by injection, and repeated as necessary until fully atropinized.

Environmental Hazards

This product is highly toxic to bees exposed to direct treatment or to residues on plants.

Keep out of lawn and garden fish pools, lakes, streams and ponds. Do not contaminate water by cleaning equipment or disposal of wastes.

PRECAUTIONS

Do not use on or contaminate fruit, vegetables or other food or feed crops.

Do not apply to humans, animals, clothing or bedding.

Do not contaminate feed or food products or food preparation surfaces, dishes, kitchen utensils and food containers.

IMPORTANT: Read the entire Directions for Use and Warranty Statement before using this product.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FICAM D Indoor/Outdoor Dust is for residual pest control in and on buildings and structures and their immediate surroundings. Permitted areas of use include, but are not limited to: houses, garages, trailers, campers, storage sheds, apartment buildings, stores, warehouses, industrial buildings, schools, nursing homes, hospitals, restaurants and hotels.

INDOOR USE — FICAM D Indoor/Outdoor Dust is intended for application with a shaker or puffer container to hiding and run-way areas and those places where pests are found. The amount to be applied will vary with the site, but should usually be in the range of 1/3 to 2/3 ounces of FICAM D per square yard.

Cockroaches, Ants, Crickets, Silverfish and Firebrats. Thoroughly dust all areas where these pests crawl and hide, especially cracks and crevices around sinks, stoves, refrigerators and cabinets, behind baseboards, around doors and windows and in attics, basements and crawl spaces. For

ants, apply to ant trails and around doors and windows where they may enter premises.

Carpenter Ants: Dust around doors and windows and other places where these pests enter premises. When possible, locate and dust nests and surrounding areas.

Brown Dog Ticks and Fleas in Buildings: Dust infested areas such as pet beds and resting quarters, nearby cracks and crevices, under the edges of rugs and floor coverings, between and under cushions of upholstered furniture and other places where these pests may hide. Old bedding of pets should be removed after treatment of pet area and replaced with clean fresh bedding. Additionally, ensure that pets are treated with an EPA approved product registered for pet use. **DO NOT TREAT ANIMALS OR THEIR BEDDING WITH THIS PRODUCT.**

Spiders: Dust along and behind baseboards, window and door frames, corners, pipes, storage localities, attics, basements, crawl spaces and other areas where spiders may hide.

Wasps: It is best to treat wasp nests at night when insects are less active and have returned to the nest. Do not wear loose fitting clothing — take necessary precautions to avoid stings. For best results, carefully dust nest and check one or two days after treatment to ensure complete kill, and retreat if necessary. If possible, remove and destroy nest to prevent hatching of new insects. For ground nests, carefully dust entrance and surrounding areas. Retreat in one or two days if wasp activity is still present. Do not use this product to treat nests overhead.

Sowbugs, Pillbugs, Ground Beetles, Earwigs, Millipedes, Centipedes and Scorpions: Apply around doors, windows and other places where these pests may enter. Treat baseboards, storage areas, and cracks and crevices, especially in dark, musty areas where these pests may hide.

OUTDOOR USE — Use FICAM D Indoor/Outdoor Dust as a residual treatment for control of ants, brown dog ticks, centipedes, cockroaches, crickets, earwigs, firebrats, fleas, ground beetles, millipedes, pillbugs, scorpions, silverfish, sowbugs, spiders and wasps. Make a residual treatment around windows and doors, porches, screens, eaves, patios, garages, under stairways and in crawl spaces and other areas where pests hide.

To help prevent invasion of buildings and structures by the above pests, treat a band of soil and vegetation 6 to 10 feet wide around and adjacent to the building or structure. Also treat the building foundation and crawl spaces where pests are active and may find entrance. Apply thoroughly and uniformly to the band area. Pay particular attention to ant hills and wasp nests in the band area. Wasp nests in trees and shrubs may be treated as noted above.

STORAGE AND DISPOSAL

Keep pesticide in original container. Do not store near feed or food products. Do not reuse empty container. Wrap and dispose of empty container in trash collection.

CONDITIONS OF SALE AND WARRANTY

The Directions for Use are believed to be reliable and should be followed carefully. Fisons Incorporated and the Seller make no express or implied warranty of FITNESS or of MERCHANTABILITY concerning the use of this product other than indicated on the label, and no agent of Fisons Incorporated is authorized to do so. Fisons Incorporated and the Seller offer, and the Buyer uses, this product subject to the understanding that the Buyer assumes all risks of use, storage or handling of this material when such use, storage or handling is contrary to label instructions. Fisons Incorporated and the Seller shall not be held responsible for personal injury, property damage or other damage, or other loss resulting from the handling, storage or use of this material contrary to the label instructions.

FISONS INC 1980

091580

16

40546-12

17

BEST DOCUMENT AVAILABLE