


Bell Chemical

BELL-CIDE 3600



ACTIVE INGREDIENT

Poly[oxyethylene (dimethylimino) ethylene (dimethylimino) ethylene dichloride]

INERT INGREDIENT

This product contains 2.6% active ingredient per gallon and weighs 8.90 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENT

HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Handle with care. Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, induce vomiting. If inhaled, get fresh air. If on skin, wash with copious quantities of water. Avoid contact with eyes. If in eyes, flush with water.

ENVIRONMENTAL HAZARDS

Do not discharge into streams, rivers, or other bodies of water. Do not discharge into or near water containing fish or other aquatic life. For regulations on the handling of this product, see the Environmental Protection Agency's...

DIRECTIONS FOR USE GENERAL CLASSIFICATION

BELL-CIDE 3600 is a disinfectant for use in water supply systems to control bacterial growth and other organisms.

BELL-CIDE 3600 is used to disinfect water supply systems and to control bacterial growth and other organisms in water supply systems. Prior to its use, systems should be cleaned to remove scale, sludge, and other deposits.

An initial slug addition of 0.47 to 4.75 fluid ounces of BELL-CIDE 3600 per 1000 gallons of water to provide a concentration of 16 to 40 parts per million of BELL-CIDE 3600 based on the total weight of water in the system is recommended. Repeat initial dosage until control is evident.

Subsequent slug additions of 0.47 to 4.75 fluid ounces of BELL-CIDE 3600 per 1000 gallons of water (4 to 40 parts per million of BELL-CIDE 3600) should be employed every 2 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the form of water supply towers.

STORAGE AND DISPOSAL: Keep container closed when not in use. Do not contaminate water, food, or feed by storage, disposal, or cleaning of equipment. The container must be triple-rinsed or equivalently decontaminated before re-use, cleaning, or disposal in an approved method. Do not discharge into water. Residue that cannot be used or decontaminated should be disposed of in an approved method. Do not discharge into water supply. Open flames and heat should be avoided.

Manufactured by Bell Chemical Company, P.O. Box 3664, Clifton, N.J. 07011.