inconsistent with its labeling

cally for hospitals, nursing as where housekeeping is of

such as walls, floors, table all sprayer so as to wet all and then let air dry.

JAT 32 per gallon of water.

32 detergent disinfectant scrub brush or toilet mop, and flush.

recommended. Prepare a

orous surfaces (such as AT 32 per gallon of water, ated making sure to wet se. Repeat application at

con-porous food contact con by adding 4 ounces

counter tops), flood the inge, making sure to wet pare a fresh solution for

ils), immerse in 200 ppm rse completely. Remove atly as soil is apparent

NTS

onot get in eyes, skin or

of water or at least 15 ninated clothing before these are not available.

is ric lavage. Measures ion may be needed

SEAGULL QUAT 32

DETERGENT/DISINFECTANT

Cleaner Disinfectant
Detergent Fungicide (against
Deodorizer Pathogenic fungi)
Sanitizer
Mildewstat (on hard inanimate surfaces)

TOTAL 100 00%

EPA REG NO. 40737-3 EPA REG NO. 40737-NJ-01

KEEP OUT OF REACH OF CHILDREN

WARNING

See side panels for additional precautionary and first aid statements

SEAGULL CHEMICAT 238 PASSAIC AVENUE FAIRFIELD, N J 07006 E-1

83

NET CONTENTS

QUAT 32 is a cleanser disinfectant and sanitizer designed for general household use, schools, food processing plants and light industries and hospital applications where housekeeping is of prime importance in controlling the hazard of cross contamination. When used as directed, QUAT 32 is formulated to disinfect inanimate hard surfaces (such as walls, floors, sink tops, toilet bowls, tables, chairs and telephones). For larger areas, such as patient care facilities and restrooms, the product is designed to provide both general cleaning and disinfecting.

In addition, QUAT 32 deodorizes those areas which generally are hard to keep fresh smelling, such as garbage storage areas, empty garbage bins and cans, toilet bowls and any other areas which are prone to odors caused by microorganisms

DISINFECTION - At 2 ounces per gallon dilution. QUAT 32 exhibits effective disinfectant activity against the organisms. Salmonella choleraesuis and Staphylococcus aureus

At this level the product is also fungicidal against the Pathogenic fungi. Trichophyton mentagrophytes.

At 3 ounces per gallong dilution. OUAT 32 is an effective hospital disinfectant and demonstrates disinfectant activity. List hist Pseudomonas aeruginosa.

Efficacy tests have demonstrated that QUAT 32 is an effective bactericide and fungicide, in the presence of organic soil (5% blood serum)

Mold and Mildewstat - QUAT 32 prevents and controls mold and mildew and the odors they cause on hard non-porous inanimate surfaces at 2 ounces per gallon dilution

SANITIZATION - When used for sanitization of previously cleaned food equipment or food contact items limit active quaternaries to 200 ppm. At this level NO POTABLE WATER RINSE is required.

QUAT 32 is an effective sanitizer when diluted in water up to 450 ppm hardness (CaCO₃).

STORAGE AND DISPOSAL

- DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL - OPEN DUMPING IS PROHIBITED

- DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL - Pesticides that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide or buried in a safe place

CONTAINER DISPOSAL - Triple rinse (or equivalent) and dispose of in an incinerate or landfill approved for pesticide containers, or bury in a safe place

39/

DIRECTIONS FOR USE GENERAL & ASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

Chempro Twenty is designed specifically for use on walls, floors, operating tables, cages, pet zoos, crates, feeding and watering equipment and furniture in animal hospitals, pet animal quarters, zoos, kennels and animal laboratories.

DISINFECTION: For disinfecting, add 10 ml to one gallon of water, apply solution with a mop, cloth, sponge or mechanical sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes and then let air dry.

For heavily soiled or contaminated area, a precleaning step is recommended. Prepare a fresh solution for each use.

For feeding and water equipment RINSE WITH POTABLE WATER after disin-

Mildewstat—To control mold and mildew on pre-cleaned hard non-porous surfaces (such as floors, walls, table tops) add 10 ml Chempro Twenty to 1 gallon of water. Apply solution with a cloth, mop, or sponge making sure to wet all surfaces completely. Let air dry. Prepa'e a fresh solution for each use. Repeat application at weekly intervals or when mildew growth reappears.

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DIOMESTIC ANIMALS DANGER

Keep Out of Reach of Children. Causes severe eye and skin damage. Do not get in eyes, skin or on clothing. Harmful it swallowed. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of load. Remove and wash contaminated clothing.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for ut least 15 minutes for eyes, call a physician. Remove and wash all contaminated tlothing before recuse It swallowed drink milk, egg whites, gelotin solution or if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSIC!AN

Probable mirrosal damage may contraindicate the use of gastric lavage. Measure, against circulatory shock, respiretury depression and convulsion may be needed.

CHEMPRO TWENTY

20% ACTIVE

VETERINARIAN TYPE DISINFECTANT

Detergent Virucide*

Deodorant Mildewstat

ACTIVE INGREDIENTS:

n-Alkyl (60% C₁₄, 30% C₁₆, 5% C₁₂, 5% C₁₈) dimethyl benzyl ammonium chlorides

n-Alkyl (68% C₁₂, 32% C₁₄) dimethy ethylbanzyl ammonium chlorides

INERT INGREDIENTS

TOTAL

DANGER

See side panels for additional precautionary and first aid statements.

FPA REG NO. 41824-1 • EPA EST. NO. 41824-1 MO

NET CONTENTS: UNE GALLON (3.8 liter)