# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Ciba Speciality Chemicals Corporation

540 White Plains Road P.O. Box 2005 Tarrytown, NY 10591-9005

APR 8 2004

Attention:

Mr. James Osmundsen

Subject:

Irgaguard® B7000

EPA Registration No. 40810-24

Amendment Application Date: March 12, 2004

EPA Received Date: March 16, 2004

This will acknowledge receipt of your notification, submitted under the provisions of FIFRA section 3 (c) 9. Based on a review of the material, the following comment apply.

## Alternate Brand Name:

Irgaguard® H7000

This application is acceptable and has been made a part of the records for this file.

If you have any comments or questions concerning this letter please contact me at (703) 308-6341 or Portia Jenkins at (703) 308-6230.

Sincerely,

Marshall Swindell

Product Manager 33

Regulatory Management Branch I Antimicrobials Division (7510C)

				CONCURRENC	<b>Z</b> S			
SYMBOL								
SURNAME	7.							
DATE			·					
		ė		<u> </u>		<u> </u>	OFFIC	AL EUS CORY

FPA Form 1320-1A (1/90

Printed on Remoded Pone

OFFICIAL FILE COPY

Please read instructions on reverse before completing form Form Approved, OMB No. 2070-0060, Approval expires 5-31-98								
United States				Registration OPP Identifi			OPP Identifier	Number
<b>♦EPA</b>	PA Environmental Protection Age			$\frac{1}{x}$	Amendme	ent		
Washington, DC 20460					Other		)	
	Application for Pesticide - Section I							
Company/Product Number			2. EPA Product N		ger	3. Propo	sed Classification	1
4. Company/Product (Name)			Mr. Marshall Swindell PM # X None			ne Rest	tricted	
Irgaguard® B 7000			PM # X None					
5. Name and Address of App	licant (Include ZIP Code)		6. Expedited Rev					
Ciba Specialty Chemicals Cor 540 White Plains Road	poration		(b)(i), my product i	IS SIN	niiar or identio	ai in comp	osition and labell	ng
Tarrytown, New York 10591			EPA Reg No. N/A					
Charle Mahin in a nave of	ddrono							
Check if this is a new ac	UIBSS		Product Name				\(\text{\text{did}}\)	
		Sec	tion - II					
Amendment – Explain b	elow			d lat	oels in respon	se to		
<u>'</u>			Agency lett		,			
Resubmission in respon	se to Agency letter dated		"Me Too" A					
	I				h-l			
X Notification – Explain be	IOW		Other – Ex	piain	Delow			
Explanation: Use additional	page(s) if necessary. (Fo	r Section I and S	ection II.)					
https://pasting.piscops.heard.po	ome ner DD Netice 00 10	This motification	in nameiotant with DD !	مندما	. 00 40 and 5	TDA rooule	diama at 40 CED :	150.46
Notification alternate brand na and no other changes have be								
to willfully make any false stat	ement to EPA. I further ur	nderstand that if t	this notification is not c	onsi	stent with the	terms of P	R notice 98-10 ar	nd 40
CFR 152.46, this product may	be in violation of FIFRA a	and I may be sub	ject to enforcement ac	tion	and penalties	under sec	tions 12 and 14 c	of FIFRA.
		Sec	ction III					<del></del>
Material This Product Will I	pe Packaged in:							
Child-Resistant Packaging	Unit Packaging	V	Vater Soluble Packagii	ng			of Container	
Yes	Yes	I L	Yes Metal Plastic					
X No	X No		X No			}	ass	
*Certification must	If "Yes"		If "Yes" No. per Paper					
be submitted	Unit Packaging wgt.	container F	ainer Package wgt container X Other (Specify 2 bags (10 Kg ea)			her (Specify <u>2 pla</u>		
							rdboard box	Ī
3. Location of Net Contents Ir		4. Size(s) Ret	ail Container				bel directions	
X Label	Container	2 X 10 Kg	10 Kg On Label X On Label and technical but			nd technical bulls	atin	
6. Manner in Which Label is A	Affixed to Product	Lithograp	oh	T	Other	JII CUDOI U	na toorinaar baile	/XIII
		X Paper gli	ued					
Stenciled								
Contact Person (Complete	itome directly below for it		tion IV	d if	nooneean, to	araces th	via application \	
Name	neins directly below for to	Title	UNIONAL TO DE CORRACTE	u, 11 1			nclude Area Code	e)
James Osmundsen Sr. Product Compliance Specialist (914) 785-4536				-,				
Certification 6. Date Application								
I certify that the statements I h I acknowledge that any knowin						ŀ	Received	
both under applicable law	gly laise of imsteading stat	tement may be pu	misiatore by fine of map	VI 1301	milett of			
2. Signature	·	3. Title	3. Title				(Stamped	)
fat ke			Head, Regulatory Services, PA				,	
1 Timed Name	F 5-4-					<b>1</b> . •	*	
4. Typed Name	5. Date	5. Date			1	• ***		
Patricia Kinne			3/11/04				* * * * * * * * * * * * * * * * * * * *	
				ont Com-				
LLA PULIN 0570-1 (NC) - 0-74) .	ractions eminons are obsur	ete.	WIT	رد – 1	a A rue Copy	(Original)	Yellow - Applica	ан Сору

## **IRGAGUARD® H7000**

Silver - Zinc Glass

A material preservative and antimicrobial agent for use in the Manufacture of polymer, plastic, and textile products. For Manufacturing/Fabrication Use Only

Active ingredient:
Silver (as etemental) 0.37%
Zinc (as etemental) 17.90%
Other ingredients 81.73%
Total 100.00%

#### KEEP OUT OF REACH OF CHILDREN

#### CAUTION

EPA Establishment No. 70404-AL-002 EPA Establishment No. 70404-DEU-002 EPA Establishment No. 040810-CHE-001 EPA Establishment No. 59824-JP-1

\*\*See Technical Bulletin for detailed use information\*\*

Net Weight: Lot No.: Ident. No.:

CIBA SPECIALTY CHEMICALS CORP. PLASTIC ADDITIVES 540 WHITE PLAINS RD., TARRYTOWN, NY 10591

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not use this product for any food contact or human drinking water contact uses in the United States.

Only for manufacture of or fabrication into antimicrobial pesticides for 1) the uses listed on this label and technical bulletin; 2) Uses for which USEPA has approved the required data and/or citations of data that the formulator has submitted in support of registration; and 3) Uses for experimental purposes that are in compliance with USEPA requirements.

IRGAGUARD H7000 is an antimicrobial powder for the manufacture of polymeric, plastic, and latex products only. It is designed to be used in materials that may be incorporated into the products on the technical bulletin for Irgaguard H7000 during the manufacturing process to impart antimicrobial activity to the manufactured products. IRGAGUARD H7000 suppresses the growth of bacteria, algae, fungus, mold and mildew which cause unpleasant odors, discoloration, staining, deterioration or corrosion of those manufactured products.

Finished products containing IRGAGUARD \* H7000 may not make public health claims relating to antimicrobial activity without EPA pesticide registration. When incorporated into treated articles, this product does not protect users of any such treated article or others against foodborne or disease causing bacteria, viruses, germs or other disease causing organisms.

IRGAGUARD H7000 may be incorporated into materials that may be used in the finished product at 0.1 to 3.0% of Irgaguard® H7000 by weight. Contact Ciba Specialty Chemicals Corporation to determine the appropriate amount of IRGAGUARD H7000 for individual finished products.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal

Pesticide Storage: Do not store in areas accessible to children. Keep away from direct sunlight.

Pesticide Disposal: Wastes from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty bags into processing equipment where the pesticide is used. Then dispose of empty bag and box in sanitary landfill or by incineration, if allowed by state and local authorities.

IRGAGUARD® is a trademark of Ciba Specialty Chemicals Corporation
EPA Approval Date: 7/30/03 EPA Registration No. 40810-24



# PRECAUTIONARY STATEMENTS KEEP OUT OF REACH OF CHILDREN CAUTION

#### **HAZARDS TO HUMANS**

CAUTION. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

#### FIRST AID:

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

#### IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- · Call a poison control center or doctor for treatment advice.

FOR 24-HOUR EMERGENCY MEDICAL ASSISTANCE, CALL 1-800-873-1138

Ciba Specialty Chemicals Corporation Plastics Additives



### **Technical Bulletin**

## Irgaguard® H7000

EPA Reg. 40810-24

Material preservative and antimicrobial agent for use in the manufacture of polymer, plastic, and textile products

For Manufacturing/Fabrication Use Only

IRGAGUARD H7000 is an antimicrobial pesticide for the manufacture of polymeric, plastic, and latex products only. It is designed to be incorporated into the materials for manufacture into final products listed below during the manufacturing process to impart antimicrobial activity to the manufactured products. IRGAGUARD H7000 suppresses the growth of bacteria, algae, fungus, mold and mildew which cause unpleasant odors, discoloration, staining, deterioration or corrosion of those manufactured products.

Finished products containing IRGAGUARD <sup>®</sup> H7000 may not make public health claims relating to antimicrobial activity without EPA pesticide registration. When incorporated into treated articles, this product does not protect users of any such treated article or others against foodborne or disease causing bacteria, viruses, germs or other disease causing organisms.

IRGAGUARD H7000 may be used in material that may be incorporated into the finished product at 0.1 to 3.0% of IRGAGUARD H7000 by weight. Contact Ciba Specialty Chemicals Corporation to determine the appropriate amount of IRGAGUARD H7000 for individual finished products.

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. IRGAGUARD® H7000 is intended for use as an additive into the following materials and substances as part of the manufacturing process in order to provide built-in antimicrobial activity in manufactured and finished products.

#### APPLICATIONS AND TYPES OF MATERIALS

APPLICATION	TYPES OF FINISHED PRODUCTS	3
Plastics	Appliances and equipment	Mats
Including films, sheets, slabs,	Automobile parts	Mops
and molded plastic parts	Brush bristles	Non-woven fabrics
	Brush handles	Plastic film
	Conveyor belts	Plumbing supplies and fixtures
	Countertops	(including toilet bowl seats)
	Floor coverings	Protective covers
	Flooring	Shower curtains
	Footwear (including boots, sports	Siding for housing
	equipment and tools)	Sinks
	Gaskets	Sponges
	General purpose containers	Tape
	Indoor and outdoor furniture	Tiles
	Insulation for wire and cable	Tubing
	Insulators	Vacuum cleaner bags
	Kitchen and bathroom hardware	Waste containers
	Liners	
<b>USE PRECAUTIONS: Do not</b>	use this product for any food con	tact or human drinking water
contact uses in the United St	ates	_

**APPLICATION** TYPES OF FINISHED PRODUCTS **Fibers** Apparel (such as umbrellas, outerwear, sportswear, sleepwear, socks and hosiery, caps, undergarments, inner liners for jackets, trim for outerwear and garments, uniforms, outerwear, gloves, aprons, coats. and shoes) Conveyor belts Industrial and other Household Items (such as artificial leather, filters, book covers, mops, cloth for sails, ropes, tents and other outdoor equipment, tarps, awnings, bags, brush bristles, commercial and industrial wipes and fabrics, sponges, wiping cloths) Interior furnishings (such as mattress cover pads and filling, pillow covers, sheets, blankets, fiberfill for quilts and pillows, curtains, draperies, carpet and carpet underlay, rugs, upholstery, towels, wall covering fabrics, cushion pads, sleeping bags) Packaging Transportation items (such as automotive and truck upholstery, carpeting, rear decks, trunk liners, convertible tops, interior liners) USE PRECAUTIONS: Do not use this product for any food contact or human drinking water contact uses in the United States

APPLICATION	TYPES OF FINISHED PRODUCTS
Coatings, Films, and	Appliances
Laminates	Automotive and vehicle parts
	Barrier fabrics
	Building materials and components (such as walls, wallboard, floors, concrete, siding, roofing, shingles, hardware, floors, ceilings, commercial and industrial applications)
	Collection and storage equipment (such as conveyor belts, piping systems, silos, tanks, and process vessels)
	Countertops
	Furniture
	General purpose containers
	Glazing for cement tile
	Glazing for vitreous china used in plumbing fixtures (such as toilets, sinks, countertops)
	Industrial equipment
	Natural and synthetic fibers and fabrics
	Packaging
	Paper products (such as wipes, tissues, wall coverings, towels, book
	covers)
	Sinks
USE PRECAUTIONS: Do n	ot use this product for any food contact or human drinking water
contact uses in the United	States

APPLICATION	TYPES OF FINISHED PRODUCTS
Adhesives and Sealants	Appliances
	Bathrooms
	Cardboard
	Ceramic tile
	Construction materials
	Glazing for windows
	Grout and joint compound
	Paper
	Pipe sealant and insulating materials
	Plastic
	Plumbing adhesives
	Rubber
	Sealants for pipes
	Showers
	Wood
	Wood and plastic composites
USE PRECAUTIONS: Do r contact uses in the United	not use this product for any food contact or human drinking water States

APPLICATION	TYPES OF FINISHED PRODUCTS
Miscellar.eous applications	Cat litter
	Drainage and sewage pipe
	Flooring
	Plaster
	Sinks
	Stucco
	Tile
	Toilets

APPLICATION	TYPES OF FINISHED PRODUCTS				
USE PRECAUTIONS: Do not use this product for any food contact or human drinking water					
contact uses in the United Sta	ntes				

## **CHEMICAL AND PHYSICAL PROPERTIES**

Appearance: White to grayish-white powder

Odor: None detectable

Density: 2.96 g/cm<sup>3</sup> @ 25° C

EPA Approved: 7-30-2003