

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

MAR 2 5 2010

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Juli Mann Steptoe & Johnson Agent for Ciba Corporation 1330 Connecticut Ave., NW Washington, D.C. 20036

Subject: Irgaguard B7000; EPA Reg. No. 40810-24 Amendment Letter Dated January 8, 2009

The amendment referred to above, submitted in connection with registration under section 3(C) (7) (A) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, to add new label uses for applications involving indirect food, human drinking water and HVAC contact, is acceptable used a time-limited restriction with the following conditions.

- 1. The primary basis for granting a time-limited approval at this time is that the product has FDA indirect food contact approval under FDA Notification #248. The product must be first incorporated into food contact approved FDA polymers, and can be added up to a maximum of 3% by weight into the various products. The FDA approval is recorded at www.cfsan.fda.gov/. Note that the FDA approval is for a zinc concentration range from 19-23% in the formula., which is slightly higher than the declared nominal concentration of this product at 17.90%.
- 2. The following outstanding generic data for both silver and zinc must be submitted (i.e., four studies total, two per active ingredient) and found acceptable by 3/4/11. You are responsible for using the correct Technical Grade Active Ingredient test substance to satisfy these data.

870.3150 Subchronic oral toxicity (90 day feeding; non-rodent) 870.3800 Two generation reproduction and fertility effects, rat

The rest of the tier-one generic data set required to support these new uses is listed on the submitted data matrix. The Agency has the following comments on this matrix. On page 4/9, the listed 90 day oral toxicity study, subchronic nonrodent study, and reproduction study for silver are listed as being submitted by "Ciba" and "own". These designations are incorrect and must be revised to reflect the data gaps for the two silver studies required above, and that only one 90 day

rodent study is required. On page 2/9 and 3/9, delete the 24 listings for "Product Specific Data for Source Product" which are not needed. You must submit a signed and data revised data matrix which reflects these changes with your final printed labels.

3. All the indirect food/drinking water, and HVAC uses listed on the proposed draft label have a time limited approval which automatically expires on 6/1/11.

If the outstanding data listed above is fully satisfied by 6/1/11, and an aggregate risk assessment is found acceptable for all uses, the time-limited restriction will be lifted. If the data is not satisfied, and/or if the risk assessment is not found acceptable, the Agency will require you to delete all or certain affected uses.

You must submit/cite all data required for registration and/or reregistration of your product under FIFRA section 3(c)(5) and section 4 when the Agency re-Quires all registrants of similar products to submit such data. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). your release for shipment of the product constitutes acceptance of these conditions.

All subsequent amendments that are approved for this product will also be timelimited to expire on 6/1/11.

Submit three copies of a final printed label which makes the following clarification so that the product is used in harmony with the FDA approval, and Other changes:

Submit three copies of a final printed label which makes the following clarification so that that product is uses in harmony with the FDA approval, and other changes:

A. On page 4/6, change "Do not incorporate Irgaguard B7000 into any food contact polymer intended for commercial food packaging uses unless that food contact polymer and use condition are approved and listed in 21 CFR 174-186 (inclusive), or in the United States Food and Drug Administration's Food Contact Substance Notification System", to the following statement,

"Do not incorporate Irgaguard B7000 into any food or drinking water contact application listed on this label without first incorporating Irgaguard B700 into a polymer which is approved, with associated use conditions, for food contact In 21 CFR 174-186 (inclusive) as amended, or in the United States Food and Drug Administration's Food Contact Substance Notification System, as amended.

On the main label and last page of the Technical Bulletin, delete "EPA Approval Date: Not EPA approved". Keep the "Draft 10-13-2003" label date.

A stamped copy of the approved time-limited label is enclosed for your records.

If you have any questions about the comments in this letter, please contact Karen M. Leavy at (703)-308-6327.

Sincerely,

Product Manager 33

Regulatory Management Branch I Antimicrobial Division(7510P)

IRGAGUARD® B7000

Silver - Zinc Glass

A material preservative and antimicrobial agent for use in the Manufacture of polymer, plastic, and textile products.

For Manufacturing/Fabrication Use Only

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Active ingredient:

Silver (as elemental) 0.37%

Zinc (as elemental) 17.90%

Other ingredients 81.73%

Total 100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

EPA Establishment
EPA Establishment
EPA Establishment
EPA Establishment
EPA Establishment
EPA Establishment
No. 82415-JPN-001

See Technical Bulletin for detailed use information

Net Weight: Lot No.: Ident. No.:

CIBA CORPORATION PLASTIC ADDITIVES 540 WHITE PLAINS RD., TARRYTOWN, NY 10591 experimental purposes that are in compliance with USEPA requirements.

IRGAGUARD® B7000 is an antimicrobial powder for the manufacture of polymeric, plastic, and latex products only. It is designed to be used in materials that may be incorporated into the products on the technical bulletin for Irgaguard® B7000 during the manufacturing process to impart antimicrobial activity to the manufactured products. IRGAGUARD® B7000

suppresses the growth of bacteria, algae, fungus, mold and mildew which cause unpleasant

Only for manufacture of or fabrication into antimicrobial pesticides for 1) the uses listed on this label and technical bulletin; 2) Uses for which USEPA has approved the required data and/or citations of data that the formulator has submitted in support of registration; and 3) Uses for

odors, discoloration, staining, deterioration or corrosion of those manufactured products. Finished products containing IRGAGUARD [®] B7000 may not make public health claims relating to antimicrobial activity without EPA pesticide registration. When incorporated into treated articles, this product does not protect users of any such treated article or others against foodborne or disease causing bacteria, viruses, germs or other disease causing organisms.

IRGAGUARD® B7000 may be incorporated into materials that may be used in the finished product at 0.1 to 3.0% of Irgaguard® B7000 by weight. Contact Ciba Corporation to determine the appropriate amount of IRGAGUARD® B7000 for individual finished products.

STORAGE AND DISPOSAL

Nonrefillable container. Do not reuse or refill this container. Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Do not store in areas accessible to children. Keep away from direct sunlight.

Pesticide Disposal: Wastes from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty bags into processing equipment where the pesticide is used. Offer for recycling, if available. Otherwise dispose of empty bag and box in sanitary landfill or by incineration, if allowed by state and local authorities.

IRGAGUARD® is a trademark of Ciba Corporation / EPA Registration No. 40810-24

ACCEPTED
with COMMENTS
in EPA Letter Dated:

MAR 2 5 2010

Visite the Federal forestime, Fungicide and trade to the Act of amended to the control of registered ander the larg. No.

40810-24



PRECAUTIONARY STATEMENTS KEEP OUT OF REACH OF CHILDREN CAUTION

HAZARDS TO HUMANS

CAUTION. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

FIRST AID:

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

FOR 24-HOUR EMERGENCY MEDICAL ASSISTANCE, CALL 1-800-873-1138

ACCEPTED
WITH COMPANYS
in EPA Lores Dorod:
MAR 2 5 2010

Honor the Pedeut Section de Act as an agreement section and sectio

Ciba Corporation

Plastics Additives



Technical Bulletin

Irgaguard® B7000

EPA Reg. 40810-24

Material preservative and antimicrobial agent for use in the manufacture of polymer, plastic, and textile products

For Manufacturing/Fabrication Use Only

IRGAGUARD [®] B7000 is an antimicrobial pesticide for the manufacture of polymeric, plastic, and latex products only. It is designed to be incorporated into the materials for manufacture into final products listed below during the manufacturing process to impart antimicrobial activity to the manufactured products. IRGAGUARD B7000 suppresses the growth of bacteria, algae, fungus, mold and mildew which cause unpleasant odors, discoloration, staining, deterioration or corrosion of those manufactured products.

Finished products containing IRGAGUARD [®] B7000 may not make public health claims relating to antimicrobial activity without EPA pesticide registration. When incorporated into treated articles, this product does not protect users of any such treated article or others against foodborne or disease causing bacteria, viruses, germs or other disease causing organisms.

IRGAGUARD® B7000 may be used in material that may be incorporated into the finished product at 0.1 to 3.0% of IRGAGUARD® B7000 by weight. Contact Ciba Corporation to determine the appropriate amount of IRGAGUARD® B7000 for individual finished products.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. IRGAGUARD® B7000 is intended for use as an additive into the following materials and substances as part of the manufacturing process in order to provide built-in antimicrobial activity in manufactured and finished products.

ACCEPTED
WILD COMMENTS
in EPA Long Downd:
MAR 2 5 2010

Under the Pederal Processed, Fungacide and Form Course Act as amounted for the Pederal Course registered and a 1992 No.

40810-24

APPLICATIONS AND TYPES OF MATERIALS

APPLICATION	TYPES OF FINISHED PRODUCTS	
Plastics	Appliances and equipment	Liners
Including films, sheets, slabs,	Automobile parts	Mats
and molded plastic parts	Brush bristles	Mops
	Brush handles	Non-woven fabrics
	Conveyor belts	Plastic film
	Countertops	Plumbing supplies and fixtures
	Face gear (face masks, respirator	(including toilet bowl seats)
	filter media, goggles, etc.)	Protective covers
	Floor coverings	Shower curtains
	Flooring	Siding for housing
	Footwear (including boots, sports	Sinks
	equipment and tools)	Sponges
	Gaskets	Tape
	General purpose containers	Tiles
	Indoor and outdoor furniture	Tubing
	Insulation for wire and cable	Vacuum cleaner bags
	Insulators	Waste containers
	Kitchen and bathroom hardware	

APPLICATION	TYPES OF FINISHED PRODUCTS
Fibers	Apparel (such as umbrellas, outerwear, sportswear, sleepwear, socks and hosiery, caps, undergarments, inner liners for jackets, trim for outerwear and garments, uniforms, outerwear, gloves, aprons, coats, and shoes) Conveyor belts Industrial and other Household Items (such as artificial leather, filters, book covers, mops, cloth for sails, ropes, tents and other outdoor equipment, tarps, awnings, bags, brush bristles, commercial and industrial wipes and fabrics, sponges, wiping cloths)
	Interior furnishings (such as mattress cover pads and filling, pillow covers, sheets, blankets, fiberfill for quilts and pillows, curtains, draperies, carpet and carpet underlay, rugs, upholstery, towels, wall covering fabrics, cushion pads, sleeping bags) Packaging Transportation items (such as automotive and truck upholstery, carpeting, rear decks, trunk liners, convertible tops, interior liners)





APPLICATION	TYPES OF FINISHED PRODUCTS
Coatings, Films, and	Appliances
Laminates	Automotive and vehicle parts
	Barrier fabrics
	Building materials and components (such as walls, wallboard, floors, concrete, siding, roofing, shingles, hardware, floors, ceilings, commercial and industrial applications)
	Collection and storage equipment (such as conveyor belts, piping systems, silos, tanks, and process vessels)
	Countertops
	Furniture
	General purpose containers
	Glazing for cement tile
	Glazing for vitreous china used in plumbing fixtures (such as toilets, sinks, countertops)
	Industrial equipment
	Natural and synthetic fibers and fabrics
	Packaging
	Paper products (such as wipes, tissues, wall coverings, towels, book covers)
	Sinks

APPLICATION	TYPES OF FINISHED PRODUCTS
Adhesives and Sealants	Appliances Bathrooms Cardboard Ceramic tile Construction materials Glazing for windows Grout and joint compound Paper Pipe sealant and insulating materials Plastic Plumbing adhesives Rubber Sealants for pipes Showers Wood Wood and plastic composites

APPLICATION	TYPES OF FINISHED PRODUCTS
Miscellaneous applications	Cat litter
	Drainage and sewage pipe
	Flooring
	Plaster
	Sinks
	Stucco
	Tile
•	Toilets



APPLICATION	TYPES OF FINISHED PRODUCTS
Heating, Ventilation and Air Conditioning (HVAC)	HVAC equipment and related materials including air handlers, plenums, coils, fins, insulation, rigid or flexible ducts, drain pans, duct support mechanisms, diffusers, filters, heat exchangers, air purifiers, supplemental articles used in the assembly of HVAC systems such as gaskets, fixtures, sealants, adhesives, and HVAC reinforcing as well as parts and components thereof. These articles could be constructed of fibrous materials (textiles), non-woven, plastic or coated metal material. For use only during manufacture of the article.

FOOD CONTACT USES: APPLICATIONS AND TYPES OF MATERIALS

Irgaguard B7000 may be used as an antimicrobial additive in the polymeric manufactured products listed below that are used for manufacturing, packing, packaging, transporting, handling and/or holding food if such use is not intended to have any microbial effect in the food itself. Do not incorporate Irgaguard B7000 into any food or drinking water contact application listed on this label without first incorporating Irgaguard B7000 into a polymer which is approved, with associated use conditions, for food contact in 21 CFR 174-186 (inclusive) as amended, or in the United States Food and Drug Administration's Food Contact Substance Notification System, as amended.

APPLICATION	TYPES OF FINISHED PRODUCTS	S
Plastics Including films, sheets, slabs, and molded plastic parts	Appliances and equipment Beverage dispensing equipment Beverage processing equipment Bottles Brush bristles Brush handles Conveyor belts Countertops Food handling equipment Food processing equipment Food storage containers Food trays and covers Food packaging Food processing utensils Gaskets General purpose containers Kitchen and bathroom hardware Liners	Mats Non-woven fabrics Plastic film Plumbing supplies and fixtures Protective covers Sinks Sponges Tape Tiles Tubing

ACCEPTED with COMMENTS in EPA Later Doted:

MAR 2 5 2010

Under the Federal in schede, Fungacias and a second and a second and a second act as are second as second

APPLICATION	TYPES OF FINISHED PRODUCTS
Fibers	Apparel (such as outerwear, uniforms, gloves, aprons, coats)
	Bags
	Containers
	Conveyor belts
	Table cloths, napkins, wiping cloths
	Mops, sponges
	Brush bristles
	Filters
	Packaging (including bags, sacks, wraps, cushion, absorbent materials and containers)
	Kitchen: commercial and industrial wipes and fabrics
	Food packaging

APPLICATION	TYPES OF FINISHED PRODUCTS
Coatings, Films, and	Appliances and equipment
Laminates	Barrier fabrics
	Building materials and components
	Collection and storage equipment (such as conveyor belts, piping systems, silos, tanks, and process vessels)
	Cookware
	Countertops
	Food wrap (including coated deli paper, coated meat interleavers and plastic wrap)
	General purpose containers
	Glazing for cement tile
	Glazing for vitreous china used in plumbing fixtures (such as sinks, countertops)
	Industrial equipment
	Natural and synthetic fibers and fabrics
	Packaging
	Paper products (such as wipes, tissues, wall coverings, towels)
	Plastic film
	Sinks

APPLICATION	TYPES OF FINISHED PRODUCTS	
Adhesives and Sealants	Appliances Cardboard Ceramic tile Grout and joint compound Paper Pipe sealant and insulating materials Plastic Plumbing adhesives Rubber Sealants for pipes Wood Wood and plastic composites	ACCEPTED with COMPLENTS in EPA Lease Dosed: MAR 2 5 2010 Under the Federal to relicate, Function, and the second accordance to the second accorda

DRINKING WATER CONTACT USES

Irgaguard B7000 may be used for the human drinking water contact uses listed below. The additive may be incorporated into food bowls and water bowls, dishes and other containers used by domestic animals. Do not use for any food or drinking water applications involving non-domestic animals.

APPLICATION	TYPES OF FINISHED PRODUCTS	
Plastics; Fibers, Coatings, films and laminates; Adhesives and sealants	Including ice making equipment (water pans, piping, tubing, guards, ice storage bins, trays, ice scoops, buckets, valves, and gaskets); drinking water contact materials (water bottles, cups, gaskets, plumbing fixtures, storage tanks and vessels, water piping, tubing, valves, spigots, coolers, water dispensing components, housing units, and water filter components).	

CHEMICAL AND PHYSICAL PROPERTIES

Appearance: White to grayish-white powder

Odor: None detectable

Density: 2.96 g/cm³ @ 25° C

ACCEPTED with COMMENTS in EPA Latest Dated:
MAR 2 5 2010

Under the Federal broadende. Fungacide, and for a same Act as amended to the processor. registered under the page. No.

40810-24