

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON D.C., 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Elizabeth Brown Steptoe & Johnson Agent for Ciba Corporation 1330 Connecticut Ave., NW Washington, D.C. 20036

APR 0 9 2009

Subject:

Irgaguard B6000; EPA Reg. No. 40810-27 Amendment Letter dated January 8, 2009

The amendment referred to above, submitted in connection with registration under section 3 (c) (7) (A) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, to add new label uses for applications involving indirect food, human drinking water, and HVAC contact, is acceptable under a time-limited restriction with the following conditions.

- 1. The primary basis for granting a time-limited approval at this time is that the product has FDA indirect food contact approval under FDA Notification #248. The product must be first incorporated into food contact approved FDA polymers, and can be added up to a maximum of 3% by weight into the various products. The FDA approval ir recorded at <a href="https://www.cfsan.fda.gov/">www.cfsan.fda.gov/</a>. Note that the FDA approval is for a zinc concentration range from 19-23% in the formula, which is slightly higher than the declared nominal concentration of this product at 17.90%.
- 2. The following outstanding generic data for <u>both</u> silver and zinc must be submitted (ie., four studies total, two per active ingredient) and found acceptable by 3/4/10. You are responsible for using the correct Technical Grade Active Ingredient test substance to satisfy these data.

870.3150 Subchronic oral toxicity (90 day feeding, non-rodent) 870.3800 Two generation reproduction and fertility effects, rat

The rest of the tier-one generic data set required to support these new uses is listed on the submitted data matrix. The Agency has the following comments on this matrix. On page 4/9, the listed 90 day oral toxicity study, subchronic nonrodent study, and reproduction study for silver are

B. On the main label and last page of the Technical Bulletin, delete "EPA Approval Date: Not EPA approved". Keep the "Draft 10-13-2003" label date.


If you have any questions about the comments in this letter, please feel free to contact Demson Fuller at 703-308-8062.

Sincerely,

Marshall Swindell,

Product Manager Team 33,

Regulatory Management Branch I Antimicrobials Division (7510C)



APR 0 9 2009

Uncien the Foderal Insecticity Panghide, and Rodomicide out to amended, for the pecticido negunearit mader EFA fleg. If

40810-27

# **IRGAGUARD® B6000**

Silver Glass - Zinc Zeolite

A material preservative and antimicrobial agent for use in the Manufacture of polymer, plastic, and textile products. For Manufacturing/Fabrication Use Only

Active ingredient:
Silver (as elemental)
Zinc (as elemental)
Other ingredients
95.24%
Total
100.00%

#### KEEP OUT OF REACH OF CHILDREN

#### CAUTION

EPA Establishment PA Es

\*\*See Technical Bulletin for detailed use information\*\*

Net Weight: Lot No.: Ident. No.:

CIBA CORPORATION PLASTIC ADDITIVES 540 WHITE PLAINS RD., TARRYTOWN, NY 10591

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not use this product for any human drinking water contact uses in the United States. Only for manufacture of or fabrication into antimicrobial pesticides for 1) the uses listed on this label and technical bulletin; 2) Uses for which USEPA has approved the required data and/or citations of data that the formulator has submitted in support of registration; and 3) Uses for experimental purposes that are in compliance with USEPA requirements.

IRGAGUARD <sup>®</sup> B6000 is an antimicrobial powder for the manufacture of polymeric, plastic, and latex products only. It is designed to be used in materials that may be incorporated into the products on the technical bulletin for Irgaguard® B6000 during the manufacturing process to impart antimicrobial activity to the manufactured products. IRGAGUARD® B6000 suppresses the growth of bacteria, algae, fungus, mold and mildew which cause unpleasant odors, discoloration, staining, deterioration or corrosion of those manufactured products.

Finished products containing IRGAGUARD <sup>®</sup> B6000 may not make public health claims relating to antimicrobial activity without EPA pesticide registration. When incorporated into treated articles, this product does not protect users of any such treated article or others against foodborne or disease causing bacteria, viruses, germs or other disease causing organisms.

IRGAGUARD <sup>®</sup> B6000 may be incorporated into materials that may be used in the finished product at 0.1 to 3.0% of Irgaguard® B6000 by weight. For use in Adhesives and Sealants, may be incorporated into the finished product at 0.1 to 5.0% by weight. Contact Ciba Corporation to determine the appropriate amount of IRGAGUARD <sup>®</sup> B6000 for individual finished products.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Do not store in areas accessible to children. Keep away from direct sublight

Pesticide Disposal: Wastes from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty bags into processing equipment where the pesticide is used. Then dispose of empty bag and box in sanitary landfill or by incineration, if allowed by state and local authorities.

IRGAGUARD® is a trademark of Ciba Corporation EPA Registration No. 40810-27



# PRECAUTIONARY STATEMENTS KEEP OUT OF REACH OF CHILDREN CAUTION

#### HAZARDS TO HUMANS

CAUTION. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

#### FIRST AID:

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

#### IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

FOR 24-HOUR EMERGENCY MEDICAL ASSISTANCE, CALL 1-800-873-1138

Ciba Corporation

**Plastics Additives** 



## **Technical Bulletin**

# Irgaguard® B6000

EPA Reg. 40810-27

Material preservative and antimicrobial agent for use in the manufacture of polymer, plastic, and textile products

For Manufacturing/Fabrication Use Only

IRGAGUARD <sup>®</sup> B6000 is an antimicrobial pesticide for the manufacture of polymeric, plastic, and latex products only. It is designed to be incorporated into the materials for manufacture into final products listed below during the manufacturing process to impart antimicrobial activity to the manufactured products. IRGAGUARD B6000 suppresses the growth of bacteria, algae, fungus, mold and mildew which cause unpleasant odors, discoloration, staining, deterioration or corrosion of those manufactured products.

Finished products containing IRGAGUARD <sup>®</sup> B6000 may not make public health claims relating to antimicrobial activity without EPA pesticide registration. When incorporated into treated articles, this product does not protect users of any such treated article or others against foodborne or disease causing bacteria, viruses, germs or other disease causing organisms.

IRGAGUARD® B6000 may be used in material that may be incorporated into the finished product at 0.1 to 3.0% of IRGAGUARD® B6000 by weight. For use in Adhesives and Sealants, may be incorporated into the finished product at 0.1 to 5.0% by weight. Contact Ciba Corporation to determine the appropriate amount of IRGAGUARD® B6000 for individual finished products.

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. IRGAGUARD® B6000 is intended for use as an additive into the following materials and substances as part of the manufacturing process in order to provide built-in antimicrobial activity in manufactured and finished products.


MARIO O 2009

40810-27

# **APPLICATIONS AND TYPES OF MATERIALS**

APPLICATION	TYPES OF FINISHED PRODUCTS	
Plastics	Appliances and equipment	Mats
Including films, sheets, slabs,	Automobile parts	Mops
and molded plastic parts	Brush bristles	Non-woven fabrics
	Brush handles	Plastic film
	Conveyor belts	Plumbing supplies and fixtures
	Countertops	(including toilet bowl seats)
	Floor coverings	Protective covers
	Flooring	Shower curtains
	Footwear (including boots, sports	Siding for housing
	equipment and tools)	Sinks
	Gaskets	Sponges
	General purpose containers	Tape
	Indoor and outdoor furniture	Tiles
	Insulation for wire and cable	Tubing
	Insulators	Vacuum cleaner bags
	Kitchen and bathroom hardware Liners	Waste containers

and hosiery, caps, undergarments, inner liners for jackets, trim for outerwear and garments, uniforms, outerwear, gloves, aprons, coat and shoes)  Conveyor belts Industrial and other Household Items (such as artificial leather, filters, book covers, mops, cloth for sails, ropes, tents and other outdoor equipment, tarps, awnings, bags, brush bristles, commercial and industrial wipes and fabrics, sponges, wiping cloths) Interior furnishings (such as mattress cover pads and filling, pillow covers, sheets, blankets, fiberfill for quilts and pillows, curtains, draperies, carpet and carpet underlay, rugs, upholstery, towels, wal covering fabrics, cushion pads, sleeping bags) Packaging Transportation items (such as automotive and truck upholstery, carpeting, rear decks, trunk liners, convertible tops, interior liners)	APPLICATION	TYPES OF FINISHED PRODUCTS
LICE DDECALITIONS. Do not use this product for any human drinking water contact uses in the	Fibers	outerwear and garments, uniforms, outerwear, gloves, aprons, coats, and shoes)  Conveyor belts Industrial and other Household Items (such as artificial leather, filters, book covers, mops, cloth for sails, ropes, tents and other outdoor equipment, tarps, awnings, bags, brush bristles, commercial and industrial wipes and fabrics, sponges, wiping cloths) Interior furnishings (such as mattress cover pads and filling, pillow covers, sheets, blankets, fiberfill for quilts and pillows, curtains, draperies, carpet and carpet underlay, rugs, upholstery, towels, wall covering fabrics, cushion pads, sleeping bags) Packaging Transportation items (such as automotive and truck upholstery,
United States	1	ot use this product for any human drinking water contact uses in the



APPLICATION	TYPES OF FINISHED PRODUCTS
Coatings, Films, and	Appliances
Laminates	Automotive and vehicle parts
	Barrier fabrics
	Building materials and components (such as walls, wallboard, floors, concrete, siding, roofing, shingles, hardware, floors, ceilings, commercial and industrial applications)
	Collection and storage equipment (such as conveyor belts, piping systems, silos, tanks, and process vessels)
	Countertops
	Furniture
	General purpose containers
·	Glazing for cement tile
	Glazing for vitreous china used in plumbing fixtures (such as toilets, sinks, countertops)
	Industrial equipment
	Natural and synthetic fibers and fabrics
	Packaging
	Paper products (such as wipes, tissues, wall coverings, towels, book covers)
	Sinks
USE PRECAUTIONS: Do not	use this product for any human drinking water contact uses in the
United States	


APPLICATION	TYPES OF FINISHED PRODUCTS	
Adhesives and Sealants	Appliances	
	Bathrooms	
	Cardboard	•
	Ceramic tile	· ·
	Construction materials	
	Glazing for windows	•
	Grout and joint compound	
	Paper	AUG PRO
•	Pipe sealant and insulating materials	COMPANIE CONTRACTOR OF THE SECOND
	Plastic	MENALLORS Dated
	Plumbing adhesives	4
	Rubber	ADD a O sees
	Sealants for pipes	APR 0 9 2009
	Showers	rangicide, and Rodustinias and
	Wood	amended, for the pogulated
	Wood and plastic composites	registeral to a difference in

APPLICATION	TYPES OF FINISHED PRODUCTS
Miscellaneous applications	Cat litter
• •	Drainage and sewage pipe
	Flooring
	Plaster
	Sinks
•	Stucco .
	Tile
	Toilets

### FOOD CONTACT USES: APPLICATIONS AND TYPES OF MATERIALS

Irgaguard B6000 may be used as an antimicrobial additive in the polymeric manufactured products listed below that are used for manufacturing, packing, packaging, transporting, handling and/or holding food if such use is not intended to have any microbial effect in the food itself. Do not incorporate Irgaguard B6000 into any food or drinking water contact application listed on this label without first incorporating Irgaguard B6000 into a polymer which is approved, with associated use conditions, for food contact in 21 CFR 174-186 (inclusive) as amended, or in the United States Food and Drug Administration's Food Contact Substance Notification System, as amended.

APPLICATION	TYPES OF FINISHED PRODUCTS	
Plastics Including films, sheets, slabs, and molded plastic parts	Appliances and equipment Beverage dispensing equipment Beverage processing equipment Bottles Brush bristles Brush handles Conveyor belts Countertops Food handling equipment Food processing equipment Food storage containers Food trays and covers Food packaging Food processing utensils Gaskets General purpose containers Kitchen and bathroom hardware	Mats Non-woven fabrics Plastic film Plumbing supplies and fixtures Protective covers Sinks Sponges Tape Tiles Tubing



APPLICATION	TYPES OF FINISHED PRODUCTS
Fibers	Apparel (such as outerwear, uniforms, gloves, aprons, coats)
	Bags
	Containers
	Conveyor belts
	Table cloths, napkins, wiping cloths
	Mops, sponges
	Brush bristles
	Filters
÷	Packaging (including bags, sacks, wraps, cushion, absorbent materials and containers)
•	Kitchen: commercial and industrial wipes and fabrics
	Food packaging
Coatings, Films, and	Appliances and equipment
Laminates	Barrier fabrics
	Building materials and components
•	Collection and storage equipment (such as conveyor belts, piping systems, silos, tanks, and process vessels)
	Cookware
	Countertops
	Food wrap (including coated deli paper, coated meat interleavers and plastic wrap)
•	General purpose containers
	Glazing for cement tile
	Glazing for vitreous china used in plumbing fixtures (such as sinks, countertops)
	Industrial equipment
	Natural and synthetic fibers and fabrics
•	Packaging
	Paper products (such as wipes, tissues, wall coverings, towels) Plastic film
	Sinks
USE PRECAUTIONS: D	o not use this product for any human drinking water contact uses in the
United States	- · · · · · · · · · · · · · · · · · · ·

APPLICATION	TYPES OF FINISHED PRODUCTS
Adhesives and Sealants	Appliances
	Cardboard
	Ceramic tile
	Grout and joint compound
	Paper
	Pipe sealant and insulating materials
	Plastic
	Plumbing adhesives
	Rubber
	Sealants for pipes
	Wood
	Wood and plastic composites
USE PRECAUTIONS: Do I	not use this product for any human drinking water contact uses in the

APR 0 9 2009

Under the Rateral Insecticity.
Received, and Recientificate assembled, for the periodic,
received in the periodic.
Received makes MPA Reg. 144

## **CHEMICAL AND PHYSICAL PROPERTIES**

Appearance: White to grayish-white powder

Odor: None detectable

Density: 2.44 g/cm<sup>3</sup> @ 25° C

men COMMEDIA to ERE Loner Dated APR 0 9 2009

Under the Rederal Insecticide, Respirate, and Rodonticide Act as asserted, for the perdicine, registered under FPA Reg. Mo.

40810-21