

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

MAY 2 3 2013

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Juli Mann Steptoe & Johnson Agent for Ciba Corporation 1330 Connecticut Ave., NW Washington, D.C. 20036

Subject: Irgaguard B6000-Renewal of Time-Limited Indirect Food-Contact Uses EPA Reg. No. 40810-27

Amendment Letter Dated April 4, 2013

The amendment referred to above, submitted in connection with registration under section 3(C) (7) (A) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, to add new label uses for applications involving indirect food, human drinking water and HVAC contact, is acceptable used a time-limited restriction with the following conditions.

- 1. The primary basis for granting a time-limited approval at this time is that the product has FDA indirect food contact approval under FDA Notification #248. The product must be first incorporated into food contact approved FDA polymers, and can be added up to a maximum of 3% by weight into the various products. The FDA approval is recorded at www.cfsan.fda.gov/. Note that the FDA approval is for a zinc concentration range from 19-23% in the formula, which is slightly higher than the declared nominal concentration of this product at 17.90%.
- 2. The following outstanding generic data for both silver and zinc must be submitted (i.e., four studies total, two per active ingredient) and found acceptable by 6/1/15. You are responsible for using the correct Technical Grade Active Ingredient test substance to satisfy these data.

870.3150 Subchronic oral toxicity (90 day feeding; non-rodent) 870.3800 Two generation reproduction and fertility effects, rat

The rest of the tier-one generic data set required to support these new uses is listed on the submitted data matrix. The Agency has the following comments on this matrix:

On page 4/9, the listed 90 day oral toxicity study, subchronic non-rodent study, and reproduction study for silver are listed as being submitted by "Ciba" and "own". These designations are incorrect and must be revised to reflect the data gaps for the two silver studies required above, and that only one 90 day rodent study is required.

On page 2/9 and 3/9, delete the 24 listings for "Product Specific Data for Source Product" which are not needed. You must submit a signed and data revised data matrix which reflects these changes with your final printed labels.

3. All the indirect food/drinking water, and HVAC uses listed on the proposed draft label have a time limited approval which automatically expires on 6/1/15. If the outstanding data listed above is fully satisfied by 6/1/15, and an aggregate risk assessment is found acceptable for all uses, the time-limited restriction will be lifted. If the data is not satisfied, and/or if the risk assessment is not found acceptable, the Agency will require you to delete all or certain affected uses.

You must submit/cite all data required for registration and/or reregistration of your product under FIFRA section 3(c)(5) and section 4 when the Agency requires all registrants of similar products to submit such data. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

All subsequent amendments that are approved for this product will also be time-limited to expire on 6/1/15.

A stamped copy of the approved time-limited label is enclosed for your records.

If you have any questions about the comments in this letter, please contact Karen M. Leavy at (703)-308-6327.

Sincerely,

Product Manager 33

Regulatory Management Branch I Antimicrobial Division(7510P)



The Chemical Company

IRGAGUARD® B 6000

Silver Glass - Zinc Zeolite

A material preservative and antimicrobial for use in the manufacture of polymer, plastic, and textile products. For Manufacturing/Fabrication Use Only.

ACTIVE INGREDIENT:

Silver (as elemental)......1.18% Zinc (as elemental)......3.58% Other ingredients......95.24% Total.....100.00%

EPA Establishment No. 70404-AL-002 EPA Registration No. 40810-27

No. 040810-CHE-001 No. 70404-DEU-002 No. 82415-JPN-001 No. 84692-JPN-001 No. 69829-IL-001

KEEP OUT OF REACH OF CHILDREN CAUTION

See Technical Bulletin for detailed use information

IRGAGUARD[®] is a trademark of BASF

Material: 50115830

Net Weight: 20 kg/44.1 lb Batch Number:

Florham Park, NJ 07932 **BASF Corporation** 100 Park Avenue

Under the Foderal Insecticitie, Fungicide, and Rodenticide Act as amended, for the ACCEPTED Pesticita, registered under EPA Reg. No. 20810 - 27 FOR 24-HOUR EMERGENCY MEMBER ASSISTANCE CALL 1-800-832-4357 2 3 200

DIRECTIONS FOR USE

appropriate amount of Irgaguard® B6000 for individual finished antimicrobial activity to the manufactured products. Irgaguard® requirements. Irgaguard® B6000 is an antimicrobial powder for reated articles, this product does not protect users of any such t is designed to be used in materials that may be incorporated 36000 suppresses the growth of bacteria, algae, fungus, mold products. Finished products containing Irgaguard® B6000 may to 5.0% by weight. Contact BASF Corporation to determine the reated article or others against food borne or disease causing echnical bulletin; 2) Uses for which USEPA has approved the product for any human drinking water contact uses in the he manufacture of polymeric, plastic, and latex products only. antimicrobial pesticides for 1) the uses listed on this label and not make public health claims relating to antimicrobial activity Sealants, may be incorporated into the finished product at 0.1 required data and/or citations of data that the formulator has pacteria, viruses, germs or other disease causing organisms. without EPA pesticide registration. When incorporated into experimental purposes that are in compliance with USEPA rgaguard® B6000 may be incorporated into materials that t is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not use this Jnited States. Only for manufacture of or fabrication into and mildew which cause unpleasant odors, discoloration, staining, deterioration or corrosion of those manufactured nto the products on the technical bulletin for Irgaguard® rgaguard® B6000 by weight. For use in Adhesives and nay be used in the finished product at 0.1 to 3.0% of submitted in support of registration; and 3) Uses for B6000 during the manufacturing process to impart

STORAGE AND DISPOSAL

Nonrefillable container. Do not reuse or refill this container, Do not contaminate water, food, or feed by storage and disposal. Pesticide Storage: Do not store in areas accessible to children. Keep away from direct sunlight.

Pesticide Disposal: Wastes from the use of this product may be disposed of on site or at an approved waste disposal acility.

Container Disposal: Completely empty bags into processing available. Otherwise dispose of empty bag and box in sanitary equipment where the pesticide is used. Offer for recycling, if landfill or by incineration, if allowed by state and local authorities

KEEP OUT OF REACH OF CHILDREN PRECAUTIONARY STATEMENTS CAUTION

HAZARDS TO HUMANS

CAUTION. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after nandling.

ENVIRONMENTAL HAZARDS

containing this product into lakes, streams, ponds, estuaried oceans, or public waters unless this product is specifically This product is toxic to fish. Do not discharge effluent addressed in an NPDES permit.

systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Do not discharge effluent containing this product to sewer Regional Office of the EPA.

FIRST AID:

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. F IN EYES:

20 minutes. Remove contact lenses, if present, after the first 5 · Hold eye open and rinse slowly and gently with water for 15 minutes, then continue rinsing eye.

· Call a poison control center or doctor for treatment advice.



Irgaguard 86,000 Lebel (01,2011) and Technical Bulletin (01/2011). Note: Amenamen: ปีated Agr 03,2013 to renew time-limited uses;

3/8



gle

Technical Bulletin

Irgaguard® B6000

EPA Reg. No. 40810-27

Material preservative and antimicrobial agent for use in the manufacture of polymer, plastic, and textile products

For Manufacturing/Fabrication Use Only

IRGAGUARD [®] B6000 is an antimicrobial pesticide for the manufacture of polymeric, plastic, and latex products only. It is designed to be incorporated into the materials for manufacture into final products listed below during the manufacturing process to impart antimicrobial activity to the manufactured products. IRGAGUARD B6000 suppresses the growth of bacteria, algae, fungus, mold and mildew which cause unpleasant odors, discoloration, staining, deterioration or corrosion of those manufactured products.

Finished products containing IRGAGUARD [®] B6000 may not make public health claims relating to antimicrobial activity without EPA pesticide registration. When incorporated into treated articles, this product does not protect users of any such treated article or others against foodborne or disease causing bacteria, viruses, germs or other disease causing organisms.

IRGAGUARD® B6000 may be used in material that may be incorporated into the finished product at 0.1 to 3.0% of IRGAGUARD® B6000 by weight. For use in Adhesives and Sealants, may be incorporated into the finished product at 0.1 to 5.0% by weight. Contact BASF Corporation to determine the appropriate amount of IRGAGUARD® B6000 for individual finished products.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. IRGAGUARD® B6000 is intended for use as an additive into the following materials and substances as part of the manufacturing process in order to provide built-in antimicrobial activity in manufactured and finished products.





APPLICATIONS AND TYPES OF MATERIALS

APPLICATION	TYPES OF FINISHED PRODUCTS	5
Plastics	Appliances and equipment	Mats file cee
Including films, sheets, slabs,	Automobile parts	Mops ? ? ?
and molded plastic parts	Brush bristles	Non-woven fabrics
	Brush handles	Plastic film
	Conveyor belts	Plumbing supplies ရက်d fixtures ေ
	Countertops	(including toilet bowl seats) ccc
	Floor coverings	Protective covers coeff
	Flooring	Shower curtains
	Footwear (including boots, sports	Siding for housing
	equipment and tools)	Sinks 🧠 📜
	Gaskets	Sponges
·	General purpose containers	Tape
	Indoor and outdoor furniture	Tiles
	Insulation for wire and cable	Tubing
	Insulators	Vacuum cleaner bags
	Kitchen and bathroom hardware	Waste containers
	Liners	
USE PRECAUTIONS: Do not United States	use this product for any human d	rinking water contact uses in the

APPLICATION	TYPES OF FINISHED PRODUCTS
Fibers	Apparel (such as umbrellas, outerwear, sportswear, sleepwear, socks and hosiery, caps, undergarments, inner liners for jackets, trim for outerwear and garments, uniforms, outerwear, gloves, aprons, coats, and shoes) Conveyor belts Industrial and other Household Items (such as artificial leather, filters, book covers, mops, cloth for sails, ropes, tents and other outdoor equipment, tarps, awnings, bags, brush bristles, commercial and industrial wipes and fabrics, sponges, wiping cloths) Interior furnishings (such as mattress cover pads and filling, pillow covers, sheets, blankets, fiberfill for quilts and pillows, curtains, draperies, carpet and carpet underlay, rugs, upholstery, towels, wall covering fabrics, cushion pads, sleeping bags) Packaging Transportation items (such as automotive and truck upholstery, carpeting, rear decks, trunk liners, convertible tops, interior liners)
USE PRECAUTIONS: Do not United States	use this product for any human drinking water contact uses in the





APPLICATION	TYPES OF FINISHED PRODUCTS
Coatings, Films, and	Appliances
Laminates	Automotive and vehicle parts
	Barrier fabrics
	Building materials and components (such as walls, wallboard, floors,
	concrete, siding, roofing, shingles, hardware, floors, ceilings,
	commercial and industrial applications)
	Collection and storage equipment (such as conveyor beits; piping 🖒 🤄
	systems, silos, tanks, and process vessels) $c = c c c c c$
	Countertops
	Furniture
	General purpose containers
	Glazing for cement tile
	Glazing for vitreous china used in plumbing fixtures (such as toilets, sinks, countertops)
	Industrial equipment
	Natural and synthetic fibers and fabrics
	Packaging
	Paper products (such as wipes, tissues, wall coverings, towels, book
	covers)
	Sinks
USE PRECAUTIONS: Do not	use this product for any human drinking water contact uses in the
United States	

APPLICATION	TYPES OF FINISHED PRODUCTS
Adhesives and Sealants	Appliances Bathrooms Cardboard Ceramic tile Construction materials Glazing for windows Grout and joint compound Paper Pipe sealant and insulating materials Plastic Plumbing adhesives Rubber Sealants for pipes Showers Wood Wood and plastic composites
USE PRECAUTIONS: Do not United States	use this product for any human drinking water contact uses in the

APPLICATION	TYPES OF FINISHED PRODUCTS
Miscellaneous applications	Cat litter
• •	Drainage and sewage pipe
	Flooring
	Plaster
	Sinks
	Stucco
	Tile
	Toilets
USE PRECAUTIONS: Do no United States	ot use this product for any human drinking water contact uses in the

Page 3 of 5 01/2011




FOOD CONTACT USES: APPLICATIONS AND TYPES OF MATERIALS

Irgaguard B6000 may be used as an antimicrobial additive in the polymeric manufactured products listed below that are used for manufacturing, packing, packaging, transporting, handling and/or holding food if such use is not intended to have any microbial effect in the food itself. Do not incorporate tragaguard B6000 into any food or drinking water contact application listed on this label without first incorporating tragaguard B6000 into a polymer which is approved with associated use conditions for food contact in 21 CFR 174-186 (inclusive) as amended or in the United States Food and Drug Administration's Food Contact Substance Notification System, as amended.

APPLICATION	TYPES OF FINISHED PRODUCTS	cccec '	С
Plastics	Appliances and equipment	Mats	Çorec
Including films, sheets, slabs,	Beverage dispensing equipment	Non-woven fabrics	с -
and molded plastic parts	Beverage processing equipment	Plastic film	c c
	Bottles	Plumbing supplies and	fixtures
	Brush bristles	Protective covers	
·	Brush handles	Sinks	
	Conveyor belts	Sponges	
	Countertops	Tape	
	Food handling equipment	Tiles	
	Food processing equipment	Tubing	
	Food storage containers	_	
	Food trays and covers		
	Food packaging		
	Food processing utensils		
	Gaskets		
	General purpose containers		
	Kitchen and bathroom hardware		
	Liners		

APPLICATION	TYPES OF FINISHED PRODUCTS
Fibers	Apparel (such as outerwear, uniforms, gloves, aprons, coats)
	Bags
	Containers
	Conveyor belts
	Table cloths, napkins, wiping cloths
	Mops, sponges
	Brush bristles
	Filters
	Packaging (including bags, sacks, wraps, cushion, absorbent materials and containers)
	Kitchen: commercial and industrial wipes and fabrics
	Food packaging





APPLICATION	TYPES OF FINISHED PRODUCTS
Coatings, Films and	Appliances and equipment
Laminates	Barrier fabrics
	Building materials and components
	Collection and storage equipment (such as conveyor belts, piping system, silos, tanks and process vessels)
	Cookware
·	Countertops
	Food wrap (including coated deli paper, coated meat interleavers and
	plastic wrap) σε ές σ ^ε σε σ
·	General purpose containers
	Glazing for cement tile
	Glazing for vitreous china used in plumbing fixtures (such as sinks, countertops)
·	Industrial equipment
	Natural and synthetic fibers and fabrics
	Packaging
	Paper products (such as wipes, tissues, wall coverings, towels)
	Plastic film
	Sinks
USE PRECAUTIONS: Do not United States	use this product for any human drinking water contact uses in the


APPLICATION	TYPES OF FINISHED PRODUCTS
Adhesives and Sealants	Appliances
	Cardboard
	Ceramic tile
	Grout and joint compound
	Paper
	Pipe sealant and insulating materials
	Plastic
	Plumbing adhesives
	Rubber
	Sealants for pipes
	Wood
	Wood and plastic composites

CHEMICAL AND PHYSICAL PROPERTIES

Appearance: White to grayish-white powder

Odor: None detectable

Density: 2.44 g/cm³ @ 25° C



Page 5 of 5