

(Contains RABOR Oral Larvicide)

To prevent the development of Horn Flies, Face Flies, House Flies and Stable Flies in the manure of treated cattle.

| ACTIVE INGREDIENT | BY WEIGHT |
|--|-----------|
| 2-chloro-1-(2,4,5, trichlorophonyl) vinyl dimethyl | |
| phosphate | .15% |
| INERT INGREDIENTS | 99, 35%* |
| TOTAL | 100.00% |

*Refers only to ingredients which are not larvicidal.

GUARANTEED ANALYSIS

FRED INGREDIENTS

Grain products, Plant Protein Products, Process Grain By-Products, Forage Products, Holasses, Calcium Carbonate, Dicalcium Phosphate, Salt, D-Activated Vegetable Sterol (source of Vitamin D2), Vitamin A Palmitate (in gelatin), Butylated Hydroxytoluene, Manganese Oxide, Calcium Iodate with Calcium Stearate, Cobalt Carbonate, Iron Oxide, Copper Oxide, Magnesium Oxide; Iron Carbonate, Zinc Oxide.

See reverse of tag for additional precautionary statements.

Not Weight 50 Pounds EPA Rog. No. 40819-3
EPA ESTAB NO. 40819NB01

R/BON is the registered trademark of Shell Oil Company U. S. Patent No. 3,102,842

Manufactured By
HERGERT MILLING, INC.
Scottsbluff, Nebraska 69361

CAUTICIN

KEEP OUT OF REACH OF CHILDREN

BEST DUDINMENT AVAILABLE

in EPA Letter Dates

PRECAUTIONARY STATEMENTS H.Z/RD TO HULLING

C. UTTON

Keep out of reach of children. Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash throughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water for 15 minutes. If irritation persists, see a physician.

ENVIRONMENTAL HIZARDS

This product is toxic to fish. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Feral law to use this product in a manner inconsisten with its labeling.

Feed HM CUSTOM ROL 0.15 early in the spring before flies begin to appear and continue feeding throughout the summer into the fall until cold weather restricts fly activity.

Feed IN CUSTOM ROL 0.15 at the rate of .1 1b/cwt pounds of body weight per day by mixing it into the ground grain or complete daily ration.

HIN CUSTOM ROL 0.15 may be fed up to slaughter and to lactating dairy cows.

HM CUSTOM ROL 0.15 prevents the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle but it is not effective against existing adult flies. When starting a feeding program during the fly season, it is desirable to use other control measures to reduce the population of existing adult flies.

In some cases, supplemental fly control measures may be needed in and around cattle lots and buildings to control adult house flies and stable flies which can breed not only in cattle manure but in other decaying vegetable matter or sileage on the premises.

In order to achieve optimum fly control, HM CUSTOM ROL 0.15 should be used in conjunction with other good management and sanitation practice.

STORAGE / D DISPOSAL

Do not contaminate water, food, or feed by storage disposal.

(note to producer-Storage precautions selected by company based on foreseeable complication, eg. "Do not allow to freeze" or "Do not store below - OF." or "Do not store next to herbicides." or "Can must be shaken vigorously after prolonged storage.")

Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable Foderal, state, or local procedures.

(Paper and

(Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incincration if allowed by State and local authorities.

CAUTION

BEST DOCUMENT AVAILABLE

REED OUT IN SEVER OF CALL DEC.

| ويبوغ فلنفوا فالمسمور بهوب بالبران ويبار فانطوا بيادنن فالمساورين | | |
|---|--|--|
| U.S. ENVIRONMENTAL PROTECTION AGENCY | EPA REGISTRATION NO. | DATE OF ISSUANCE |
| OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460 | TERM OF ISSUANCE | |
| NOTICE OF PESTICIDE: REGISTRATION | NAME OF PESTICIDE PRODU | CT |
| (Under the Federal Insecticide, Fungicide, | | |
| and Rodenite ide Act, as amended) | | |
| NAME AND ADDRESS OF REGISTRANT (Include ZIP code) | | • |
| F | 16/19/008 | DRY 183 |
| L | 18 1 | |
| NOTE: Changes in labeling formula differing in substance is submitted to and accepted by the Registration Division prior product always refer to the above U.S. EPA registration num | rom that accepted in connection to use of the label in commerce | with this registration must be |
| On the basis of information furnished by the registrant, the the Federal Insecticide, Fungicide, and Rodenticide Act. | above named pesticide is herei | by Registered/Reregistered under |
| A copy of the labeling accepted in connection with this Re | gistration/Reregistration is ret | urned herewith. |
| Registration is in no way to be construed as an indersement health and the environment, the Administrator, on his motic icide in accordance with the Act. The acceptance of any materials are accordance as giving the registrant a right to by others. | on, may at any time suspend or o | cancel the registration of a pest- stration of a product under this |
| $\frac{\partial \mathcal{L}}{\partial t} = \frac{\partial \mathcal{L}}{\partial t} = \partial $ | to the second se | Commence of the Commence of th |
| | | |
| | Swall Commence | of the section of the section |
| | en de la companya de La companya de la co | A STATE OF S |
| | 10 (10 m) 10 m (10 | general de la companya de la company |
| | t , • | |
| ATTACHMENT IS APPLICABLE | | |
| SIGNATURE OF APPROVING OFFICIAL | | DATE |

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

EPA Form 8570-6 (Rev. 5-76)



d. Add a double asterisk after Inert Ingredients and then make it a double asterisk in front of "Refers only to ingredients which are not larvicidal." Delete the single asterisk after 99.85%.

W 🐧

- e. Aid the subheading "Pesticide Disposal" to the side of the paragraph starting "Pesticide that cannot be used...." Note that you can delete "spray mixture or rinse water" since they do not apply to your type of product.
- f. Add the subheading "Container Disposal" to the side of the paragraph starting "Completely cupty bag by shaking...." Delete "(Paper or plastic bags)" and delete the parenthesis before "Completely."
- g. Delete the CAUTION and KEEP OUT OF REACH OF CHILDREN from the bottom of the reverse side of the tag.
- h. Delete the "note to producer" paragraph, which was not supposed to appear on the label, from the Storage and Disposal section.
- i. Add an S to Hazard so that the heading reads "Hazards to Humans."
- 3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Ragistration Division (TS-767)

Enclosure

999999-20206 184 PM16

BORIC ACID LABEL FORMAT F

ALL DUST FORMULATIONS FOR DOMESTIC (HOMEOWNER) USE ONLY AND NONDOMESTIC USE (nonedible and earble product areas)

FRONT PANEL

| PRODUCT NAME |
|---|
| Active Ingredient: Boric Acid 100% |
| |
| KEEP OUT OF REACH OF CHILDREN |
| CAUTION |
| 1 |
| STATEMENT OF PRACTICAL TREATMENT Immediately contact Poison Control Center or |
| Physician if swallowed. If eye contact occurs, flush eyes with plenty of water. Get medical |
| attention if irritation persists. |
| Net Contents |
| See Side or Back Panel for Additional Cautions |
| Manufactured by: (company name and address) |
| · · · · · · · · · · · · · · · · · · · |
| EPA Reg. No20206 |
| EPA Est. No. |

Note. The product name, ingredient statement, child hazard warning KEEP OUT OF REACH OF CHILDREN, signal word CAUTION and referral statement <u>must</u> appear on the front panel.

1/ The term Orthoboric Acid may be substituted.