

27

TO BE APPLIED BY: PEST CONTROL OPERATORS OR TRAINED PERSONNEL ONLY.
READ THE ENTIRE LABEL CAREFULLY BEFORE APPLICATION AND FOLLOW DIRECTIONS CAREFULLY.

GENERAL INFORMATION

Sure Insect Fogging Control Insecticide is a concentrated material and must be diluted with base oil before fogging. Do not mix with water as this is not an emulsifiable material. Follow the directions of your fogging equipment manual for best results.

Mix the material outdoors or in a well-ventilated room. Wash off the outside of the container in running water before storing away. It is recommended that only the amount of diluted solution be prepared from this material that will be used immediately.

Wear clean rubber gloves, waterproof protective clothing and goggles when handling this material. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.

Store this material in a safe place. Children or animals must not be able to reach or handle this material or the diluted solutions.

DIRECTIONS FOR USE

Not for indoor application. Must be used outdoors only.

To each one gallon of Sure Insect Fogging Control Insecticide add twelve gallons of fuel oil and mix thoroughly.

Apply diluted solution of fogging concentrate at the rate of 1/2 gallon per acre. The fog should be directed over the entire area. Particular attention should be given to areas where ~~weeds~~ ~~congregate~~ such as fences, walls of buildings, shrubbery, tall weeds, and grass, and shady areas.

NOTE: Do not contaminate feed or drinking water. Do not fog areas where food or feed crops are growing.

FEEDLOTS: Remove cattle before treatment of feedlots. Fog entire feedlot following the directions given above.

NOTE: Do not contaminate feed or drinking water.

WARNING: Poisonous if swallowed, inhaled, or absorbed through skin or eyes. Do not get on skin or in eyes. Do not breathe fumes. Avoid exposure to fumes. Wear clean rubber gloves, waterproof protective clothing and goggles when handling this material. Wear a mask or respirator of a type passed by the U.S. Bureau of Mines for DDVP protection. Keep all unprotected persons out of operational area. In case of contact, wash immediately with soap and water. Wash thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

4

SURE INSECT FOGGING CONTROL INSECTICIDE

NOT FOR INDOOR APPLICATIONS FOR USE BY TRAINED PERSONNEL ONLY

ACTIVE INGREDIENTS:	By Weight
2,2-dichlorovinyl dimethyl phosphate (DDVP) Related Compounds	8.58%
Malathion (O,O-dimethyl dithiophosphate diethyl mercaptosuccinate)	12.00%
Petroleum Distillates	82.00%
Total	100.00%

POISON

DANGER: KEEP OUT OF REACH OF CHILDREN
 See antidote statement and required warning statements on side panel.

NET CONTENTS: 30 Gallons

INTERNATIONAL CORPORATION

ANTIDOTE AND FIRST AID TREATMENT: ATROPINE is antidote. Call a physician in all cases of suspected poisoning.

INTERNAL: Induce vomiting immediately. This may be done by introducing a finger into the throat or by giving 1 Tbsp. of salt in a glass of warm water. Repeat until vomit fluid is clear. Never give anything by mouth to an unconscious person.

EXTERNAL: If the material has been spilled on the skin, immediately remove patient from the vicinity of the DDVP; remove all contaminated clothing, and wash skin with soap and running water. If the material gets into the eyes, flush immediately with running water for at least 10 minutes.

IF WARNING SYMPTOMS APPEAR: ADMINISTER TWO 1/100 GRAIN ATROPINE TABLETS IMMEDIATELY. NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR. (See WARNING SYMPTOMS below.) Keep patient prone and quiet. Start artificial respiration immediately if patient is not breathing. Transport to the nearest hospital immediately.

NOTE TO PHYSICIAN: Warning Symptoms: Symptoms include: weakness, headache, tightness of chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antagonist of choice against para-sympathetic nervous stimulation. If there are signs of para-sympathetic stimulation atropine sulfate should be injected at 10-minute intervals, in doses of 1-2 milligrams, until complete atropinization has occurred. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been attained as determined by blood test.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

ENVIRONMENTAL CAUTION: This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

CONTAINER DISPOSAL: Do not re-use empty containers. Decontaminate and destroy used containers by washing thoroughly with a dilute solution of caustic (less than 5%) and detergent. **CAUTION:** Avoid skin and eye contact with caustic solutions. Rinse containers with water and dispose of the washings in such a way that you do not constitute a hazard to contaminate water supplies. Destroy containers by crushing and puncturing, bury in non-cropland away from water supplies.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

EPA Reg. No. 4715-87

EPA Est. 4715-CO-

ACCEPTED

NOV 03 1975

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, this pesticide is hereby registered under the provisions of the Act.

EPA Reg. No. 4715-87

BEST AVAILABLE COPY