

LESCO 30-5-7 Plus Diazinon®

Ready-to-use — Contains 3.33% Diazinon® Insecticide

Diazinon® - Trademark of Ciba-Geigy

ACTIVE INGREDIENT:

0,0-diethyl 0-(2-isopropyl-6-methyl-4 pyrimidinyl)
phosphorothioate 3.33%

INERT INGREDIENTS: 96.67%
TOTAL 100.00%

GUARANTEED PLANT FOOD ANALYSIS

Total Nitrogen (N) 30.00%
Ammoniacal Nitrogen . 1.06%
Urea Nitrogen 22.94%
Sulfur-Coated Urea 6.00%

Available Phosphoric Acid (P₂O₅) 5.00%
Soluble Potash (K₂O) 7.00%
Sulfur (S) 2.60%

Primary plant foods derived from Sulfur-Coated Urea, Urea, Ammoniated Phosphates and Muriate of Potash. Sulfur derived from Sulfur-Coated Urea.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Avoid breathing of dust. Avoid contact with skin, eyes and clothing. Avoid contamination of feed and foodstuffs. Wash thoroughly after handling. Harmful if swallowed. May be absorbed through skin. Treat lawns in late afternoon. Keep children and pets off treated areas until the following afternoon.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately.

If inhaled: Remove victim to fresh air and apply respiration if indicated.

If on skin: Wash promptly with soap and water. Rinse thoroughly.

If in eyes: Rinse eyes for at least 15 minutes with water and call a physician immediately.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

EPA Reg. No. 10404-14

EPA Est. 10404-OH-01

LESCO 30-5-7 Plus Diazinon® Kills:

Ants	Crickets	Springtails
Armyworms	Cutworms	Sod webworms
Bermuda mites	Digger wasps	Sowbugs
Billbugs	Earwigs	White grubs of:
Chiggers	Lawn moths	—Japanese beetle
Chinch bugs	Leafhoppers	—European chafer
Clover mites	Millipedes	—Southern chafer

OVERALL LAWN APPLICATION

LESCO 30-5-7 PLUS DIAZINON® controls the following lawn insects on both grass and dichondra lawns:

Chinch bugs	Earwigs	Ants
Lawn moths (Sod)	Bermuda mites	Crickets
webworms	Armyworms	Chiggers
Clover mites	Cutworms	Leafhoppers
Sowbugs	Millipedes	Springtails (Collembola)

Apply LESCO 30-5-7 PLUS DIAZINON® to lawn with fertilizer spreader at the rates show. Application should be made when grass is dry. Water lawn lightly after application. Repeat as necessary. Apply at a rate of 3.0 pounds per 1,000 square feet (an area 20 ft. by 50 ft.).

BILLBUGS, WHITE GRUBS OF JAPANESE BEETLE, EUROPEAN CHAFER AND SOUTHERN CHAFER

Apply 3.6 pounds per 1,000 square feet of lawn. Water lawn thoroughly after application. For grub control, make application any time between late July and early October. For billbug control, apply when activity is first observed or when chewed or brown grass indicates damage from these insects. Repeat as necessary.

HYPERODES, WEEVILS (New York Only)

Apply 3.0 pounds per 1,000 square feet of lawn. Water lawn thoroughly after application. Treat problem areas in mid-April and again in mid-May.

SPREADER SETTINGS

	Once over	Twice over	Spread Width
Cyclone			
3.0 lbs./1,000 sq. ft.	4.75	4.00	7 feet
3.6 lbs./1,000 sq. ft.	5.25	4.50	7 feet

APPROXIMATE SPREADER SETTINGS

IMPORTANT: These settings are only approximate. Age and condition of spreader can cause wide variation. Be sure to calibrate your spreader with each application.


DISPOSAL DIRECTIONS

Do not reuse empty container. Wrap container and put in trash collection.

Lakeshore makes no warranty expressed or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

50 Lbs. Net Weight
22.72 kg.

Manufactured by
Lakeshore Equipment & Supply Co.
300 South Abbe Road, P.O. Box 4015
Elyria, Ohio 44036



**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER**

DANGER — Poisonous if swallowed, inhaled, or absorbed through skin. Do not breathe spray mist. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11. Rapidly absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact, immediately remove all contaminated clothing and flush skin or eyes with plenty of water for at least 15 minutes. For eyes, get medical attention. Wash thoroughly with soap and water after handling and before eating or smoking. Wear clean clothing. Wash all contaminated clothing with soap and hot water before re-use. Keep out of reach of children. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticides and volatile residues have dissipated. Do not apply or allow to drift to areas occupied by unprotected humans.

STATEMENT OF PRACTICAL TREATMENT — If swallowed and victim is conscious and not convulsing. Call a physician immediately. Give a glass or two of water and induce vomiting by touching back of throat with finger. It is preferable to induce vomiting under medical supervision or to use gastric lavage with a cuffed endotracheal tube because of aspiration hazard. Remove victim immediately to emergency treatment facility.

If swallowed and victim is unconscious. Clear the upper airway and administer mouth-to-mouth resuscitation. If heart beat is absent, administer cardiac resuscitation. Do not give anything by mouth. If convulsing hold head back with jaw forward to keep upper airway clear. Transport immediately to emergency treatment facility, maintaining clear airway and administering artificial respiration.

If inhaled. Remove victim to fresh air. Apply artificial respiration if indicated. Get medical attention immediately.

If on skin. Remove contaminated clothing and wash affected areas with soap and water. Get medical attention immediately.

If in eyes. Flush eyes for at least 15 minutes with water. Get medical attention immediately.

In all cases of Endrin poisoning medical attention must be gotten immediately or victim may die.

NOTE TO PHYSICIAN — Methyl Parathion is a cholinesterase inhibitor and should be treated with Atropine in large doses until pupils dilate. Artificial respiration and/or oxygen administration may be necessary. Endrin produces central nervous system excitation which responds rather well to barbiturates as for anticonvulsant therapy. Observe patient carefully because repeated treatment may be necessary.

NOTE TO PHYSICIAN — Endrin is a CNS depressant and hepatotoxin. Toxic dosage causes convulsions, respiratory depression, and liver damage. Impaired respiration must be supported by oxygen given by mechanical ventilation. Diazepam is useful in controlling convulsions. Intravenous glucose and B vitamins help to protect the liver. There is no specific antidote. Do not give vegetable oils or milk (which increases GI absorption). Large amounts of activated charcoal help to limit GI absorption. Do not give adrenergic agents (myocardial irritability). Excretion of endrin from the body may require days or weeks.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of any lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Dispose of excess treated seeds or wastes by burial. Apply this product only as specified on this label.

This pesticide is toxic to bees exposed to direct application. Applications should be timed to coincide with periods of minimum bee activity, usually between late evening and early morning.

**PROCEDURES TO BE FOLLOWED IF FISH KILLS
OCCUR ON IF PONDS ARE CONTAMINATED**

In case of fish kills, fish must be collected promptly and disposed of by burial. Ponds in which fish kills have occurred, and user-owned ponds exposed to Endrin by application at distances closer than otherwise prohibited, must be posted with signs stating "Contaminated. No Fishing." Signs must remain for one year after a fish kill has occurred or for six months after lesser contamination unless laboratory analysis shows Endrin residues in the edible portion of fish to be less than 0.3 parts per million (ppm).

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR USE IN AREAS WEST OF INTERSTATE HIGHWAY #35 ONLY

APPLICATION RESTRICTIONS

Do not apply this product within 1/4 mile of human habitation.

Do not apply this product by air within 1/4 mile or by ground within 1/4 mile of lakes, ponds, or streams. Application may be made at distances closer to ponds owned by the user but such application may result in excessive contamination and fish kills.

Do not apply when rainfall is imminent.

Apply only when wind velocity is between 2 and 10 mph.

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.



ACCEPTED

MAY 27 1981

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 40831-22

FALLS CHEMICALS INC.

ENPAR COTTON SPRAY

ACTIVE INGREDIENTS:

Endrin (Hexachlorocyclopentadiene-endo, endo-dimethanonaphthalene) . 17.6%

Methyl Parathion (O,O-dimethyl O-p-nitrophenyl thiophosphate) . 17.6%

Aromatic Petroleum Derivative Solvent . 57.8%

INERT INGREDIENTS: . 7.0%

TOTAL . 100.0%

This product contains 1.6 lbs. Endrin and 1.6 lbs. Methyl Parathion per gallon.

KEEP OUT OF REACH OF CHILDREN

DANGER — POISON



See antidote statement and other required warning statements on side panels.

NET CONTENTS ☐ ☒ ☐ ☐ **GALLONS**

1 5 30 55

EPA Reg. No. 40831-22

EPA Est. No. 40831-MT-01

FALLS CHEMICALS INC., GREAT FALLS, MONTANA 59403

Unnecessary use of efficacy

GROUND APPLICATION
gallons total mix
pounds per square
foot. 1 per minute
smaller drop size

AERIAL APPLICATION
acre. Do not op
delivering 0.4 g
smaller than 80
release this mix
MIXING — Mix
A proper water
before use until
NOTE — A pr
redissolved be

PROHIBITED
prohibited
PESTICIDE
processed sh
from water s
CONTAINS
equivalents
GENERAL
procedures

COTTON — T
acres. Mid-Sea
sufficient water
Use 1 gal. in 50
Weevil — Use 1
Leafworms — 1
Salt Marsh Cat
acre in sufficient
water to cover
- 1 1/2 pints in su
dsary animals
5 days after tr

Female ground
pants made of
or synthetic re

The United St
laboratory an
sure to wear a
accidental spr
with Endrin

NOTICE — I
tolerances as
stated on the
warranty exte
or under cond
Inc. be liable
product. All
OF MERCHA
OR IMPLIED

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.



ACCEPTED

MAY 27 1981

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 40831-22

FALLS CHEMICALS INC.

ENDPAR COTTON SPRAY

ACTIVE INGREDIENTS:

Endrin (Hexachlorocyclooctahydro-endo, endo-dimethanonaphthalene) . 17.6%
Methyl Parathion (O,O-dimethyl O-p-nitrophenyl thiophosphate) . 17.6%
Aromatic Petroleum Derivative Solvent . 57.8%

INERT INGREDIENTS: . 7.0%

TOTAL . 100.0%

This product contains 1.6 lbs. Endrin and 1.6 lbs. Methyl Parathion per gallon.

KEEP OUT OF REACH OF CHILDREN

DANGER — POISON



See antidote statement and other required warning statements on side panels.

NET CONTENTS ☐ ☒ ☐ ☐ GALLONS

1 5 30 55

571

EPA Est. No. 40831-MT-01

FALLS CHEMICALS INC., GREAT FALLS, MONTANA 59403

PROPHYLATIC USE

Unnecessary use of this product can lead to resistance in pest populations and subsequent lack of efficacy

EQUIPMENT

GROUND APPLICATION — For use with boom-nozzle ground equipment. Apply at not less than 5 gallons total mixture, water and chemical, per acre. Do not use nozzle liquid pressure at greater than 40 pounds per square inch (psi). Do not use cone nozzle size smaller than one capable of delivering 0.16 gallons per minute (gpm) at 40 psi such as type D-25 or TX-10, or any other atomizer or nozzle giving smaller drop size.

AERIAL APPLICATION — Do not apply at less than 2 gallons total mixture of water and chemical per acre. Do not operate nozzle liquid pressure over 40 psi or with any fan nozzle smaller than one capable of delivering 0.4 gpm or fan angle greater than 65 degrees such as type 6504. Do not use any whirl plate smaller than #46 such as type D-46 or any other atomizer or nozzle giving smaller drop size. Do not release this material at greater than 10 feet above the crop.

MIXING — Mix with water by agitation or by circulating mixture through spray pump and back into tank. A proper water mixture will have appearance of a milky emulsion with no free oil on the surface. Agitate before use until a uniform, milky emulsion is formed. Agitation is also necessary when mixing with oil.

NOTE — A precipitate may deposit in cold weather. In such case warm gently and agitate until redissolved before using.

STORAGE AND DISPOSAL

PROHIBITIONS — Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL — Pesticide, spray mixture, or rinse that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL — Reseal container and offer for reconditioning, or triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill, or bury in a safe place.

GENERAL — Consult Federal, State or Local disposal authorities for approved alternative procedures.

COTTON — *Thrips, Cotton Fleahoppers - Early Season Control:* 1 gal. in sufficient water to cover 24 acres. *Mid-Season Control:* 1 gal. in sufficient water to cover 12 acres. *Late Season Control:* 1 gal. in sufficient water to cover 8 acres. *Early Season Boll Weevil and Bollworm (not Pink Bollworm) Control:* Use 1 gal. in sufficient water to cover 8 acres. *Mid-Season and Late Season Control of Bollworm, Boll Weevil:* Use 1 gal. in sufficient water to cover 4 to 8 acres in compliance with state recommendations. *Leafworms:* 1 gal. in sufficient water to cover 8 acres. *Cabbage Looper, Celer Leaf Tier, Leaf Perforator, Salt Marsh Caterpillar, Brown Cotton Leafworm, Cotton Leafworm, Lygus Bugs, Cutworms:* 1 quart per acre in sufficient water for coverage. *Rapid Plant Bug, Tarnished Plant Bug:* 1 to 2 pints in sufficient water to cover 1 acre. *Aphids, Red Spider:* 1 to 2 pints in sufficient water to cover 1 acre. *Grasshoppers:* 1 to 2 pints in sufficient water to cover 1 acre. Do not apply within 15 days of handpicking. Do not graze dairy animals or animals being finished for slaughter on treated fields. Workers entering the fields within 5 days after treatment should be protected.

REQUIRED CLOTHING FOR FEMALE WORKERS

Female ground applicators, mixers and loaders and flagpersons must wear long-sleeved shirts and long pants made of a closely woven fabric and wide-brimmed hats. Mixers and loaders must also wear rubber or synthetic rubber boots and aprons.

WARNING TO FEMALE WORKERS

The United States Environmental Protection Agency has determined that Endrin causes birth defects in laboratory animals. Exposure to Endrin during pregnancy should be avoided. Female workers must be sure to wear all protective clothing and use all protective equipment specified on this label. In case of accidental spills or other unusual exposure, cease work immediately and follow directions for contact with Endrin.

WARRANTY

NOTICE — This product shall conform with quantities and formulas indicated hereon, within accepted tolerances as permitted by appropriate governmental authorities, and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. No warranty extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable by Falls Chemicals Inc. In no case shall Falls Chemicals Inc. be liable for consequential, special or indirect damages resulting from use or handling of this product. All such risks shall be assumed by buyer. FALLS CHEMICALS INC. MAKES NO WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESSED OR IMPLIED WARRANTIES EXCEPT AS STATED ABOVE.