

transferred from
4715-140

HEET 4 SHEETS BRAND

40831-28
4715-140

PM 15 1061
ACCEPTED
May 17 1967
UNDER THE FEDERAL INSECTICIDE
FUNCTION AND REGISTRATION ACT
THIS PRODUCT HAS BEEN REGISTERED
SUBJECT TO ALL OTHERS
COMMENTS

APPROVED FACE FLY CONTROL

VAPORON[®] SHOW-COAT DAIRY CATTLE SPRAY
Contains DDFP

Ready-To-Use for **FACE FLIES - STABLE FLIES - HOUSE FLIES - HORSE FLIES**

(12 Ft. Caps) **WARNING: KEEP OUT OF REACH OF CHILDREN. (8 Ft. Type)**
See Side Panel for other required warning statements.

ACTIVE INGREDIENTS: 100%

2,2-dichlorovinyl dimethyl phosphate (DDFP).....	0.93%
Related Compounds.....	0.07%
Mineral Oil.....	50.00%
Insecticide Base Oil (Petroleum Derivative).....	49.00%
Total	100.00%

* Equivalent to 1.0% Vaporon^(B) Insecticide

DIRECTIONS FOR USE

BEST AVAILABLE COPY

FACE FLIES, HORSE FLIES, MOSQUITOES, HOUSE FLIES ON BEEF AND DAIRY CATTLE: Use a mist type hand sprayer or automatic unit that will insure a fine spray mist for desired coverage of the animal. For Face Flies spray the forehead, taking care to avoid spraying the eyes. For Horse Flies, direct the spray mist to the back, withers, and belly of the cattle. Make 2 applications of one ounce each day. Treat in the morning and the evening.

STABLE FLIES: Apply at same rate and timing as for Horse Flies; however, direct the spray to the leg areas making sure to directly spray the ankles.

NOTE: Do not exceed the maximum dose of 2 ounces per animal daily. For effective fly control, Vaporon Show-Coat Dairy Cattle Spray should be used as directed. It is highly toxic to flies but loses its strength within the day as most dairy cattle sprays. For this reason, no insecticidal residue is built up. A well planned Fly Control Program that includes the 2 spray applications per day as directed will give results.

WARNING: May be fatal if swallowed, inhaled or absorbed through skin. Do not inhale spray mist. Avoid contact with skin; wash thoroughly after using. This product is an organic phosphate which is a cholinesterase inhibitor and if poisoning should occur, CALL A PHYSICIAN IMMEDIATELY, ATROPINE IS ANTIDOTAL.

CAUTION: Empty containers should be destroyed; never re-use. Either punch holes in them and burn them (stay out of smoke) or bury them with any spillage or spray wastes in non-crop areas away from water supplies.

Do not allow the spray mist to contaminate milk or milking utensils. Cover feed and feed troughs or remove before spraying.

This material is toxic to fish. Do not contaminate any body of water by cleaning of equipment or disposal of waste.

DISCLAIMER: The seller makes no warranty of any kind, expressed or implied, concerning the use of this product. The buyer assumes all risk of use or handling, whether in accordance with directions or not.

U.S.P.A. Reg. No. 4715-

VOCABULARY

Net Contents

CLARKSON INTERNATIONAL CORPORATION
Commerce City, Colo.

RECEIVED
JAN 28 1968
U.S. DEPT. OF AGRICULTURE
WASHINGTON, D.C.