Center Paral



## AGUATIC WHID SOLVENT NO. 5-X

Active Aromatic Petroleum Solvent for Control of Submerged Aquatic Weeds

# KEEP OUT OF REACH OF CHILDREN CAUTION

IF SWALLOWED: Get medical attention

IF ON SKIN: Wash skin with soap and water


IF IN EYES: Flush eyes with water for 15 minutes and get

medical attention

SEE ADDITIONAL PRECAUTIONS ON SIDE PANELS

EPA Reg. No. 40F31-57

EPA Est. No. 40831 - MT-01



143

PRECAUTIONARY STATEMENTS
CAUTION
Hazards To Humans
and
Domestic Animals

Harmful if swallowed. Avoid breathing spray mist. Avoid contact with skin, eyes, and clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

#### Environmental Hazards

Do not apply directly to water, except as recommended in the directions. This product is toxic to fish. Do not conteminate water by cleaning of equipment or disposal of waste. Do not apply when weather conditions favor drift from target area. Fish and other aquatic organisms in waters treated with this product will be killed. Do not allow return flows of treated irrigation water into receiving rivers, lakes or streams if xylene residues are in excess of 10 ppm. Consult your State Fish and Game Agency before applying this product to public waters. Treated water may be used for flood or furrow irrigation

Physical and Chemical Hazards

Do not use or store near heat or open flame.

#### DIRECTIONS FOR USE

It is a solation of Federal law to use this product in a manner inconsistent with its labeling.

### STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not store this product near fertilizers, seeds, insecticides or fungicides. Containers should not be stacked more than six (6) high. Reclose all partially used containers by thoroughly tightening screw cap. Damaged or leaking containers which cannot be used immediately should be transferred to suitable sound containers and properly marked. Absorb any spill with a suitable clay absorbant and dispose of as indicated under "Pesticide Disposal".

For safety and prevention of unauthorized use, all pesticides should be stored in locked facilities.

To prevent accidental misuse, different pesticides should be stored in separate areas with enough distance between to provide clear identification.

Opened, partially used pesticides should be stored in original labeled containers when possible. When transfer to another containers is necessary because of leakage or damage, carefully mark and identify contents of the new container.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instruction contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent), adding rinsate to spray tank. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

To control submerged aquatic weeds in ponds or canals on agricultural premises drain pond or canal and allow weeds and soil to dry in the sun. Saturate weeds (100 pal/A) to dropping with A

/

Water for Irrigation:

To control American Pondweed, Sago Pondweed, Waterweed and Other submerged aquatic weeds (frequently called mosses), apply Aquatic Weed Solvent No. 5-X at the rate of 10 gallons per cubic foot of water per sec. for a distance of 2 to 3 miles, injected over a 30 to 40 minute period (740 ppm). Inject into water. Retreat downstream at 1/2 dose as needed. Treated water may be used for furrow or flood irrigation.

For use only in programs of the Bureau of Reclamation, US Dept of the Interior and Cooperating Water User Organizations.

Apply when weeds first appear to be impeding water flow, but before they reach the water surface. Weeds are somewhat more susceptible at an earlier stage of growth, but recovery may be more rapid. Hormal water carrying capacity of the ditch may be reduced 30 to 40 percent but enough water should be left in the ditch to cover the weeds. Best results will be obtained when water is flowing 3/4 to 1 1/4 feet per second. For ditches longer than 3 miles, a booster application should be made using one-half the rate (5 gals. per second foot). Apply with a power sprayer with sufficient volume to deliver the amount of solvent in the period of time specified and maintain 40 to 50 lbs. pressure. A boom and nozzle arrangement to get even distribution over the crosssection of the ditch is desirable. Results may also be improved if applications can be made at drops or places where the water is turbulant. Hold nozzles under the water.

Do not use treated water for domestic or livestock purposes. Do not allow treated water to enter any potable water system.

NOTICE. This product is ship conform with ignantities and formulas and laned the eur, within accepted released as permitted by appropriate poveron exist authorities, and is removably fation the purpose stated on the fatel when used in accordance with directions or fer normal conditions of the face have arrange entends to the use of this product contain to fatel in structions, or or devaluant or of those, or order conditions in order conditions. It reasonably formeeable by fairs of entirely fine functions as at fate of entailing the fatel for consideration that, special or indirect damages resulting from use or harding of this product. All such risks shall be assumed by buyer, FALLS CHEMICALS INC. MARKES NO MARKARITY OF MERCHARM BUILTY OR FITHESS FOR A FARTIOURAY PURPOSE OR ANY OTHER EXPRESSED OR IMPLIED MARKARITIES EXCEPT AS STATED APOVE.