

BEST**4****SERVIS
BRAND****DIRECTIONS FOR USE**

This is a concentrate and must be diluted with water before fogging. To each one half gallon of concentrate add 90 gallons of No. 2 fuel oil and mix thoroughly. Follow the directions on the manual of your fogging equipment for best results. Do not mix with water as this is not an emulsifiable concentrate.

OUTDOOR FOGGING: Apply diluted solution in fogging concentrate at the rate of one gallon per acre. The fog should be directed over the entire area. Particular attention should be given to areas where flies congregate such as fences, walls of buildings. Animals may be present during treatment of feedlots. Avoid direct application to exposed feed and water. Do not apply the fog where feed or feed crops are growing. Not for use in home lawns.

FOR CONTROL OF FLY MAGGOTS: In maggot breeding areas such as garbage dumps and manure piles, apply at the rate of 1/2 gallon of diluted solution per 100 sq. ft. Do not contaminate water, feed or feedstuffs, milk or milking utensils. Repeat as necessary. Birds feeding on treated areas may be killed.

FOR ANIMAL BUILDINGS: Apply as a fog inside buildings at rate of 1 gallon of diluted solution per 12,000 cubic feet. Dairs and hoof cattle and horses may be present during application. Do not use this solution for fogging purposes. In areas where animals have received direct application within eight hours, do not contaminate water, feed, milk or milking utensils.

POISONOUS TO FISH AND WILDLIFE: This product is toxic to fish and wildlife. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate any body of water by direct application, cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

COMBUSTIBLE MIXTURE - DO NOT FOR SPILL OR STORE NEAR FIRE OR HEAT

DANGER: May be fatal if swallowed, inhaled or absorbed through the skin or eyes. Do not get on skin, in eyes, or on clothing. Do not breathe fumes. Wear rubber gloves, protective clothing and goggles when handling concentrate to prepare solution. In case of contact, remove contaminated clothing and wash skin thoroughly with soap and water. Flush eyes with plenty of water, get medical attention. If poisoning should occur, CALL A PHYSICIAN IMMEDIATELY. ATROPINE AND 2-PAM ARE ANTIDOTES. Wash thoroughly after handling and before eating or smoking. Do not contaminate food, feedstuffs or drinking water. Do not use in or near homes or where milk is stored or processed. Avoid breathing of spray mist. During fogging or mist spraying applications wear a mask or respirator approved by the U. S. Bureau of Mines for use with DDVP. Wash all contaminated clothing with soap and hot water before reuse. Keep all unprotected persons out of operational area.

DANGER POISON

Burn or destroy containers - never re-use. Stay out of smoke or fumes. Buy spillage in a trap area away from water supplies. Clean up area with strong lye solution.

DDVP 10 POUND OIL SOLUTION

To Be Used Only By Public Health Officials,
Mosquito Abatement Districts
And Pest Control Operators.

DANGER ! POISON !

KEEP OUT OF REACH OF CHILDREN. See Side Panels for Antidote and Other Required Warning Statements.

ACTIVE INGREDIENTS:

2,2-dichlorovinyl dimethyl phosphate (DDVP).....	83.78%*
Related Compounds	6.31%*
Aromatic Petroleum Derivatives.....	9.91%
Total	100.00%

*Equivalent to 90.09% w Technical DDVP Insecticide.
Contains 10 lbs. active ingredient per gallon.

ANTIDOTE AND FIRST AID TREATMENT: Atropine emergency antidote for DDVP poisoning. Consult your physician for adequate supply of 1/100 grain atropine for emergency use. 2-PAM is also antidotal and may be administered in conjunction with atropine. CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.

INTERNAL: If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to 1 quart of water). Repeat until vomit fluid is clear. NEVER INDUCE VOMITING BY MOUTH TO AN UNCONSCIOUS PERSON.

EXTERNAL: If the material has been spilled on the skin, immediately remove patient from the vicinity of the spill, remove all contaminated clothing, and wash skin with soap and running water. If the material gets into the eyes, wash eyes with running water for at least ten minutes, get medical aid.

IF WARNING SYMPTOMS APPEAR: Administer two atropine tablets immediately. NEVER ADMINISTER ATROPINE OR 2-PAM UNLESS WARNING SYMPTOMS APPEAR. (See Warning Symptoms below.) Keep patient quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the physician.

NOTE TO PHYSICIAN: Warning Symptoms: Symptoms: weakness, headache, tightness in chest, blurred vision, non-pupillary pupils, salivation, sweating, nausea, vomiting, dizziness, and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antidote against para-sympathetic nervous stimulation. If the signs of para-sympathetic stimulation, atropine sulfate should be injected at 10 minute intervals, in doses of 1 to 2 milligrams. Complete atropinization has occurred 2-PAM chloride is indicated and may be administered in conjunction with atropine. NOT GIVE MORPHINE OR TRANQUILIZERS. Clear central drainage. Oxygen administration may be necessary. Keep patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may without warning cause peripheral neuropathy to very small doses of any cholinesterase inhibitor. No further exposure until cholinesterase regeneration has attained as determined by blood test.

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Some conditions of use, weather, compatibility with other chemicals, and conditions of application equipment will vary. Seller makes no claim other than those stated on this label.

EPA REG. NO. 4715-232

Net Contents Gal.

BEST AVAILABLE COPY