

40833-4

09/27/2000

5546009/538501 1/3



U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Registration Division (H7505C)  
401 M St., S.W.  
Washington, D.C. 20460

EPA Reg. Number:  
**40833-4**

Date of Issuance:  
**SEP 27 2000**

**NOTICE OF PESTICIDE  
Reregistration**

Term of Issuance:  
**Unconditional Registration**

Name of Pesticide Product:  
**Sweetlix Fly Control Rabon  
Mineral/Vitamin Molasses Block**

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):  
**PM Ag Products, Inc.  
100 S. Huntington  
Syracuse, IN 46567**

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Reregistration eligibility Documents, EPA has reregistered the product listed above. This action is taken under the authority of section 4 (g)(2)(c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Registration under this section does not eliminate the need for control reassessment of pesticides. EPA may require submission of data at anytime to maintain the registration of your product. with regards to labeling, you must make the labeling changes listed below:

1. Please revise your label to include a "FIRST AID" section directly under the "Precautionary Statements" header to read as follows:

**"FIRST AID"**

**IF SWALLOWED:** Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting or if available by administering syrup of ipecac. If person is unconscious, do not give anything by mouth and do not induce vomiting.

**IF ON SKIN:** Wash with plenty of soap and water. Get medical attention if irritation persists.

**IF IN EYES:** Flush eyes with plenty of water. Call a physician if irritation persists.

2. Your product is required to have a "Note to Physicians and Veterinarians." This should be located directly below your "First Aid" statement and should contain the following information:

- Technical information on symptomology;
- Use of supportive treatments to maintain life functions;
- Medicine that will counteract the specific physiological effects of the pesticide;
- Company telephone number to specific medical personnel who can provide specialized medical care or advice.
- Information for veterinarians.

Signature of Approving Official:  
*Richard [unclear]*

Date:  
**SEP 27 2000**

You may refer to PR Notice 2000-3 for guidance on placement and format of this language. A copy of the PR notice is available from the internet at the following web site: [http://www.epa.gov/PR\\_Notices/](http://www.epa.gov/PR_Notices/).

3. Revise your "Hazards to Humans heading and language to read as follows:

**"Hazards to Humans and Domestic Animals**

**CAUTION**

Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequent contact may cause allergic reaction in some individuals.

Personal Protective Equipment (PPE)

- Long sleeved shirt and long pants
- shoes and socks
- chemical resistant gloves


Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry."

4. The header "Use Safety Recommendations" must be placed in a box. The recommendations should read as follows: "Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible wash thoroughly and change into clean clothing."

5. This compound is toxic to fish, however, due to this formulation, it is not necessary to have the statement "Do not contaminate water when disposing of equipment rinse water."

A copy of your most recently submitted label is stamped "Accepted with Comments" and is enclosed. Please submit two(2) copies of your final printed label before you release the product for shipment.

Sincerely,



George LaRocca  
Product Manager 13  
Insecticide Branch  
Registration Division (7505C)

enclosure

Signature of Approving Official:	Date:  SEP 27 2000
----------------------------------	--------------------------

### GUARANTEED ANALYSIS

Calcium (Ca), not less than .....	4.5%
Calcium (Ca), not more than .....	5.5%
Phosphorus (P), not less than .....	4.0%
Salt (NaCl), not less than .....	15.0%
Salt (NaCl), not more than .....	18.0%
Potassium (K), not less than .....	2.0%
Magnesium (Mg), not less than .....	1.0%
Iodine (I), not less than .....	0.0069%
Selenium (Se), not less than .....	0.00216%
Vitamin A, min., IU/lb. ....	100,000
Vitamin D-3, min., IU/lb. ....	25,000
Vitamin E, min., IU/lb. ....	25

### KEEP OUT OF REACH OF CHILDREN **CAUTION**

#### PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS:** This product may cause skin sensitization reactions in certain individuals. Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water. If irritation persists, get medical attention. Wear long-sleeved shirt and pants, chemical resistant gloves, shoes and socks for protection when handling.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish. Do not contaminate water when disposing of equipment washwaters.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.  
**STORAGE:** Store in a dry place in original container.

**CONTAINER DISPOSAL:** Remove plastic wrap and place block in feeder. Dispose of plastic wrap in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

MANUFACTURED BY  
**PM ag products**

INCORPORATED with COMMENTS 40833-4  
Homewood, IL 60430 in EPA Reg. No. 40833-N-02

SEP 27 2000

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

40833-4

NET WT. 40 LB.  
5 BLOCKS WEIGH 200 LB.



# FLY CONTROL Rabon<sup>®</sup> MINERAL/VITAMIN MOLASSES BLOCK FOR CATTLE OR HORSES

For control of fecal flies in manure of treated cattle. Prevents development of face flies, horn flies, house flies and stable flies in the manure of treated cattle.

For control of fecal flies in manure of treated horses. Prevents development of face flies, horn flies, house flies and stable flies in the manure of treated horses.

#### ACTIVE INGREDIENT\*

Tetrachlorvinphos:(Z)-2-chloro-1-(2,4,5-trichlorophenyl)	
vinyl dimethyl phosphate .....	0.494%
INERT INGREDIENTS .....	99.506%
	100.000%

\*Each lb contains 2.24 g. Rabon<sup>®</sup>

\*\*Refers only to ingredients which are not larvicidal.

### FEED INGREDIENTS

Cane Molasses, Soybean Hulls, Dicalcium Phosphate, Salt, Anand Fat (preserved with BHA), Potassium Chloride, Potassium Sulfate, Magnesium Sulfate, Copper Oxide, Vitamin A Supplement, Vitamin D-3 Supplement, Vitamin E Supplement, Nicotinic Supplement, d-Calcium Pantothenate, Thiamine Mononitrate, Nicotin Supplement, Citric Acid, Vitamin B-12 Supplement, Folic Acid, Pyridoxine Hydrochloride, Biotin, Ferrous Carbonate, Ferrous Sulfate, Zinc Oxide, Manganese Oxide, Manganese Sulfate, Copper Oxide, Copper Sulfate, Calcium Iodide, Ethylenediamine Dihydrochloride, Cobalt Carbonate, Sodium Selenite, Yeast Culture, Ethoxyquin (a preservative).

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is not to be used on horses destined for slaughter.

1. Feed 1 block per 5 head of cattle or horses. This allows all animals equal access to blocks. Feed blocks at the rate of 0.5 oz. per 100 lb. of body weight. This intake will supply 0.07% of larvicide per 100 lb. of body weight.
2. Place blocks where animals congregate. Locate blocks throughout pasture, placing them near water and feeding areas. Maintain adequate distance between blocks (10 ft. minimum).
3. Do not allow animals to run out of blocks. When a block is half-consumed, place a new block near it. Place very small pieces in troughs or feed pans.
4. Cattle or horses will consume about 5 oz. per head daily. When animals consume the block at the recommended rate, it will supply 3 mg. of supplemental selenium.
5. Blocks can be fed to animals in confinement. Exact location of blocks to obtain desired consumption will vary between confinement feeding programs.
6. Feed as the only FREE CHOICE source of salt, other minerals and vitamins.
7. SWEETLIX<sup>®</sup> Rabon<sup>®</sup> Mineral/Vitamin Molasses Block prevents the development of fecal flies in the manure of treated cattle and horses, but it is not effective against existing adult flies. When starting a feeding program during the fly season, it may be necessary to use other control measures to reduce the population of existing adult flies. Supplemental fly control measures may be needed in and around buildings to control adult house flies and stable flies which can breed not only in animal manure but in other decaying matter on the premises. In order to achieve optimum fly control, SWEETLIX<sup>®</sup> Rabon<sup>®</sup> Mineral/Vitamin Molasses Block should be used in conjunction with other good management and sanitation practices. Start feeding SWEETLIX<sup>®</sup> Rabon<sup>®</sup> Mineral/Vitamin Molasses Block early in the spring before flies begin to appear and continue feeding throughout the summer and into the fall. SWEETLIX<sup>®</sup> Rabon<sup>®</sup> Mineral/Vitamin Molasses Block may be fed to animals up to slaughter and to lactating cows without withholding the milk from market either during or after treatment.



722

3/3