

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 M St., S.W. Washington, D.C. 20460

Reregistration

NOTICE OF PESTICIDE

EPA Reg. Number: 40833-12

Date of Issuance

AUG 2 0 1999

Term of Issuance:

Unconditional Registration

Name of Pesticide Product:

ENPROAL® Fly Control Block With Rabon® Oral Larvicide

Name and Address of Registrant (include ZIP Code):

Dan S. Hickman

(under FiFRA, as amended)

PM ag products Incorporated

100 S. Huntington

Syracuse, New York 46567

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product stways refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Reregistration eligibility Documents, EPA has reregistered the product listed above. This action is taken under the authority of section 4 (g)(2)(c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Registration under this section does not eliminate the need for control reassessment of pesticides. EPA may require submission of data at anytime to maintain the registration of your product. with regards to labeling, you must make the labeling changes listed below:

Based on the Acute Toxicology profile for this product you must include a heading of "First Aid" or 1) "Statements of Practical Treatment". The statements of first aid/ practical treatment should be placed directly below the header "Precautionary Statements". First Aid statements should read as follows:

FIRST AID

"IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or if available by administering syrup of ipecac. If person is unconscious, do not give anything by mouth and do not induce vomiting.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF ON EYES: Flush with plenty of water. Call a physician if irritation persists."

Your product is required to have a "Note to Physicians." This should be located directly below your "First Aid" Statement and should contain the following information:

Signature of Approving Official:	
May Salla Car	_
VII VIIV PO DILAPOCCO	<u> </u>
EPA Form 8570-6	

AUG 2 0 1999

- Technical Information on symptomatology;
- Use of supportive treatments to maintain life functions;
- Medicine that will counteract the specific physiological effects of the pesticide;
- Company telephone number to specific medical personnel who can provide specialized medical advice;
- 2) The "HAZARDS TO HUMANS" statement must be modified to read as follows:

"Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction to some individuals.

Personal Protective Equipment (PPE)

- -long-sleeved shirt and long pants
- -shoes and socks
- -chemical resistant gloves

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Follow manufacturers instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

- The header "User Safety Recommendations" must be placed in a box. The recommendations should read as follows: "Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing."
- 4) This compound is toxic to fish, however, due to this formulation, it is not necessary to have the statement "Do not contaminate water when disposing of equipment rinse water".

Enclosed, please find a copy of your most recently submitted label stamped "Accepted with Comments." Please submit two (2) copies of your final printed label before you release the product for shipment. I'll be happy to answer any questions you may have regarding this issue.

Sincerely

George LaRocca Product Manager 13 Insecticide Branch

Registration Division (7505C)


enclosure md:a:40833-12.wpd

Signature of Approving Official:	Date:
	AUG 2 0 1999

<u>50 LB</u>

NET WEIGHT

22.7 KG



FLY CONTROL BLOCK WITH RABON® ORAL LARV

In EPA Letter Dated

TAKE TIME



OBSERVE LABEL DIRECTIONS

AUG 2 0 1999

By Weight

egistered under EPA Reg. No. 40833-12

99.70%

100.00%

To prevent the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle.

To prevent the development of house flies and stable flies in the manure of pastured horses.

ACTIVE INGREDIENT

Tetrachlorvinphos: 2-Chloro-1-(2,4 5-trichlorophenyl) vinyl dimethyl

phosphate*
INERT INGREDIENTS**

BON® Insecticide - Contains 1.35 g RABON® PER POUND. BON® is the registered trademark of Shell Oil Company. Refers only to ingredients which are not larvicidal.

GUARANTEED ANALYSIS:	
Crude Protein, min.	7.50%
Crude Fat, min	0.20%
Crude Fiber, Max.	3.00%
Calcium (Ca), max.	2.50%
Calcium (Ca), min.	2.00%
Phosphorus (P), min.	1.00%
Salt (NaC1), max.	6.00%
Salt (NaC1), min.	5.00%
Magnesium (Mg), min.	3.00%
Potessium (K), min.	2.40%
Sulfur (S), min.	0.70%
Cobalt (Co), min.	0.001%
Copper (Cu), min	0.01%
lodine (I), min.	0.005%
Iron (Fe), min	0.28%
Manganese (Mn), min	0.19%
Selenium (Se)	0.0013%
Zinc (Zn), min	0.0023%
Fluorine (F), max.	0.01%
vitamin A, min 58.00	O i.U. per lb.
Vitamin D-3, min 10.00	10 I.U. per lb.
Vitamin E. min	5 î.U. Per Lb.
Total Sugars (as invert)	25.00%

FEED INGREDIENTS:

Carle molasses, cottonseed meal, magnesium oxide, salt.defluorinated phosphate, magnesium sulfate, potassium sulfate, zinc oxide, iron carbonate, manganous oxide, sodium selenite, calcium carbonate, calcium iodate, cobalt carbonate, vitamin A supplement, D-activated animal sterol (source of vitamin D-3) and vitamin E supplement.

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE BELOW FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

PRECAUTIONARY STATEMENTS **HAZARDS TO HUMANS** CAUTION

This product may cause skin sensitization reactions in certain individuals. Keep out of reach of children. Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust, Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water. If irritation persists, see a physician.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store in original container only and in a dry place inaccessible to

children and pets.

nder the Federal InsecticiteONTAINER DISPOSAL: Completely empty container. Then dispose of empty engicide, and Hodenticide Container in a sanitary landfill or by incineration, or, if allowed by State and local amended, for the posticitethorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its

This product is not to be used on horses destined for slaughter.

Provide one block per 5-8 head of cattle or horses. Add an additional block when each block has been one-half consumed. Cattle and horses should consume an average of 1.67 lbs. of the block per 100 pounds of body weight per month. This will supply the recommended average intake of 70 mg RABON® Oral Larvicide per hundred pounds of body weight. Animals should not be starved of minerals before initiation of the ENPROAL® FLY CONTROL BLOCK with RABON® program, but OMIT all salt from other feed after the program is started. Do not feed free choice sources of salt or mineral containing salt in any form. Place near watering and loafing areas. Protect from rain. If consumption of ENPROAL > FLY CONTROL BLOCK with RABON® is above 1.67 lbs. of the block per 100 lbs. of body weight per month, reduce the number of feeding locations or relocate. If consumption is below 1.67 lbs, of the block per 100 lbs, of body weight per month, increase the number of feeding locations. Start feeding ENPROAL® FLY CONTROL BLOCK with RABON® early in the Spring before flies begin to appear and continue feeding throughout the Summer and into the Fall.

ENPROAL® FLY CONTROL BLOCK with RABON® may be fed to slaughter and to

lactating dairy cows. ENPROAL® FLY CONTROL BLOCK with RABON® prevents the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle and prevents the development of house flies and stable flies in the manure of

feeding program during the fly season, it may be necessary to use other control measures to reduce the population of existing adult flies.

Supplemental fly control measures may be needed in and around cattle and horse lots and buildings to control adult house flies and stable flies which can breed not only in manure, but in other decaying vegetable matter or silage on the premises.

treated horses, but is not effective against existing adult files. When starting a

In order to achieve optimum fly control, ENPROAL® FLY CONTROL BLOCK with RABON* should be used in conjunction with other good management and sanitation practices.

CAUTION

Follow feeding directions. When this ρ coust is consumed as directed, it will provide 0.3 PPM of Selenium (Se).

For specific recommendations on a complete supplement program, contact V.M.S., Department of Nutrition.

CORPORAT EPA Reg. No. 40833-12

EPA EST. No. 40833-AL-1

(41530)