

SENTRY



WATER MANAGEMENT CORPORATION

SENTRICIDE 230

ACCEPTED

UNDER THE FEDERAL PESTICIDE ACT
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTRY
EPA UNDER NO. 408-14-0

ACTIVE INGREDIENTS:

Sodium cyanodithioimidocarbonate	4.90 %
Potassium dimethyldithiocarbamate	6.76 %
INERT INGREDIENTS	88.34 %
TOTAL	100.00 %

This product contains **1.03** lbs. of active ingredients per gallon and weighs **8.88** lbs. per gallon.

KEEP OUT OF REACH OF CHILDREN WARNING

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS: Causes eye damage and skin irritation. Do not get in eyes, on clothing, or on anything. Wear goggles or face shield and rubber gloves when using. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, give patient doses of powdered charcoal immediately or all he can swallow of raw egg white, milk, gruel, or flour and water. Then induce vomiting with salt soap, or mustard in warm water. Call a physician immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance contact your Regional Office of the EPA.

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SENTRICIDE 230 is used to control algae, bacteria, and fungi in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algae growth, micro-biological slime, and other deposits. An initial slug addition of 5.1 to 10.2 fluid ounces of **SENTRICIDE 230** per 1000 gallons of water is recommended. Repeat initial dosage until control is evident.

Subsequent slug additions of 1.7 to 10.2 fluid ounces of **SENTRICIDE 230** per 1000 gallons of water should be employed every 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleed-off, the severity of the microbiological problem. Slug additions should be made in the same or water cooling towers.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide spray mixtures or residue that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL: Containers under 30-gallon capacity must not be reused but should be triple rinsed and disposed of in an incinerator or landfill approved for pesticide containers or buried in a safe place. Containers over 30-gallon capacity should be reused and offered for reconditioning or triple rinsed and offered for recycling, reconditioning, or disposal in a safe place or buried in a safe place.

GENERAL: Consult Federal, State, and local authorities for approved alternative procedures.

Net

Sentry Water Management Corporation
170 Beechwood Drive
Wayne, NJ 07470

EPA REG NO. 40840-2
NET CONTENTS:

EPA EST. NO. 12473 NJ 01