

# Total Release Fogger

For Use in Rooms, Apartments, Homes, Attics, Basements, Campers, Boats, Household Storage Areas, Garages, Pet Sleeping Areas, Cabins, Warehouses, Schools, Theatres

One Unit Treats Up to 6,000 Cubic Feet

<b>ACTIVE INGREDIENTS</b>	
d,trans-Allethrin (allyl homolog of Cyperm.)	300%
Related compounds	0.23%
* 3-Phenoxybenzyl d,cis and trans** 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate	1.91%
* Other isomers	0.09%
Petroleum distillate	14.47%
<b>INERT INGREDIENTS</b>	<b>85.000%</b>

\* d,cis,trans-phenothrin

\*\* cis,trans isomer ratio: max. 25% (+ or -) cis  
min. 75% (+ or -) trans

Flies, Mosquitos, Cockroaches, Spiders, Centipedes, Fleas, Wasps, Ticks, Black Carpet Beetles, Saw-toothed Grain Beetles, Rice Weevils, Small Flying Moths, Pill Bugs, Crickets and Silverfish

## CAUTION

KEEP OUT OF REACH OF CHILDREN


See Back Panel for Additional Precautionary Statements

Net Weight 7.5 Ounces

Manufactured Exclusively For

C & J Chemical, Inc.  
Marietta, Georgia

EPA REG. NO. 40840-5  
EPA EST. NO.



## Directions for Use General Classification

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## Storage And Disposal

**Storage:** Store in a cool, dry area away from heat or open flame.

**Disposal:** Do not re-use empty container. Wrap container and put in trash collection. This product will kill: Flies, Mosquitos, Black Carpet Beetles, Saw-toothed Grain Beetles, Rice Weevils, Small Flying Moths, Spiders, Centipedes, Fleas, Ticks, Wasps, Pill Bugs, Crickets and Silverfish.

## Aids on control of Cockroaches

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

**TO OPERATE VALVE:** To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in buildings if necessary.

**To Kill Ticks:** Destroy old pet bedding and replace. Use product as above. Use on cats with registered tick control product prior to re-entry.

**To Kill Fleas:** Follow directions for ticks but use one unit per 1,500 cubic feet of room space.

## Precautionary Statements

Hazards to Humans and Domestic Animals

## CAUTION

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritator persists. Avoid contamination of food and feedstuffs.

Do not use in commercial food processing, preparation, serving or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquariums before spraying.

## Physical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperature above 130° F may cause bursting.