

Directions for Use (continued)

EPA Reg No. 1090-7-110

Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. In the home, cover all food handling surfaces and cover or remove all food and cooking utensils.

For use in non-food areas of food handling establishments in and around premises of commercial, industrial, office, residential, public, institutional and storage buildings, hotels, motels, homes, preschools, nurseries, day camps, seed houses, packaging and processing plants, milk handling areas of milk, cheese and ice cream plants, milk storage rooms, egg processing plants, supermarkets, restaurants, bottling plants, canneries, flour and feed mills, bakeries, boats, ship cabins and hospitals.

In hospitals, patients should be removed prior to treatment. Also for use in campers, mobile homes, buses, automobiles, trucks, boxcars, and ship cargo holds. Also for use in dog kennels and horse stables. In horse stables, not for application if horses will be used for food.

Do not use on electrical equipment or on surfaces that can be harmed or stained by water.

INDOORS

SPACE SPRAY: Remove or cover plants. Do not allow the undiluted spray to contact plants because of possible injury.

FLYING INSECTS: To kill house flies, deer flies, stable flies, gnats, cluster flies, vinegar flies, mosquitoes, fruit flies, flying moths (millers): Apply as a space spray. Mix well before using. Fill spray tank. Adjust pressure and nozzle to deliver a fine mist spray. Close all doors and windows. Point nozzle upward and direct the spray mist to all parts of the room especially windows and other light sources which attract these insects. Keep the spray nozzle at all times at least four feet (1.2 m) from fabrics to avoid wetting or staining. Fill the room with mist at the dosage of one fluid ounce per 1000 cu ft of space (30 ml per 28.3 cu m). Then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed and before re entry.

CRAWLING INSECTS: To kill fleas, cockroaches (waterbugs), crickets, silverfish, earwigs, spiders, sowbugs, centipedes, millipedes, grain mites and grain insects (adults and accessible stages of confused flour beetles, red flour beetles, sawtoothed grain beetles, cigarette beetles, shiny spider beetles, carpet beetles, grain weevils, Angoumois grain moths) Apply as a contact spray. Mix well before using. Fill spray tank with product. Keep spray nozzle about 8 to 12 inches (20 to 30 cm) from surface to be treated. Adjust pressure and nozzle to deliver a coarse spray with particle size larger than that of the average aerosol. Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, storage areas and other insect harborage areas. Spray directly on insects where possible. Repeat as necessary.

TO KILL SPIDERS: Spray directly on these pests and use repeated applications to the webbing and all cracks and crevices which harbor spiders.

TO KILL ANTS: Spray doors, around window frames, ant trails and hills.

TO KILL BEDBUGS AND LICE: Apply as a spot treatment to cracks and crevices around baseboards, floorboards, bedboards and walls. First thoroughly clean and air mattresses and springs. Then spot treat only areas that may harbor pests, concentrating on tufts, folds and seams. Repeat as necessary. For persistent infestation, consult professional applicator.

TO KILL FLEAS AND TICKS ON DOGS, CATS AND PREMISES: Apply directly to animals along back, under forelegs and on other areas except scrotum and anus. Part hair to contact skin and insure good coverage. Hold nozzle about one foot (0.3 m) away while spraying. Apply until hair is thoroughly moist. Do not spray directly in eyes or mouth of animal. Repeat within 24 hours of first treatment if necessary. To reduce reinfestation, thoroughly spray the animal's bedding and other resting areas until the surface is slightly moist. Treat these areas at the rate of two seconds per linear foot at a distance of 12 to 18 inches (30-46 cm). Also spray the entire inside surface of dog houses. Repeat as necessary, thoroughly spraying floors, cracks, crevices and bedding. Hit as many insects directly as possible.

TO KILL WASPS, HORNETS, YELLOW JACKETS, BEES: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, especially under attic rafters, contacting as many insects as possible. Repeat as necessary.

RESIDUAL SPRAY: Aids in the control of COCKROACHES, CHICKETS, SILVERFISH, ANTS, MILLIPEDES, CENTIPEDES, EARWIGS, GRAIN MITES, SOWBUGS, SPIDERS: Kills for up to 4 weeks. Spray baseboards, cracks and crevices, around door and window frames, and other hiding places such as closets, in back of and under appliances, sinks and cupboards in kitchens and bathrooms. In basements, spray hiding places in cracks and crevices, lower walls and dark places. Apply as a coarse wet spray in a 4 to 6 inch (10 to 15 cm) band until area is thoroughly wet but not to the point of run-off. Repeat as necessary.

ORNAMENTAL PLANTS INDOORS: In greenhouses, lathhouses, homes, commercial and institutional buildings, and for indoor landscaping: To control aphids, fungus gnats, leafhoppers, plant bugs, spittlebugs, thrips, and whiteflies on the plants listed below, use the 0.02% spray dilution. To prepare the spray, dilute this product with water as shown in the SPRAY DILUTION CHART. Mix well before using.

SPRAY DILUTION CHART	
Amount of Spray Mixture Desired	Volume of SBP-1382 TES 0.25% required to make a 0.02% Spray
8 fl oz (237 ml)	4 cup (20 ml)
16 fl oz (473 ml)	8 cup (40 ml)
32 fl oz (946 ml)	3 1/2 oz (89 ml)
64 fl oz (1.89 L)	5.5 fl oz (163 ml)
128 fl oz (3.79 L)	10.5 fl oz (311 ml)

Prior to spray application, remove infested plants from living and eating areas, and place in an area not likely to come in contact with pets, children or food. Plants can be returned to original location when leaves dry.

If plant removal is not possible, remove or cover exposed food and food handling surfaces, including utensils, and remove animals. Shut off ventilating system, air ducts, and air conditioning equipment. Avoid spray contact with surrounding areas.

Apply the spray to the upper and lower surfaces of plant foliage to the point of run-off. Avoid wetting blossoms if possible. Spray in the late afternoon or evening, when temperatures range from 50°F to 72°F (10°C to 22°C). Repeat applications weekly if necessary.

ageratum	ferns: asparagus	panay
aluminum plant	Boston	peperomia
arrowhead vine	sword	petunia
aster	filix	philodendron
azalea	fuchsia	piggy-back plant
Baby's Tears	gardenia	poinsellia
begonia	geranium	polihos
black-eyed Susan	heliotrope	prayer plant
bridal veil	hibiscus	purple waffles
broadleaf acacia	hoya	roses
calendula	ice plant	rubber plant
carnations	inch plant	salvia
Christmas cactus	ivy: German	sedum
chrysanthemum	grape	shamrock
coleus	Swedish	snake plant
daisy	English	snapdragon
daphne	marigold	Star-of-Bethlehem
dracaena	Moses in Cradle	verbena
dumbcane	nasturtium	wandering Jew
Easter lily	nephtytis	wax plant
fatshedera	palms	zebra plant
		zinnia

USE WITH CAUTION: On African violet, azalea, Reiger begonia, browallia, Tahitian bridal veil, caenothus, camellia, plumosa fern, gloxinia, impatiens, geranium, oxalis, jade, primrose, cyclamen, wax begonia, spider plant, chrysanthemum, Boston fern, and friendship plant.

As with all plants listed above, especially carnations, chrysanthemums and roses, there exists a wide variety of species and cultivars, and therefore a wide range of susceptibility to injury. To ascertain possible phytotoxicity, spray a few plants as described, wait 24 hours, and check for possible injury.

Enforcer Products, Inc.
c/o Jackson & Davis Consultants
P.O. Box 118097
Carrollton, TX 75011-8097

Attention: Kim Davis

Gentlemen:

Subject: Enforcer Flea & Roach Fogger
EPA Registration No. 40849-5
Your Letter Dated April 22, 1988

The labeling submitted in response to the Registration Standard for Sumithrin is acceptable and a stamped copy of the label is enclosed for your records.

The Confidential Statement of Formula is acceptable and has been placed into the file for this product.

Sincerely yours,

for
Phil Hutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

51326:I:Tavano:L17-10:KENCO:10/10/90:11/10/90:DD:VO:EK:CL

CONCURRENCES

SYMBOL	SURNAME	DATE						
H7505C	Tavano	11/1/90						

FRONT PANEL

16 pt. ----- ENFORCER

40 pt. ----- FLEA & ROACH FOGGER

40879-5

One Unit Treats Up To 6,000 Cubic Feet

For Use in Rooms, Apartments, Homes, Attics, Basements,
Campers, Boats, Household Storage Areas, Garages,
Pet Sleeping Areas, Cabins, Warehouses, Schools, Theatres

ACTIVE INGREDIENTS:

d-trans Allethrin (allyl homolog of Cinerin I)	0.300%
Related compounds	0.023%
3-phenoxybenzyl-(1RS,3RS;1RS,3SR)-2,2-dimethyl-3- (2-methylprop-1-enyl) cyclopropanecarboxylate	0.200%

INERT INGREDIENTS#	99.477%
--------------------------	---------

6 pt.

#contains petroleum distillate


This product contains the toxic inert ingredient Methylene Chloride.

Kills Flies, Mosquitoes, Spiders, Centipedes, Fleas, Wasps, Ticks, Black
Carpet Beetles, Saw-toothed Grain Beetles, Rice Weevils, Small Flying Moths,
Pill Bugs, Crickets and Silverfish and Aids in the Control of Cockroaches.

8 pt. ----- Keep Out of Reach of Children

12 pt. ----- C A U T I O N

6 pt. ----- See back panel for additional precautionary statements.



7 pt. ----- NET WT. 7.5 OZ.

BACK PANEL - Enforcer Flea & Roach Fogger

17 pt. ----- FLEA & ROACH FOGGER

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product will kill Flies, Mosquitoes, Black Carpet Beetles, Saw-toothed Grain Beetles, Rice Weevils, Small Flying Moths, Spiders, Centipedes, Fleas, Ticks, Wasps, Pill Bugs, Crickets and Silverfish. Aids in the control of Cockroaches.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE: Place several layers of newspaper or a pad on a stand or table in the center of the room. For automatic discharge, lock valve in open position by pressing valve button all the way down, hooking the catch. Then place fogger on stand or table (in center of room) with valve locked open. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat treatment in two weeks or when necessary.

TO KILL TICKS: Remove and destroy old pet bedding and replace. Use product as above. Treat dogs and cats with a tick control product registered for use on pets prior to re-entry.

Storage: Store in a cool, dry place (preferably locked) inaccessible to children and pets and away from heat, open flame or other sources of ignition.

Disposal: Replace cap, wrap container in several layers of newspaper and discard in trash collection. Do not incinerate or puncture.


PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed. Avoid breathing vapors. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid contamination of food and feedstuffs. Wash thoroughly with soap and warm water after handling.

Do not use in commercial food processing, preparation, serving or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquaria before spraying.



BACK PANEL (continued) - Enforcer Flea & Roach Fogger

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting due to aspiration hazard. Contact a physician or Poison Control Center immediately. If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated. Contact a physician if necessary. If On Skin: Immediately remove contaminated clothing. Wash affected area of clothing prior to reuse. If In Eyes: Immediately flush eyes with plenty of water. Contact a physician if irritation persists.

6 pt.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Contents under pressure. Do not use or store near fire, sparks or heated surfaces. Do not smoke while using this product. Turn off pilot lights in gas appliances in the use area. After airing out phase is completed, relight pilot lights. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting. Incineration of container may cause explosion.

Product Code FR-75

EPA Reg. No. 40849-5

EPA Est. 11715-TN-1

17 pt. ----- ENFORCER
11 pt. ----- PRODUCTS, INC.
6 pt. ----- P.O. Box 1068, Cartersville, Georgia 30120

CONTAINER/LABEL DESCRIPTION:

"Fire Engine Red" can (background color)

Silkscreened container

All black label copy with the following exceptions:

Front Panel:

- "FLEA & ROACH FOGGER" [white]
- "One Unit Treats Up To 6,000 Cubic Feet" [white]
- "NET WT. 7.5 OZ." [white]

Back Panel:

- "FLEA & ROACH FOGGER" [white]

