# FOUR HOUR FOGGER .



#### PRECAUTIONARY STATEMENTS Hazards to Humans & Domestic Animals

LEVEL 1

CAUTION: May be harmful if swallowed, inhaled or absorbed through the skin. Avoid inhalation of vapors. Avoid contact with skin, eyes or clutning. Avoid contamination of food and feedstuffs. Do not use in commercial food processing, preparation, serving or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food Remove pets, birds and cover fish aquariums before spraying

### STATEMENT OF PRACTICAL TREATMENT

If Inhaled: Remove victim to fresh air and apply artificial respiration if warranted. If on Skin: Immediately remove contaminated clothing and wash skin with plenty of soap and warm water. Contact a physician if irritation persists. Wash contaminated clothing before reuse. If in Eyes: Immediately flush eyes with plenty of water. Contact a physician if irritation persists

#### PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling This product will kill Cockroaches, Housetlies, Confused Flour Beetles, Saw-toothed Grain Beetles, Rice Weevils, Small Flying Moths, Fleas, Ticks, Pillbugs and Crickets

Put out all flames and pilot lights. Cover exposed food, dishes and food-handling equipment. Open cabinots and doors to area to be treated. Shut off fans and air conditioners. Close doors. and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 5,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry

TO OPERATE VALVE: Place several layers of newspaper or a pad on a stand or table in the center of the room. For automatic discharge, lock valve in open position by pressing valve. button all the way down, hooking the catch. Then place fogger on stand or table (in center of room) with valve locked open. Leave building at once and keep building closed for four hours. before aining out. To air out, open all doors and windows and allow to air for 30 minutes before reoccupying room. Repeat treatment in two weeks or when necessary

TO KILL TICKS AND FLEAS: Destroy pet s old bedding and replace. Use product acabove. Do not use this product on pets. Prior to re-entry, treat dogs and cats with a flea and lick control product registered for use on pets

STORAGE: Store in a cool, dry place (preferably locked) inaccessible to children and pets and away from heat, sparks, flames and other sources of ignition. DISPOSAL: Replace cap, wrenin several layers of newspaper and distrard in trash, into not incinerate or puncture.

EPA Rea No 40849-35 Copy 10-1-90

EPA Est 54487-GA-1

mention federal insections fluorests, and derticide Aci. 85



\*\*cis trans isomer ratio Min 35% (±) cis. Max 65% (±) trans

Keep Out Of Reach Of Children

## CAUTION

See back panel for additional precautionary statements

**NET WT 5 OUNCES** 

40A49-35