

40849-56


3-18-2003

1/3

ENFORCER® FLEA FOGGER XX

[2 [3] [6] FOGGER Value Pack]

[2 [3] [6] Foggers]



WITH Fleacor® [Flealar®] [FGR®] [Insect (Flea) Growth Regulator] [Nylar®]

Insect Growth Regulator

For Use in Rooms, Apartments, Homes, Attics, Basements, Campers,
Boats, Household Storage Areas, Garages, Pet Sleeping Areas and Cabins
[and Federally Inspected Meat and Poultry Plants]

Kills Flea Eggs, Fleas (Adult and Preadult), Ticks and Other Listed Pests

Kills Fleas and Flea Eggs

Breaks Flea Life Cycle by Preventing Development into Adult Fleas
Stops Flea Eggs from Developing into Biting Adults
Prevents Hatching Fleas from Becoming Full Grown

Stops Fleas Before They Become Biting Adults
Controls Flea Infestation for up to 210 Days (7 Months)
Also Controls Roach Infestations

Treats Up To 625 Sq. Ft. (A 25' x 25' Room with an 8' ceiling)

ACTIVE INGREDIENTS:

Nylar®	0.100%
Pyrethrins	0.050%
MGK® 264	0.400%
Permethrin	0.435%
OTHER INGREDIENTS	99.015%
Total	100.000%

Keep Out of Reach of Children
CAUTION
See back panel for additional precautionary statements.

NET WEIGHT: 5 Oz. (142 g.)
[NET Contents: Two [Three] [Six] 5 OZ. (142g) FOGGERS]

ACCEPTED
MAR 18 2003
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 40849-56

2/3

{Back Panel}

Water Based Level 1 Aerosol
Shake Well Before Use. Keep Container Upright.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use to kill Ants, Cockroaches, Crickets, Fleas, Houseflies, Mosquitoes, Rice Weevils, Saw-Toothed Grain Beetles, Small Flying Moths and Ticks. Prevents flea larvae maturation for up to 7 months (210 days).

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors in area to be treated. Shut off fans and air conditioners. Close doors and windows. Use one unit for each 5,000 cubic feet of unobstructed area. Do not remain in the area during treatment and thoroughly ventilate before re-entry. Vacuum all carpeted areas 24 hours after treatment.

Do not use more than one fogger per room. Do not use in small, enclosed spaces, such as closets, cabinets or under counters or tables. Do not use in a room 5 ft. x 5 ft. or smaller; instead, allow fog to enter from other rooms. Turn off all ignition sources, such as pilot lights (shut off gas valves), other open flames, or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.). Call your gas utility or management company if you need assistance with your pilot lights.

To operate valve: Place several layers of newspaper or a pad on a low stand or table in the center of the room. Be sure to cover entire surface of stand or table to prevent damage. Point valve opening away from face and eyes when releasing. Lock valve in open position by pressing valve button all the way down, hooking the catch. Then place fogger on stand or table (in center of room) with valve locked open. Leave building at once and keep building closed for four hours before airing out. To air out, open all doors and windows and allow to air for 30 minutes before reoccupying. Repeat treatment as necessary.

To Control Ticks and Fleas: Discard and replace pet's old bedding. Use product as above. Do not use this product on pets. Prior to reentry, treat pets with an Enforcer flea and tick control product registered for use on pets. Repeat as necessary to bring infestation under control.

Foggers alone will not control fleas and ticks. To control Fleas and ticks, simultaneously treat the pet and its inside and outside living areas. [To effectively control fleas and ticks, treat your pet, home and yard. In addition, the fogger mist may not reach underneath large pieces of furniture (such as beds, sofas, etc.). Treat these areas with a direct spray product registered for flea and tick control in these areas.

For Use in Federally Inspected Meat and Poultry Plants: For application only in inedible product and non-processing areas, including areas such as garbage rooms, lavatories, entries, vestibules, offices, locker rooms and boiler rooms. Precautions must be taken to prevent introduction of insecticide or affected insects from entering edible product processing or storage areas. Prior to discharge, be sure to seal area (close windows and doors) and shut of ventilating systems. Items such as clothing and equipment in treatment area cannot be taken into edible product and processing areas after treatment unless thoroughly washed and rinsed after treatment. Use product as above.

[Storage and Disposal]

Storage: Store in a cool, dry (preferably locked) storage area inaccessible to children and pets and away from heat, flame or other sources of ignition. **Disposal:** Do not puncture or incinerate. If Empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-Cleanup for disposal instructions.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed or absorbed through skin. Do not breathe vapors or spray mist. Avoid contact with skin, eyes or clothing. Avoid contamination of food or foodstuffs. In the home, cover all food processing surfaces and utensils during treatment or thoroughly wash before use. Cover or remove exposed food. Remove pets, birds and cover fish aquariums before spraying.

7/3

First Aid

If Swallowed	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If Inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
If on Skin or Clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Immediately rinse skin with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in Eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. [You may also contact 1-xxx-xxx-xxxx for emergency medical treatment information.]</p>	

If in the event of an animal-related emergency, call the national Animal Poison Control Center at 1-800-345-4735.

Physical or Chemical Hazards



Highly Flammable Ingredient

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause fire or explosion if not used properly. Follow the *Directions for Use* on this label very carefully.

Fleacor®, Flealar®, Flea Growth Regulator® and FGR® are Registered Trademarks of Enforcer Products
NYLAR is a Registered Trademark of McLaughlin Gormley King Company

EPA Reg. No. 40849-56
Copy _____
PRODUCT CODE:

EPA Est. _____
[Postscript is first letter of code number on bottom of can.]

MADE IN U.S.A.
Manufactured [Distributed] By
ENFORCER® PRODUCTS
A division of Acuity Specialty Products Group, Inc.
P.O. Box 1060
Cartersville, GA 30120-1060

Questions? Call (xxx)xxx-xxxx, Monday through Friday, 9 am to 5 pm EST
[www.[url].com]