40849-65

5-7-2003

40849-65: Page 1 of 2 3/7/2003 ; 10:54 AM

# **ENFORCER® ROSE/FLOWER & TOMATO/VEGETABLE SPRAY**

May be Used Indoors and Outdoors Throughout the Growing Season

For Use in/on Ornamentals, Roses, Flower Gardens, Trees and Shrubs

Kills Gypsy Moths, Japanese Beetles, Tent Caterpillars, Whiteflies and Other Insects Listed on Back Panel Kills Aphids, Beetles, Cabbage Loopers Caterpillars, Leafhoppers, Stink Bugs, Whiteflies and Others Listed in Directions

> May be Applied on Day of Harvest For Use on Tomatoes and Vegetables

ACTIV	E INGREDIENTS:	
Pyrethrins		0.02%
Pip	eronyl Butoxide, Technical	0.20%
-	INGREDIENTS	
ACCEPTED		100.00%
MAY 7 2003 Under the Federal Insecticido, Fungleide, and Rodenticide Act, as amended, for the pesticide registered under BPA Reg. No. 40849-65 {Back Panel}	Keep Out of Reach of Children CAUTION See back panel for additional precautionary statements.	
	NET CONTENTS: Fl. Oz. ( mL)	•
	For Domestic Homeowner Use Only	

Water Based

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To Operate: Shake Before Using. Hold pump sprayer 18 to 24 inches from foliage or surfaces being treated. Direct the spray to provide thorough coverage of upper and lower leaf surfaces. Use caution on new growth and tender foliage. Use indoors, outdoors or in greenhouses throughout the growing season, or as a pre-harvest treatment when other insecticides are prohibited due to residue restrictions and use limitations. Repeat treatment every seven days, or more frequently under heavy insect pressure, to control infestations. May be applied on the day of harvest.

Use on the following ornamentals: African Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Dogwood, Geraniums, Gladioli, Marigolds, Roses and Wandering Jew. To Control: Aphids, Flea Beetles, Leafhoppers and Whiteflies. To Kill on Contact: Gypsy Moth Caterpillars and adults, adult Japanese Beetles and Eastern and Forest Tent Caterpillars.

On Roses and in Flower Gardens: Treat plans and flowers as soon as insects appear, making sure spray penetrates dense foliate.

On Trees and Shrubs: Treat trees and shrubs as soon as insects emerge (usually late spring). Evenly treat leaves, branches and tree trunks penetrating dense foliage.

Use on the following crops: Asparagus, Beans, Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Celery, Collards, Cranberries, Eggplant, Kale, Lettuce, Mustard Greens, Peppers, Potatoes, Radishes, Spinach, Tomatoes and Turnips. To Control: Aphids, Asparagus Beetles, Blister Beetles, Cabbage Loopers, Colorado Potato Beetles, Cross-Striped Cabbageworms, Diamondback Moth

Larvae, Fireworms, Flea Beetles, Green Peach Aphids, Harlequin Bugs, Imported Cabbageworms, Leafhoppers, Leaftiers, Mexican Bean Beetles, Stink Bugs, 12-Spotted Cucumber Beetles, Webworms and Whiteflies.

## **Storage And Disposal**

**Storage:** Store in a cool, dry (preferably locked) storage area inaccessible to children and pets. Protect from freezing **If Empty:** Do not reuse empty container.Place in trash or offer for recycling if available. If Partly Filled; Call your local solid waste agency or 1-800-Cleanup for disposal instructions. Never place unused product down any indoor or outdoor drain.

## PRECAUTIONARY STATEMENTS

## Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. When used indoors, remove pets, birds and cover fish aquariums before spraying.

	First Aid
If Swallowed	<ul> <li>Immediately call a poison control center or doctor for treatment advice.</li> </ul>
	• Have person sip a glass of water if able to swallow.
	• Do not induce vomiting unless told to do so by the poison control center or doctor.
	• Do not give anything by mouth to an unconscious person.
If Inhaled	Move person to fresh air
	• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by
	mouth-to-mouth if possible.
	Call a poison control center or doctor for further treatment advice.
If on Skin or Clothing	• Take off contaminated clothing.
	• Immediately rinse skin with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.
If in Eyes	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> </ul>
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	Call a poison control center or doctor for treatment advice.
Have the product container	or label with you when calling a poison control center or doctor, or going for treatment. [You may also
contact 1-800-xxx-xxxx for	emergency medical treatment information.]

{Note: The First Aid statements' grid format will be used if market label space permits; otherwise a paragraph format will be used. }

## **Environmental Hazards**

This product is toxic to fish. Do not apply directly to water or contaminate water by cleaning of equipment or disposal-of wastes.

## Physical or Chemical Hazards

Do not use or store near heat or open flame.

EPA Reg. No. 40849-65EPA Est.Product Code:CopyMade in U.S.A.

Manufactured [Distributed] By ENFORCER® PRODUCTS A division of Acuity Specialty Products Group, Inc. P.O. Box 1060 Cartersville, GA 30120-1060

Questions? Call [xxx-xxxx], Monday-Friday, 9am-5pm EST www.[url].com