

7/18/2003

Ms. April Hawkes
Regulatory Manager
Enforcer Products
A Division of Acuity Specialty Products Group, Inc.
PO Box 1060
Cartersville, GA 30120-1060

JUL 18 2003

Subject: Amendment - Update First Aid Statements/Disposal Instructions
Enforcer Home Pest Control X
EPA Registration No. 40849-74
Your Submission Dated March 10, 2003

Dear Ms. Hawkes:

The amendment referred to above, submitted in connection with registration under section 3 (c)(5) of the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable, subject to the comments listed below.

1. Delete the statement "New Formulation" from the label. You may only use the descriptor "new" for a period of 6 months from the Notice of Registration or Alternate Formulation Approval.
2. Delete the statement "No Unpleasant Odor" from the label. This is a subjective statement based on the sensitivity of the user.
3. On page 2 first paragraph add "or served" to the end of the last sentence.

A stamped copy of the label is enclosed for your records. If you have any questions, please call Dr. William Sproat of my team at 703-308-8587.

Sincerely,

George T. LaRocca
Product Manager 13
Insecticide Branch
Registration Division (7505C)

Enclosure

ENFORCER[®] HOME PEST CONTROL X

- For Indoor and Outdoor Use
- Ready-to-Use
- Easy-to-Use
- Water-Based
- New Formulation
- Kills on Contact
- Kills Fast!
- Long-Lasting
- Keeps Killing for up to 30 [60] [90] [120] Days!
- Keeps Killing for up to 4 [8] [12] [16] Weeks!
- Keeps Killing for up to 1 [2] [3] [4] Months!
- No Drips – No Runs
- Stays Where You Put It
- Odorless
- No Unpleasant Odor
- Non-Staining
- Does Not Stain Surfaces
- Does Not Stain Fabrics
-
- No Oily [Greasy] Residue
- Contains Deltamethrin – the third generation pyrethroid
- Contains Deltamethrin
- No Shaking Required
- No-Shake Formula
- Novel – No Drip Formula
- For Use In and Around Horse Stables
- For Use on House Plants
- For Use on Ornamental Plants
- Kills Fleas
- Kills Home Invading Pests
- Kills Spiders, Centipedes & Scorpions
- Kills Roaches, Ants & Fleas on Contact!
- Kills Pantry Pests
- Kills Aphids, Mealy Bugs, Lace Bugs, Thrips, Leafminers & Mites
- Kills Spider Mites
- Kills Japanese Beetles

Not for use on plants grown for sale or other commercial use.

ACTIVE INGREDIENT:

Deltamethrin	0.02%
OTHER INGREDIENTS	99.98%
Total	100.00%

ACCEPTED
with COMMENTS
in EPA Letter Dated
JUL 18 2003
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
40849-74

Keep Out of Reach of Children
CAUTION
See back panel for additional precautionary statements .

Net Contents: _____ Fl. Oz. (____ mL)
[24 Fl. Oz. (709 mL) 32 Fl. Oz. (946 mL) 1 gallon (128 Fl. Oz. / 3.78 L)]

{Back Panel}

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General Information: Hold container upright. Do not spray into air. Apply to surfaces only as a spot crack and crevice treatment. Turn sprayer nozzle to "on" position. Hold approximately 12 inches from surface to be sprayed. Squeeze trigger to spray until surface is slightly moist.

Enforcer Home Pest Control X's [This product's] long-lasting action keeps on killing for up to [30, 60, 90, 120 days; 4, 8, 12, 16 weeks; 1, 2, 3, 4 months] after the initial treatment . Contact kill provides immediate results when directly spraying insects , while residual activity kills insects when they return to treated areas. This product will not stain surfaces or fabrics.

Enforcer Home Pest Control X [This product] is for use in and around residences and their immediate surroundings such as (but not limited to): apartments, atriiums, attics, automobiles, basements, bathrooms, boats, cabins, campers, , clothes storage, condominiums,

decks, dens, driveways, garages, gazebos, homes, kitchens, lanais, living rooms, parlors, patios, pet sleeping areas, playrooms, porches, recreational vehicles, rooms, solariums, storage areas, sunrooms, utility rooms and verandahs. Do not use in commercial food handling establishments, restaurants or other places where food is commercially prepared or processed.

INDOORS:

Cockroaches (including adult and immature stages of both non-resistant and organophosphate and carbamate resistant strains), Ants, Boxelder Bugs, Centipedes, Crickets, Firebrats, Fleas, Silverfish, Sowbugs and Waterbugs: Apply as a spot and crack and crevice treatment to areas where these pests crawl and hide, especially in cracks and crevices and hidden areas around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets and stoves, the underside of shelves, drawers and bookcases and similar areas. Cover all food handling surfaces and cover or remove all food and cooking utensils or wash after treatment. Repeat as necessary but not more often than [30, 60, 90, 120 days; 4, 8, 12, 16 weeks; 1, 2, 3, 4 months].

[**ROACHES:** Spray in cracks and crevices, around baseboards and other hiding places.]

Ants: Spray around ant trails, doors, windows and other places where ants enter the premise . Repeat as necessary but not more often than [30, 60, 90, 120 days; 4, 8, 12, 16 weeks; 1, 2, 3, 4 months].

Carpenter Ants: For effective control, locate and treat nests and surrounding areas. Apply around doors, windows and other places where ants enter premises as well as where they crawl and hide. Spray into infested wood through existing openings.

Fleas on Surfaces: Remove pet bedding and destroy or thoroughly clean . Spray pet resting quarters. Adult fleas and larvae contacted by spray will be killed. To kill flea eggs, use a product that contains a flea growth regulator. Put fresh bedding down once spray has dried. Do not spray animals with this product . For best results, pets should be treated with an appropriate flea control product registered for use on pets before allowing them to return to the treated area. Spray carpets and rugs where infestations are bad. Treat as inconspicuous area of delicate fabrics for staining prior to use.

Spiders: Apply along and behind baseboards, to window and door frames, corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

Centipedes, Ground Beetles, Pillbugs, Sowbugs and Scorpions: Apply around doors, windows and other places where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found.

[**SILVERFISH, CRICKETS & SPIDERS:** Apply to areas infested by these pests.]

FLYING INSECTS: Houseflies, Gnats, Mosquitoes and Small Flying Moths: Spray localized resting areas, such as under eaves, porches, inside surfaces of window and door frames, surfaces around light fixtures and cords, railings, etc. and anywhere else these insects may rest. Insects coming to rest on treated surfaces will be killed.

FLYING INSECTS: Spray resting areas. Insects coming to rest on treated surfaces will be killed.]

HORSE STABLES: To Control House Flies, Mosquitoes and Gnats: Thoroughly apply thoroughly to surfaces until wet. Insects coming to rest on treated surfaces will be killed or repelled. Repeat treatment as necessary but not more often than [30, 60, 90, 120 days; 4, 8, 12, 16 weeks; 1, 2, 3, 4 months]. Do not spray animals or humans, or apply to animal feed or watering equipment.

PANTRY PESTS: Grain Beetles (Rusty, Merchant an Saw-Toothed), Flour Beetles (Red and Confused), Cigarette Beetles, Clover Mites, Drugstore Beetles, Elmleaf Beetles, Rice Weevils, Lesser Grain Borers, Spider Beetles and Tobacco Moths: Treat exposed stages. Remove all foodstuffs, utensils and shelf paper from area to be treated. Throw away used shelf paper and any infested foodstuffs. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow to dry prior to replacement of shelf paper, food and utensils. Wash any exposed food-handling surfaces and utensils before use.

Carpet Beetles (Black, Furniture and Varied): Spray on and under edges of floor coverings, under rugs and furniture, in closets and other localities where these insects are found.

Webbing Clothes Moths: Use this product as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on clothes. Do not apply to clothing.

Bedbugs and Lice: Remove linens and wash before reuse. Lightly spray mattresses, especially tufts, folds and edges. Apply to the interior of the frame. Allow to dry before remaking bed.

OUTDOORS:

Point sprayer away from face. Hold sprayer at a slightly downward angle, approximately 12 inches from surface to be sprayed. Spray with wind if breeze is blowing.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: *For control of building infestation by Ants, Clover Mites, Crickets and Sowbugs (Pillbugs):* Spray foundation of building where insects are active and may find entrance up to a height of 2 to 3 feet. Apply to outside surfaces of buildings where insects tend to congregate. Spray areas including (but not limited to) screens, window frames, eaves, porches, patios, garages and refuse dumps. Repeat treatment as necessary but not more often than [30, 60, 90, 120 days; 4, 8, 12, 16 weeks; 1, 2, 3, 4 months].

CRAWLING INSECTS: *Ants, Cockroaches (including Asian Cockroaches), Centipedes, Crickets, Mole Crickets, Waterbugs and Silverfish:* Spray infested surface of patio or picnic area. Also, spray legs of tables and chairs.

Ants: Spray around ant trails, hills and nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and spray on and around debris. Repeat as necessary but not more often than [30, 60, 90, 120 days; 4, 8, 12, 16 weeks; 1, 2, 3, 4 months].

[*ANTS:* Spray ant trails and hills. If nest can be located, spray surface of nest until wet.]

Crickets and Fleas: Thoroughly apply to infestation in bushes, grass or weeds.

Wasps, Hornets, Yellow Jackets and Bees: Spray nests and other surfaces where bees may rest. Aim spray at nest openings. Apply in late evening when insects are at rest.

FLYING INSECTS: *Houseflies, Gnats, Mosquitoes and Small Flying Moths:* Spray outside surfaces of windows, door frames and other areas where these pests may enter the premise. Also, spray localized resting areas (such as under eaves, porches, surfaces around light fixtures and cords, railings, etc.) where these insects may rest. Insects coming to rest on treated surfaces will be killed.

TERMITES, CARPENTER ANTS AND CARPENTER BEES (only for localized control): Apply Enforcer Home Pest Control X [this product] to voids or channels in damaged wood of a structure, to cracks, crevices and spaces in and between wooden portions of a structure or between wood and the foundation, in locations vulnerable to attack (such as crawl spaces). Retreat if needed but not more often than [30, 60, 90, 120 days; 4, 8, 12, 16 weeks; 1, 2, 3, 4 months].

For termites, the purpose of such applications is to kill workers or winged forms that may be present in the treated areas at the time of application. Not recommended as sole protection against termites. For active infestations, get a professional inspection.

HOUSE PLANTS: *To Control Aphids, Japanese Beetles, Lace Bugs, Leafminers, Mealy Bugs, Mites and Spider Mites:* Prior to spraying, remove plants from living and eating areas. Put in an area not likely to come in contact with pets, children or food. Plants can be returned to original location when leaves are dry. If plants cannot be moved, cover or remove exposed food and food handling surfaces. Do not spray surrounding areas.

Apply spray to upper and lower surfaces of foliage. Avoid wetting blossoms if possible. Repeat applications weekly or as necessary but not more often than [30, 60, 90, 120 days; 4, 8, 12, 16 weeks; 1, 2, 3, 4 months].

FOR CONTROL OF ORNAMENTAL GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill *Japanese Beetles, Whiteflies, Aphids, Army Worms, Lace Bugs, Mealy Bugs, Exposed Thrips, Pavement Ants, Spiders, Spider and Red Mites, Clover Mites and Leafminers.*

May be used on plants, as well as a multi-purpose spray in small ornamental gardens and for spot treatments to prevent insects from spreading into large garden areas.

May also be used on other plants such as *African violets, asters azaleas, begonias, camellias, carnations, chrysanthemums, delphiniums, dogwood, English ivy, euonymus, fuschia, geraniums, crassula, grapevine, Kentia palm, laurel, marigolds, rhododendrons, rubber plants, snapdragons, stocks, wandering Jews and zinnias.*

When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. DO NOT apply to vegetable plants or other plants used for food. Spray insects directly whenever possible. Repeat treatment as necessary but not more often than [30, 60, 90, 120 days; 4, 8, 12, 16 weeks; 1, 2, 3, 4 months].

Storage and Disposal

Storage: Store in a cool, dry (preferably locked) storage area inaccessible to children and pets. Protect from freezing. If Empty: Do not reuse this container. Place in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency or 1-800-Cleanup for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Contact with product may result in transient tingling and reddening of the skin. Avoid contact with skin or clothing.
First Aid

If on Skin or Clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Immediately rinse skin with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
-------------------------------	---

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. [You may also contact 1-800-xxx-xxxx for emergency medical treatment information.]

{Note: The First Aid statements' grid format will be used if market label space permits; otherwise a paragraph format will be used.}

If in the event of an animal-related emergency, call the national Animal Poison Control Center at 1-800-345-4735.

Environmental Hazards

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater or rinsate. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

Physical or Chemical Hazards

Do not apply this product in or on electrical equipment due to the possibility of shock hazard.

EPA Reg. No. 40849-74

EPA Est. 40849-GA-1

[Postscript is first letter of code number on bottom of can.]

Copy: _____ Made in USA Product Code: _____

Manufactured [Distributed] By

ENFORCER PRODUCTS

A division of Acuity Products Group, Inc.

P.O. Box 1060

Cartersville, GA 30120-1060

Questions? Call [xxx-xxx-xxxx], Monday-Friday, 9am-5pm EST

[www.\[url\].com](http://www.[url].com)