

Precautionary Statements
Hazards to Human and Domestic Animals

DANGER

Corrosive. Causes eye and skin damage. Do not get in eyes, skin or on clothing. Wear goggles and rubber gloves when handling. Harmful or fatal if swallowed. Avoid breathing dust. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Keep out of lakes, streams, and ponds. Treated effluent should not be discharged into lakes, streams, ponds, or public waters unless in accordance with NPDES permit. For guidance consult the regional office of EPA.

PHYSICAL AND CHEMICAL HAZARDS
STRONG OXIDIZING AGENT:

Strong Oxidizing Agent. Use only clean dry utensils and mix with water only. Mixing other chemicals or gross filth (urine, feces, etc.) will start a chemical reaction resulting in release of toxic gases, heat, and possibly fire. In case of decomposition, isolate container in open air if possible, and flood with large volumes of water.

STORAGE AND DISPOSAL

Store in a cool, dry area away from direct sunlight or heat. In case of spill flood area with large quantities of water. Rinse empty container thoroughly with water and discard by placing in trash collection or burying it in an approved landfill area. Do not contaminate food or feed by storage, disposal, or cleaning of equipment.

CHEMLAND

Manufactured by
CHEMLAND, INC. • TURLOCK, CA 95380 MEMPHIS, TN 38107

ACCEPTED

OCT 18 1980

40871-6
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
Registration No. 40871-6
EPA Reg. No. 40871-6

C-SAN 28
WASH SANITIZER

ACTIVE INGREDIENTS

Sodium dichloro-s-triazinetriene dihydrate 28%
(provides 15.8% available chlorine)

INERT INGREDIENTS 72%

KEEP OUT OF REACH OF CHILDREN
DANGER

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Drink promptly a large quantity of water.
Do not induce vomiting. Avoid alcohol.
Get medical attention.

If In Eyes: Flush with plenty of water for 15
minutes. get medical attention

If On Skin: Wash with plenty of soap and water. Get
medical attention if irritation persists.

NOTE TO PHYSICIAN: Probable mucosal damage may
contraindicate the use of gastric lavage.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

C-SAN 28 WASH SANITIZER is recommended for use in spray machines to sanitize and clean eggs.

FOOD EGG SANITIZATION - Thoroughly clean all eggs. Thoroughly mix 1 oz. of this product with 10 gallons of warm water to produce a 100 ppm available chlorine solution. The sanitizer temperature should not exceed 130°F. Spray the warm sanitizer so that the eggs are thoroughly wetted. Allow eggs to thoroughly dry before casing or breaking. Do not apply a potable water rinse. The solution should not be re-used to sanitize eggs.

FOR DISHES, GLASSES, FOOD PROCESSING EQUIPMENT AND UTENSILS: Dissolve 1 or 2 oz. of C-SAN 28 WASH SANITIZER per 10 gal. of warm (125°F) water. This provides 100 or 200 ppm of chlorine respectively. Clean and rinse items prior to sanitizing. Then dip the items to be sanitized in solution and hold for 2 to 3 minutes. Remove and allow sanitizer to drain and air dry. The same solution may be used in the feed tank in immersion or spray type machines providing 2 to 5 minutes contact time for sanitizing dishes, glasses, and food processing equipment and utensils. Do not rinse equipment with water after treatment and do not soak equipment overnight.

The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional C-SAN 28 WASH SANITIZER should be added to maintain a concentration of 100 ppm available chlorine.

EPA REG. NO. 40871-6
EPA EST. NO 40871-CA-1

NET CONTENTS: