PRECAUTIONARY STATEMENTS HAZARDE TO HUMANS & DOMESTIC ANIMAL

CAUTION

Hormful if evaluated or absorbed through skin. Avoid breathing uppors or spray mist. Avoid contact with skin and over. In mose of contact, immediately flush eyes or skin with plong of water. Obtain medical attention if irritation persists. If weallowed, or not induce vomiting. Call a physician immediately.

Do not active frectly to food. In commercial food handling facilities of their or remove any food and food processing equire the during application. Do not apply while food pro**cession of underway.** After space spraying in meat packing **plane bakeries and other food processing plants, wash all thent, benches, shelving, etc., where exposed food will standled, with potable water. In the home, all food processing surfaces and utensils should be covered during treattion, or thoroughly washed before use.**

Remove pets, birds, and cover fish aquariums before sprayling.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and birds. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

Trivite rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures. SURESECT P-3

ACTIVE INGREDIENTS:

Pyrethrins		 . 0.3% :
*Piperonyl Butoxide,	Technical	 . 2.4%
		 100.0%

*Equivalent to 2.0% (butylcarbityl) (6-propylpiperonyl) ether and 0.4% related compounds.

CAUTION KEEP OUT OF REACH OF CHILDREN

See side panel for additional

Precautionary statements.

NET CONTENTS:

EPA. REG. NO. 40871-11 EPA. EST. NO. 40871-TN-1



Manufactured by BEST DOCL CHEMLAND, INC. MEMPHIS, TN • 38116

DIRECTIONS FOR USE

t it is a violation of Federal Law to use this product in a manner in-

This ready-to-use concentrate may be dispersed through good mechanical, thermol or compressed air fogging or spraying equipment. If used in edible product while of federally inspected meat, poultry, shell egg grading and expected in tertablishments, it must be dispersed as an aerosol eprint. A second point of the second second

The use of this product as a space spray infleed processing plants should be confined to time periods when the plant is not in operation. Foods should be removed or covered during treatment, or thoroughly cleaned before using. Remove pets, birds, and court fish aquariums before spraying.

For Application in Specialized Mechanical, Thermol, or Compressed Air Fogging Equipment such as Tifa Fog, Challenger, Microsol, Tornado, Halaby Klip-On or Bes-Kil Aerosol Generator.

For Use in Bakeries, Food Plants, Restaurants, Hotels, Motels, Hospitals, Schools, Office Buildings, and Food Processing or Handling Plants.

SPACE TREATMENT: Close doors and windows and shut off ventilating systems. Apply as a fog or fine mist, distributing the spray throughout the area. Use at a rate of 1 ounce per 1000 cubic feet of space. Direct spray behind and under obstructions and contact crawling insects whenever possible. Keep area closed for 10 to 15 minutes. Vacate treated area and ventilate before reoccupying. Repeat treatment as necessary.

~**A**

The above described application will kill accessible exposed stages of flies, including fruit flies, mosquitoes, silverfish, small flying moths, gnats, crickets, roaches, spiders, scorpions, wasps, hornets, clover mites, cheese mites, cheese skippers and these common stored product pests: granary weevils, rice weevils, confused flour beetles, saw-tootled grain beetles, spider beetles, cigarette beetles, Drugstore beetles, Angournois grain moths, Mediterranean flour moths, Indian meal moths, Tobacco moths, meal worms and grain mites.

SURFACE APPLICATION: To insure maximum control of crawling insects listed, apply as a coarse mist directed toward insects, into cracks, crevices, around machinery, around containers of stored products and other areas wherever these insects may hide. Repeat as necessary.



