

Apply with Equipment Designated and Adjusted to Deliver a True Aerosol Mist.

ACTIVE INGREDIENTS:

Pyrethrins 0.5%

*Piperonyl Butoxide, Technical 5.0%

INERT INGREDIENT:

Petroleum Distillate 94.5%

100.0%

*Equivalent to 4.0% (butylcarbityl) (6-propylpiperonyl) ether and to 1.0% related compounds.

CAUTION
KEEP OUT OF REACH OF CHILDREN.

See side panel for additional
Precautionary statements.

EPA REG. NO. 40871-12
EPA EST. NO. 40871-TN-1

ACCEPTED

MAY 6 1987

CHEMLAND

For the Federal
Pesticide, and its
recommended, for the
stored under
Reg. No. 40871-12

Manufactured by
CHEMLAND, INC.

TURLOCK CA 95380 MEMPHIS, TN 38107

Concentrations use a fogger or vaporizer... droplets over 50 microns in diameter and 80%... the rate of 1 ounce per 1000 cubic feet of obstructions... 15 minutes. Vacate the treated area and ventilate before... ment as necessary. In other than Official Meat and Poultry Est... bination of spot surface treatment and logging is recommended.

SURFACE SPRAYING: To control roaches, ants, silverfish, spiders, crane fly, clover mites, cheese mites, granary weevils, rice weevils, confused flour beetles, rust red flour beetles, saw-toothed grain beetles, spider beetles, cigarette beetles, Drugstore beetles, meal worm, grain mites, and cadellid. Use a good sprayer adjusted to deliver a coarse wet spray. Direct the spray into hiding places, cracks and crevices, under pallets, around containers of stored foods, around the base of machinery, behind shelves and drawers. For silverfish, spray bookcases. For ants, spray trails, nests and points of entry. If surface application only is to be used, spray floors, walls, and other surfaces applying at a rate of 1 gallon to 750 square feet of surface.

To control carpet beetles: Spray edges of carpeting and under carpeting and rugs. Make a localized application to floor and baseboards. Spray directly into cracks, closets, and infested areas of shelving. Repeat treatment as necessary.

To control bedbugs: Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, mouldings, and floors. Repeat treatment as needed.

To control flea and brown dog ticks: Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, mouldings, window and door frames, and localized areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals with an approved insecticide is recommended. Repeat treatment as needed.

To control clothes moths: Remove any infested articles from storage, brush thoroughly and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus, and other storages, directing the spray into cracks, joints, and crevices. After airing, infested articles may be treated tightly keeping nozzle at least three feet from fabric to avoid staining. Store clothes in moth tight containers or repeat treatments monthly.

OUTDOOR ADULT MOSQUITO CONTROL: Apply as a fine mist to thoroughly treat the entire area. For best results, treat when the wind velocity does not exceed 5 miles per hour. Treat shrubbery or vegetation where mosquitoes may rest, low marshy areas, stagnant pools or ponds and shore lines. Apply at a rate of 0.4 gallon per acre (1 ounce per 1000 square feet).

Using truck-mounted conventional misting equipment traveling at 5 m.p.h., to treat 300 foot swath, calibrate equipment to deliver 1.5 gallons per minute.

BEST AVAILABLE COPY

DOT SHIPPING NAME
INSECTICIDE LIQUID N.O.S. COMBUSTIBLE

...medial... or skin with plenty of water. Obtain
...entire... on persists.
...apply... to food. In commercial food handling facilities,
...or... food and food processing equipment during ap-
...ation... apply while food processing is under way. After
...in meat packing plants, bakeries, and other food pro-
...cessing plants, these areas are ventilated to remove insecticide
...the facilities and equipment are thoroughly washed with
...acceptable detergent solution and rinsed with potable water to
...all traces of contamination. In the home, all food processing
...utensils should be covered during treatment and
...thoroughly washed with an acceptable detergent and rinsed with
...er.

STORAGE AND DISPOSAL

PRODUCT STORAGE: Keep away from heat. Store in dry area. Keep container lid closed.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

1987-1990

2
U
S
E
R
S