

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS**

**CAUTION**

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After space spraying in meat packing plants, bakeries, and other food processing plants, these areas are ventilated to remove insecticide odors, and the facilities and equipment are thoroughly washed with an acceptable detergent solution and rinsed with potable water to remove all traces of contamination. In the home, all food processing surfaces and utensils should be covered during treatment and thoroughly washed with an acceptable detergent and rinsed with water.

**STORAGE AND DISPOSAL**

**PRODUCT STORAGE:** Keep away from heat. Store in dry area. Keep container lid closed.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**CHEMLAND**

Manufactured by  
**CHEMLAND, INC.**

MEMPHIS, TENNESSEE • TURLOCK, CALIFORNIA

**SURESECT-500**

**SYNERGIZED PYRETHRUM SPRAY**

For Use in the Home, and Non-Food and Food Areas of:  
Food Processing Plants, Schools, Warehouses,  
Office Buildings, Theatres, Garages,  
Hotels, Motels, Kennels,  
and Hospitals

**ONLY FOR SALE TO, USE AND STORAGE BY SERVICE PERSONS**

**ACTIVE INGREDIENTS:**

Pyrethrins.....	0.50%
*Piperonyl butoxide, technical.....	1.00%
2N-Octyl bicycloheptene dicarboximide.....	1.67%

**INERT INGREDIENTS:**

Petroleum distillate	96.83%
<b>TOTAL</b>	<b>100.00%</b>

\*Equivalent to .60% (butylcarbityl)(6-propyl-piperonyl) ether and .20% related compounds.  
2MGK-264, Insecticide Synergist.

**NET CONTENTS: \_\_\_\_\_ GALLONS**

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN.**

See side panel for additional  
Precautionary statements.

EPA Reg. No. 40871-24  
EPA Est. 40871-CA-1

**ACCEPTED**

JAN 23 1975

**BEST AVAILABLE COPY**

**40871/24**

881001  
# 40871-24  
107

DIRECTIONS FOR

It is a violation of Federal Law to be inconsistent with its labeling.

Will also be used in hospitals, patient treatment. Ventilate for two hours, at patients to room until after ventilate.

**FIXING EQUIPMENT AND HAND SPRAYERS** insect infesting dried fruit product. Close room or warehouse and shut off a this product as a fine mist in the air fruit. Use a spraying device similar fixed ceiling sprayers that produce a fruit directly. If overhead sprayer is discharged from a position of at le fruit. Use a dosage of 1 gallon of ti room space. Repeat applications as ne do not exceed more than ten applicatio month. More than ten applications may diluted with more petroleum distillate synergists in the final spray are redi remain in treated areas. Ventilate ti leted. Maximum dilution is 1 part SURE

\*Indian Meal Moth, Dried Fruit Beetle  
Saw-toothed Grain Beetle and Roaches

To kill the adult and accessible forms stored in multiwall paper bags or cl rooms and similar locations: Close re ventilating systems. Use a spraying machine, or use fixed ceiling sprayer. Use a dosage of one fluid ounce of thi room space. Do not remain in treated treatment is completed. Repeat applic control.

\*Rice Weevil, yellow Meal Worm, Cade toothed Grain Beetle, Angoumois Gra and Indian Meal Moth.

To kill flies, mosquitoes and gnats: mist as described above. Use a dosage cubic feet of room space. Leave room Sweep up and destroy fallen insects. Do not remain in treated areas. Vent completed.

**IN PRESSURIZED TANK SPRAYERS FOR WETT** spray to kill the accessible stages o Confused Flour Beetles, Rust Red Flour Beetles, Caddies, Meal Moth Larvae a

**Store Beetles and Granary Weevils:** A areas infested by these insects. Use square feet. Pay particular attentio walls and ceilings. Spray thoroughly conveyors and other areas where grana flying Moths and Beetles, treat as fo See Above.) Do not apply this spray t tact with food, excessive residues in

To kill Roaches, Silverfish and Ma Apply this spray with a sprayer th lets into all cracks and crevices sinks, areas behind pipes, and in shelter. Contact as many insects for control. Do not allow spray t

In Mushroom Production and Process AcTards, and LecidomyTids in Growi ounce per 1000 cubic feet of space to 10 feet away from beds and dire Circulating fans should be left in refrigeration should be turned off use at a rate of 1 ounce to 2000 c