

QUAT 150

RECEIVED

JUL 26 1982

PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**
DANGER

CAUSES EYE DAMAGE
CAUSES SEVERE SKIN IRRITATION
ESPECIALLY TO BROKEN SKIN
HARMFUL IF SWALLOWED

Do not get in eyes, on skin or on clothing.
Wash goggles with fresh water and rubber gloves when
handling this product.
Remove and wash contaminated clothing.
Do not take internally.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food, or feed by storage or
disposal. Open dumping is prohibited. If plastic, do not reuse
empty container.

DISPOSAL: Pesticide or insecticide that cannot be used or chemically
reprocessed should be disposed of in a unit approved for pes-
ticides or buried in a safe place away from water supply. Triple
rinse for equivalent containers and for metal containers offer for
recycling or reconditioning. For plastic containers, dispose in an
incinerator or dispose in landfill approved for pesticide containers
or bury in a safe place. Consult federal, state or local disposal
authorities for approved alternative procedures.

**FOR INDUSTRIAL AND
INSTITUTIONAL USE ONLY**

ProClean

PROCLEAN, INC.
2961-B OLYMPIC IND. DRIVE
ATLANTA, GA. 30080

ProClean Plants: Atlanta, Boston, Cincinnati, Cleveland, Dallas,
Fl. Worth, Denver, Honolulu, Houston, Kansas City, Los Angeles,
Philadelphia, Phoenix, St. Louis, Tampa, Washington, D.C.

DISINFECTANT - CLEANER - FUNGICIDE - DEODORANT

ACTIVE INGREDIENT

n-Aq₄ 50% C₁₄ 40% C₁₂ 10% C₁₆ dimethyl benzyl ammonium chloride 1.5%

INERT INGREDIENTS

98.5%

Total

100.0%

KEEP OUT OF THE REACH OF CHILDREN
**SOLD FOR USE AND STORAGE BY SERVICE
PERSONNEL ONLY**

DANGER

STATEMENT OF PRACTICAL TREATMENT

IF IN THE EYES: Flush with plenty of water for at least 15 minutes. Call a physician.

IF ON THE SKIN: Wash thoroughly with soap and water. Remove and wash contam-
inated clothing before reuse.

IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, gelatin solution or if
these are not available, drink large quantities of water. Avoid alcohol. Call a physician
immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures
against circulatory shock, respiratory depression and convulsion may be needed.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Est. No.
EPA Reg. No. 40883-1

NET CONTENTS

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

Registration No. 115-767

FOR CLEANING

Lightly soiled areas: - surfaces, scrub with a solution containing 5.6
ounces of QUAT 150 per gallon of water. Rinse cleaned
area with fresh water.

Heavily soiled areas: - most floors, scrub with a solution containing 5.6
ounces of QUAT 150 per gallon of water. Rinse cleaned surface with fresh water.

GENERAL PURPOSE DISINFECTION

To disinfect walls, floors and other hard non-porous surfaces in homes, schools,
restaurants and other public areas, mop or brush with a fresh solution containing
5.6 ounces of QUAT 150 per gallon of water. Soak or scrub thoroughly wetted
surfaces for ten minutes. All soiled surfaces must be pre-cleaned prior to disinfect-
ing. Follow directions for cleaning. These surfaces which may later come in con-
tact with food must be rinsed with clear water of drinking quality. Do not reuse solution.

To disinfect hard non-porous surfaces in hospitals, schools, etc., always
scrub and mop against grain, scrubbing thoroughly. Mop or brush with a fresh
solution containing 5.6 ounces of QUAT 150 per gallon of water. Soak or scrub
thoroughly wetted surfaces for ten minutes. This solution will destroy *Staphylococcus*
aureus, a causative agent of the staph. All soiled surfaces must be pre-
cleaned prior to disinfection. Follow directions for cleaning. Do not reuse solution.

HOSPITAL DISINFECTION

To disinfect walls, floors, furniture and other hard non-porous surfaces in hospitals
and nursing homes, mop or brush with a fresh solution containing 5.6 ounces of
QUAT 150 per gallon of water. Soak or scrub thoroughly wetted surfaces for ten
minutes. All soiled surfaces must be pre-cleaned prior to disinfection. Follow direc-
tions for cleaning. These surfaces which may later come in contact with food, medi-
cine or vaccines should be thoroughly scrubbed with a solution containing 5.6
ounces of QUAT 150 per gallon of water and then rinsed with a fresh solution con-
taining 5.6 ounces of QUAT 150 per gallon of water before disinfection. Do not
reuse solution. This product has not been tested for effectiveness against
Mycobacterium tuberculosis and must not be used upon when tuberculous
infection is indicated by the user.

DEODORIZATION

Prior to deodorization of bathroom areas, garbage pails, diaper pails, food stor-
age areas, kennel areas and other areas where objectionable odors may develop, re-
move all garbage, refuse, food and animals. Pre-clean surfaces using pres-
sured water where possible before deodorization. To deodorize mop or brush
surfaces thoroughly with a solution containing 5.6 ounces of QUAT 150 per gallon of
water.

GENERAL INFORMATION

QUAT 150 is an effective anti-bacterial cleaner designed for use in household, in-
dustrial and institutional cleaning. When used as directed, QUAT 150 will disinfect
hard non-porous surfaces such as floors, walls, countertops and furniture. It may
be used prior to deodorize bathroom areas, garbage pails, diaper pails, food stor-
age areas, animal quarters and other areas where objectionable odors may develop.
This product may be used to control pathogenic fungi and as a general purpose
anti-bacterial detergent in homes, schools, restaurants, hospitals, nursing homes,
public rooms and other places where efficient cleaning and antimicrobial action is
desired.

MADE IN U.S.A.

SEP 08 1982

EPA Reg. No. 40883-1