


B-220 is a highly effective algicide and bactericide for use in controlling algae and bacterial slimes found in recirculating cooling towers, air washers and evaporative condensers.

In those cases where accumulations of organic matter and or dirt are excessive, a cleaning and flushing of the system should be carried out prior to initiating the microbiocide treatment.

Apply microbiocide at a point where uniform distribution is assured such as the tower sump.



## DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Manually clean heavily contaminated systems first.

Apply as follows:

Initial Dose: 13 to 26 fl. oz. per 1000 gal. of system volume twice weekly or as often as required to obtain control of organic accumulations.

Subsequent Dose: 4 to 8 fl. oz. per 1000 gal. of system volume twice weekly or as often as necessary to maintain control.

Apply at a point where uniform distribution is assured such as the tower sump.

### DANGER

#### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS and DOMESTIC ANIMALS

Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

#### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public water unless in accordance with an NPDES permit.

For guidance contact your regional office of EPA.

mtg. by: CORROSION CONTROL SERVICES Phila., PA

#### ACTIVE INGREDIENTS

Didecyl dimethylammonium chloride ..... 20%  
Isopropyl alcohol ..... 8%  
INERT INGREDIENTS ..... 72%  
This product contains 8.2 lbs. per gal.

#### KEEP OUT OF THE REACH OF CHILDREN

#### DANGER

#### STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

See side panel for additional precautionary statements.

#### STORAGE AND DISPOSAL

##### 1. PROHIBITIONS

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

##### 2. PESTICIDE DISPOSAL

Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

##### 3. CONTAINER DISPOSAL

Triple rinse ( equivalent ) and dispose in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

##### 4. GENERAL

Consult federal, state or local disposal authorities for approved alternative procedures, such as limited open burning.

E.P.A. Establishment No. 40916-PA-1  
E.P.A. Registration No. 40916-6

NET CONTENTS \_\_\_\_\_ GAL