

QUAT 500

RECEIVED

JUL 26 1982

PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

DANGER
CAUSES EYE DAMAGE
CAUSES SEVERE SKIN IRRITATION
ESPECIALLY TO BROKEN SKIN
HARMFUL IF SWALLOWED

Do not get in eyes, on skin or on clothing.
Wear goggles or face shield and rubber gloves when
handling this product.
Remove and wash contaminated clothing.
Do not take internally.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food, or feed by storage or
disposal. Open dumping is prohibited. If plastic, do not reuse
empty container.

DISPOSAL: Pesticide or irritant that cannot be used or chemically
reprocessed should be disposed of in a landfill approved for pes-
ticides or buried in a safe place away from water supplies. Triple
rinse (or equivalent) all containers and for metal containers offer for
recycling or reconditioning (for plastic containers dispose in an
incinerator) or dispose in landfill approved for pesticide containers
or bury in a safe place. Consult federal, state or local disposal
authorities for approved alternative procedures.

FOR INDUSTRIAL AND
INSTITUTIONAL USE ONLY

ProClean

PROCLEAN, INC.
2961-B OLYMPIC IND. DRIVE
ATLANTA, GA. 30080

ProClean Plants: Atlanta, Boston, Cincinnati, Cleveland, Dallas,
Ft. Worth, Denver, Honolulu, Houston, Kansas City, Los Angeles,
Philadelphia, Phoenix, St. Louis, Tampa, Washington D.C.

DISINFECTANT - CLEANER - FUNGICIDE - DEODORANT

ACTIVE INGREDIENT

n-Alkyl (50% C₁₄, 40% C₁₂, 10% C₁₆) dimethyl benzyl ammonium chloride 5.0 %

INERT INGREDIENTS

Total

95.0 %

100.0 %

KEEP OUT OF THE REACH OF CHILDREN
SOLD FOR USE AND STORAGE BY SERVICE
PERSONNEL ONLY

DANGER

STATEMENT OF PRACTICAL TREATMENT

IF IN THE EYES: Flush with plenty of water for at least 15 minutes. Call a physician.

IF ON THE SKIN: Wash thoroughly with soap and water. Remove and wash con-
taminated clothing before reuse.

IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, gelatin solution or if
these are not available, drink large quantities of water. Avoid alcohol. Call a physician
immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures
against circulatory shock, respiratory depression and convulsion may be needed.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Est. No.
EPA Reg. No. 40883-1

NET CONTENTS

DIRECTIONS FOR USE GENERAL CLASSIFICATION

For use as a disinfectant, cleaner, fungicide, and deodorant (TS-767)

FOR CLEANING

Lightly soiled areas: Surfaces to be cleaned should be prepped or brushed with
a solution containing 1 ounce of QUAT 500 per gallon of water. Rinse cleaned
area with fresh water.

Heavily soiled areas: mop or brush soiled surface with a solution containing 2-3
ounces of QUAT 500 per gallon of water. Rinse cleaned surface with fresh water.

GENERAL PURPOSE DISINFECTION

To disinfect walls, floors, and other hard non-porous surfaces in homes, schools,
restaurants and other public areas, mop or brush with a fresh solution containing
1 ounce of QUAT 500 per gallon of water so as to maintain thoroughly wetted sur-
face for ten minutes. All soiled surfaces must be pre-cleaned prior to disinfection.
To use directions for cleaning. Those surfaces which may later come in contact
with food must be rinsed with clear water of drinking quality. Do not reuse solution.

To disinfect hard non-porous surfaces in cooler rooms, storage rooms, walkways
around pools and other areas against pathogenic fungi, mop or brush with a fresh
solution containing 1 ounce of QUAT 500 per gallon of water so as to maintain
thoroughly wetted surface for ten minutes. This solution will destroy *Trichophyton*
meridugale, a causative agent of athlete's foot. All soiled surfaces must be pre-
cleaned prior to disinfection. Follow directions for cleaning. Do not reuse solution.

HOSPITAL DISINFECTION

To disinfect walls, floors, furniture and other hard non-porous surfaces in hospitals
and nursing homes, mop or brush with a fresh solution containing 2 ounces of
QUAT 500 per gallon of water so as to maintain thoroughly wetted surface for ten
minutes. All soiled surfaces must be pre-cleaned prior to disinfection. To use direc-
tions for cleaning. Those surfaces that are heavily soiled with blood, fecal mat-
ter, or exudates should be thoroughly scrubbed with a solution containing 2
ounces of QUAT 500 per gallon of water and then rinsed with a fresh solution con-
taining 2 ounces of QUAT 500 per gallon of water before disinfection. Do not reuse
used solution. This product has not been tested for effectiveness against
Mycobacterium tuberculosis and must not be relied upon when tuberculosis
is suspected by the user.

DEODORIZATION

Prior to deodorization of bathroom areas, garbage pails, diaper pails, food stor-
age areas, kennel areas and other areas where odorous odors may develop, re-
move all garbage, refuse, food and/or animal. Pre-clean surfaces using pre-
saturated water where possible before deodorization. To deodorize, mop or brush
surfaces thoroughly with a solution containing 2 ounces of QUAT 500 per gallon of
water.

GENERAL INFORMATION

QUAT 500 is an effective anti-bacterial cleaner designed for use in household, in-
dustrial and institutional cleaning. When used as directed, QUAT 500 will disinfect
hard non-porous surfaces such as floors, walls, countertops and furniture. It may
be used prior to deodorize bathroom areas, garbage pails, diaper pails, food stor-
age areas, animal quarters and other areas where odorous odors may develop.
This product may be used to control pathogenic fungi and as a general purpose
anti-bacterial detergent in homes, schools, restaurants, hospitals, nursing homes,
public rooms and other places where efficient cleaning and antimicrobial action is
desired.

MADE IN U.S.A.

ACCEPTED
SEP 08 1982
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the purpose of
registered under the FIFRA Act
EPA Reg. No. 40883-2