	DIRECTIONS FOR USE GENERAL CLASSIFICATION
Sooner-Cide SC-711	It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Sooner-Cide SC-711 is used to control sulfate-reducing bacteria in petroleum secondary recovery waterflooding operations at dosages of 1.88 to 3.77 fl. oz. of Sooner-Cide SC-711 per 1000 gal. of water treated. Technical assistance in applying Sooner-Cide SC-711 to a
ACCETED	particular secondary recovery system is available upon request when a description of the problem is provided.
1.5k 1 8 1981	
ACTIVE INGREDIENT: Potassium dimethyldithiocarbamate	
This product contains 2.3 lb. of active ingredient per gallon and weighs 9.25 lb. per gallon.	STORAGE AND DISPOSAL
	PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinsate that cannot be
WARNING KEEP OUT OF REACH OF CHILDREN	used or chemically reprocessed should be disposed of in a landfill approved for pesticides, or buried in a safe place away from water supplies. CONTAINER DISPOSAL:
PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING: Causes eye damage and skin irritation. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid contamination of food. Wear gog- gles or face shield and rubber gloves when handling. Wash thoroughly after handling. STATEMENT OF PRACTICAL TREATMENT: In case of skin contact, wash with plenty of soap and water. Remove contaminated clothing and wash before reuse. If product gets in the eyes, flush immediately with copious amounts of clean, cool water for at least 15 minutes. Get medical attention immediately. If product is swallowed, call a physician immediately. If patient is conscious, induce vomiting by stroking or tickling the patient's throat or far back on patient's tongue. Emetics such as 2 teaspoonsful (10 mL) of ipecac syrup or 1 teaspoonful	<ul> <li>METAL: Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in an approved landfill or bury in a safe place. Containers over 30 gallons should be resealed before offering for reconditioning.</li> <li>PLASTIC: Containers under 30 gallons must not be reused but should be triple rinsed and disposed of in an incinerator or landfill approved for pesticide containers or buried in a safe place. Containers over 30 gallons are to be resealed and offered for reconditioning or triple rinsed (or equivalent) and offered for recycling, reconditioning, or disposal in an approved landfill or buried in a safe place.</li> <li>GENERAL: Consult Federal, State, or Local disposal authorities for approved alternative procedures.</li> </ul>
(5 mL) of dry mustard in warm water to form a paste or even soap in warm water can be used. Repeat until vomit fluid is clear. Then have patient drink plenty of	Manufactured by: Sooner Chemical Specialties, Inc.
milk, gelatin solution, beaten egg v/hitus, ilour and water, or other nonoily demulcent. Never induce vomiting or give anything by mouth to an unconscious person.	P. O. Box 711 Seminole, OK 74868
Note to physician: Probable mucosal damage may contraindicate gastric lavage. ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds, or public wat its unless in accordance with an NPDES permit. For guidance contact your Regional Office of the EPA.	EPA REG. NO. 40999-1     EPA EST. NO.       NET CONTENTS     77
and the print of greene contact year neglonic chine of the crist	

١

.

,

• •

.

4