· Pu - main join File



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

2 4

OFFICE OF
PREVENTION, PESTICIDES AND

Michael H. Watts KINCAID ENTEPRISES INC. P. O. Box 549 Nitro, WV 25143

Subject:

Label Amendment Submission of 11/01/93 in Response to PR Notice 93-7

EPA Reg. No. 41014-4

CHLORONEB 65W FUNGICIDE

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments reflected on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT:

By the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

- BEFORE selling or distributing any product bearing the fina, printed labeling AND
- WITHIN one year from date of this acceptance.

Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs (7505C)
U.S. Environmental Protection Agency
401 M Street, SW
Washington, D.C. 20460-0001

Hand or courier deliveries of final printed labeling may be made to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Sincerely,

Jim Tompkins, Deputy Chief Registration Support Branch Registration Division (7505W)

Attachment

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division

Michael H Watts KINCAID ENTEPRISES INC BOX 549 NITRO, WV 25143

Comment for: EPA Reg Nr.41014-4 CHLORONEB 65W FUNGICIDE

The following specific comments pertain to your WPS labeling submission concerning the product cited above:

Add the following statement to the "Personal Protective Equipment" section of your label: "Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry." The exact location for this statement is shown in Section A on Part 1 of the Product Worksheet in Supplement Three-A to PR Notice 93-7.

User Safety Recommendations must either be placed in a box or printed on the label in a contrasting color from surrounding text.

Gloves are not required for applicators and other handlers because the dermal and skin toxicity levels are 4. Please refer to page 17 of the Main Labeling Guidance.

Delete the crossed-out statements on your proposed label. They are redundant statements or phrases.

Correct the typographical errors circled on your proposed label.

BEST AVAILABLE COPY



ACCEPTED au comments In EPA Letter Dated

Under the Federal Inscetteida, disitie, and Redanticide Act secret mader EPA Rug. No. 4/0/4

CHLORONEB

FUNGICIDE

ACTIVE INGREDIENT:

INERT INGREDIENTS..... EPA Reg. No. 41014-4 U.S. Pat. 3.265.564

Keep out of reach of children.

CAUTION!

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS: CAUTION Swallowed: Harmful if swallowed, get medical attention.

Inhaled: May be harmful if inhaled, get medical attention.

Skin: Avoid contact with skin or clothing.

Eyes: Avoid contact with eyes. In case of contact with eyes, flush immediately with running water and get medical attention if imitation persists.

भारतीय हुन्। स्थापित कराने स्थापित स्थापित

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

Precautionary Statements: Caution ~ Harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash_thoroughly-after-handling. delete

Personal Protective Equipment: Handlers who may be exposed to the dilute through application or other tasks must wear:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks

Handlers who may be exposed to the concentrate through mixing, loading, Notherself APA application, or other tasks must wear:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks

User Safety Recommendations: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Style-Sharately- and

BEST AVAILABLE COPT

ENVIRONMENTAL HAZARDS

This product is toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

Storage: Reclose container after each use. Store in a cool, dry place away from food or feed. If spilled, sweep up and dispose of below. Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Container Disposal: Completely empty bag, then dispose of bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of the smoke.

GENERAL INFORMATION—K.E. "Chloroneb" 65W Fungicide is recommended for use as a supplemental seed treatment, for the control of seedling diseases of cotton, beans and soybeans; and as a supplemental seed treatment for sugar beets. It is to be used in conjunction with a standard fungicide seed treatment.

When used as directed, "Chloroneb" 65W can be expected to improve stands and plant vigor through the suppression of seedling blights, soreshin, and pre- and post-emergence damp-off caused by such organisms as *Rhizoctonia* and *Pythium* species and *Sclerotium rollsii*. It is highly effective in preventing post-emergence damp-off, especially when used as a supplemental seed coating.

Net Weight: 25 Lbs.

The second secon

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Do not apply this product through any type of irrigation system.

ADDED OR CHANGED

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restrictive-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Waterproof gloves
- Shoes plus socks

BEST AVAILABLE COPY

NOTICE: All stored treated seed must be labeled: "This seed treated with Chloroneb 65W fungicide. Do not use for food, feed, or oil purposes." Add appropriate information for any other chemical treatments. Do not use excess treated seed for food, feed, or oil purposes. Do not graze treated beans or soybeans within 45 days of planting.

SLURRY TREATERS

CHLORONEB 65W may be applied separately as a seed overcoat or in combination with other standard seed protectants. Mix CHLORONEB 65W in water and apply at the rates, slurry cup sizes and dump weights shown below. When using CHLORONEB 65W in combination with other seed protectants, adjust the slurry cup sizes and dump weights for the increased amount of water needed to handle the additional solids. Observe all cautions and limitations on labeling of all products used in mixtures. The treating rates for cottonseed include acid delinted, reginned, or fuzzy cottonseed. Use 4 pounds CHLORONEB 65W per gallon of water; one fluid ounce equals approximately 29.5 cc.

Crop Seed	Treating Rate Oz/CWT	Slurry cc/CWT Seed	Slurry Cup. cc	Lbs Dump Weight
Cotton (East of Rockies	6	460	46	10
Cotton (West of Rockies	10	766	46	6
Beans and Soybeans	4	306	23	7.5
Sugar Beets	6	460	46	10

į

BEST AVAILABLE COP

HOPPER BOX TREATMENT

The following procedure is suggested to thoroughly mix CHLORONEE 65% with the seed before planting: premix one-half the required solution at the rate of 4 lbs CHLORONEB 65% per gallon of water and fill planter box helf, full; with seed. Add the premixed solution of CHLORONEB 65% and mix thoroughly with a stick. Prepare the second half of the CHLORONEB 65% as described above. Then add the remainder of the seed to the planter box and add the rest of the required amount of CHLORONEB 65% to the seed, again mixing thoroughly.

Crop Seed	Treating Rate	cc/CWT Seed
Cotton (East of Rockies)	6	460
Cotton (West of Rockies)	10	766
Beans and Soybeans	4	306
Sugar Beets	6	460

K.E. Inc. warrants that this product conforms to the chemical description on the label thereof and is reasonably lit for purposes stated on such label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of K.E. In no case shall K.E. be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the Buyer, K.E., Inc. MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

BEST AVAILABLE COPY