DEC 1 3 1994

Michael M. Watts Kincaid Enterprises, Inc. Box 549 Nitro, WV 25143

Dear Mr. Watts:

Î

Subject: Deleted uses Marlate Technical Grade Methoxychlor EPA Registration No. 41014-5 Amendment application of April 13, 1994

The amendment referred to above, submitted in connection with registration under Federal Insecticide, Fungicide and Rodenticide Act, is acceptable provided that you:

Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec 6 (e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.


A stamp copy of the labeling is enclosed for your records.

Sincerely yours,

DHE

Dennis H. Edwards, Jr. Product Manager (19) Insecticide Rodenticide Branch Registration Division (7505C)

Enclosure



ACTIVE INGREDIENTS:

consists of S&I minimum 1,1,1-trichloro-2,2-bis (4-methoxyphenyl) ethane and 127 impurities associated with the active ingredient.

KEEP OUT OF REACH OF CHILDREN CAUTION STATEMENT OF PRACTICAL TREATMENT IF SWALLOWED: Drick one or two glasses of water and induce vomiling by touching back of threat with linger, Repeat until vomit field is clear. Call a Physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person. IF ON SKIN: Wesh thoroughly with scap and water. If ON SKIN: Wesh thoroughly with scap and water. IF IN EYES: Flush with plenty of water.

> ACCEPTED COMMENTS C EPA Latter Duted 2.13 1794 Federal b Redentielde Art مليامان Ner EPA Bog. No.

> > ה


Lot No.

j

. .



FREIGHT CLASSIFICATION (DOT) OTHER RECULATED SUBSTANCES, SOLID, B.O.S. NA 3077, PACKING GROUP III (MEIDOXYCULOR)



Net Weight 50 Lbs.

, **:**.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

Caution: Harmful if swallowed or inhaled. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Keep away from excessive heat. Avoid storage near steam pipes or radiators.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

Storage: Reclose container after each use. Store is a cool, dry place away from food or feed. If spilled, sweep up and dispose of as below.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty container into application equipment. Then dispose of the container in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

CANADIAN USERS

Canadian users of this product should dispose of unwanted product and containers in accordance with municipal or provincial regulations.

DIRECTICAS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Only for formulation into an insecticide for (1) the following uses:

• •

| alfalfa | aprles | apricots |
|-----------------------|-----------------|------------------|
| asparagus | barley | beans, castor |
| beans, dry | beans, lima | beaus, snap |
| beans, velvet | beef cattle | beets |
| blackberries | black-eyed peas | blueberries |
| boysenberries | proccoli | Brussels sprouts |
| cabbages | cantaloupes | carrots |
| cauliflovers | cherries | clover |
| collards | corn, field | corn, sweet |
| cotton, acid delinted | covpea | cucumbers |
| v currants | dairy cattle | dewberries |
| eggplants | endive | evergreens |
| flar | flowers | forage grasses |
| goats | gooseberties | grapes |
| kale | kohlrabies | leganes |
| lentils | lettuce | loganberries |
| nelons | millet | nustard |
| nectarines | oat | okra |
| ornamentals | peaches | peanut |
| peas | peppers | plans |
| potatoes, Irish | potatoes, seed | pranes |
| punpkins | quinces | radishes |
| raspherries | rice | roses |
| rutabaga | rye | sesale |
| shade trees | sheep | shrubs |
| sorghum | soybeans | spinach |
| squash | stravberries | sunner squash |
| sweet potatoes | svide | . Swiss chard |
| tomatoes | turnips | watermelons |
| wheat | yans | youngberries; |

(2) Uses for which USBPA has accepted the required data and/or citations of data that the formulator has submitted in support of registration; and {3} uses for experimental purposes that are in compliance with USBPA requirements.