

V. TREATMENT OF EXTERIOR WOOD SURFACES (DECKS, SHEDS, SIDING)

Apply only to bare wood or to wood surfaces where an intact water repellent or finish is not present. If necessary remove paint or finish prior to application. Apply a 1 to 1 or 2 to 1 dilution ratio BORA-CARE solution to the point of runoff to all wood surfaces. Apply two coats of diluted BORA-CARE to infested areas and to those surfaces where access is limited to one or two sides of wood members (siding, flooring, etc.). Do not apply in rain or snow. Exterior wood surfaces must not be exposed to rain or snow for at least 48 hours after treatment. If inclement weather is expected, protect exterior treated surface with a plastic tarp.

Exterior wood surfaces which have been treated with BORA-CARE will require a topcoating with a water resistant finish such as paint or exterior stain. It is important to allow BORA-CARE treated wood to completely dry (at least 48 hours) before applying any protective topcoat.

VI. TREATMENT OF LOG STRUCTURES

Apply only to bare wood or to wood surfaces where an intact water repellent or other finish is not present. If necessary, remove paint or finish prior to application. Interior surfaces which have accumulated dirt or cooking oils should be cleaned with a strong detergent prior to treatment. Apply a 1 to 1 dilution ratio BORA-CARE solution to the point of runoff to all interior and exterior wood surfaces. On round logs 10" or greater in diameter and rectangular logs larger than 6" x 12", apply two coats of solution. Wait at least one hour between applications. Two coats of BORA-CARE should also be applied to log ends, notches, corners and sill logs. Do not apply in rain or snow. Exterior wood surfaces must not be exposed to rain or snow for at least 48 hours after treatment. If inclement weather is expected, protect exterior treated surface with a plastic tarp.

Exterior wood surfaces which have been treated with BORA-CARE will require a topcoating with a water resistant finish such as paint or exterior stain. It is important to allow BORA-CARE treated wood to completely dry (at least 48 hours) before applying any protective topcoat.

For treating wood members other than logs, refer to appropriate label sections.

VII. TREATMENT OF FIREWOOD FOR CONTROL OF WOOD INHABITING INSECTS

Spray a 4 to 1 dilution ratio of BORA-CARE to wood pile making sure to cover all exposed wood surfaces. Wood should be allowed to dry prior to burning. Total control may not be obtained unless all bark is removed prior to treatment. In any case, a reduction in populations of wood inhabiting beetles, termites and carpenter ants will be seen. Do not cook over treated wood.

BORA-CARE treatment of firewood should not be used as a substitute for good firewood storage procedures. Firewood should never be stacked against a house or structure.

WARRANTY LIMITATIONS AND DISCLAIMER

Because of varying conditions affecting use and application, manufacturer warns buyer that these may impair or vary the results or effects of the use of this product. In any event, complete prevention of decay or insect infestation is not guaranteed. Neither the manufacturer nor seller shall be liable in respect to any injury or damage suffered by reason of the use of this product for a purpose not indicated by the label or when used contrary to the directions or instructions hereon nor with respect to breach of any warranty not expressly specified herein. Buyer accepts this material subject to these terms, and assumes all risk of usage and handling except when used or handled in accordance with this label.



1605 Prosser Rd.
Knoxville, TN 37914
(615) 524-7343

NOV 14 1990

PM 21
41014-0
P2.1064

Mr. Michael M. Watts
Kincaid Enterprises, Inc.
P.O. Box 549
Nitro, WV 25143

Dear Mr. Watts:

Subject: Add Turfgrass - Additional Brand Name
K.E. Chloroneb Fungicide Flowable
EPA Registration No. 41014-8
Your Submission Dated September 9, 1990

The amendment referred to above, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) or 4(a) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling change listed below before you release the product for shipment bearing the amended labeling:

- Under Environmental Hazards, change the last sentence to read:

Do not contaminate water when disposing of equipment washwaters.

3. The additional brand name "Terraneb SP Systemic Flowable" is acceptable. The label text must be identical to the basic registration except for the brand name.

4. Submit five (5) copies of your final printed labeling before you release the product for shipment.

54356:1:CR-44:Stone:L21-8:KENCO;11/13/90:12/13/90:DD:VO:EK:DD

CONCURRENCES

SYMBOL								
SURNAME								
DATE								

-2-

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

SL

Susan Lewis
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (H7505C)

Enclosure



TERRANE

**Snow Mold
Pythium
Brown Patch
Sclerotium**

SP

**Systemic
Flowable**

TURF FUNGICIDE

ACTIVE INGREDIENT:

Chloroneb (1, 4-dichloro-2, 5-dimethoxybenzene) 30.0%
INERT INGREDIENTS 70.0%

U.S. Pat. 3,265,564

(Contains 2.9# Chloroneb Per Gallon)

41014-8

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Call a Physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

IF ON SKIN: Wash thoroughly with soap and water.

IF IN EYES: Flush with plenty of water.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

GENERAL INFORMATION—TERRANE SP FLOWABLE is recommended for the treatment of turfgrasses for the control of SNOW MOLD, (TYPHULA), PYTHIUM BLIGHT, BROWN PATCH, and SCLEROTIUM.

Net Contents: 1 Gallon